

Books, monographs, reports:

- Bech P, Jepsen, PW (eds) Diagnostiske kriterier for DSM-III. F.A.D.L.'s forlag, København 1987
- Bech P. Psychometric Developments of the Hamilton Scales: The Spectrum of Depression, Dysthymia, and Anxiety. In: Bech P, Coppen A (eds) The Hamilton Scales. Springer: Berlin 1990: 72-79
- Bech P. Rating scales for psychopathology, health status and quality of life. A compendium on documentation in accordance with the DSM-III-R and WHO systems. Springer: Berlin 1993
- Bech P. The Bech, Hamilton and Zung Scales for Mood Disorders: Screening and Listening. A twenty years update with reference to DSM-IV and ICD-10. Berlin: Springer-Verlag, 1995. 2nd rev. edition 1996
- Bech P. (ed). Depressionssygdommen og dens behandling. København: Psykiatrifondens Forlag 1997
- Bech P. Quality of life in the psychiatric patient. London: Mosby-Wolfe 1998
- Bech P, Andersen MB, Tønnesen S, Agnarsdóttir E. Stress hos ledere i Danmark - årsager, udbredelse og konsekvenser. København: Arbejdsmiljørådets Service Center 2002
- Bech P, Licht RW, Stage KB, Abildgaard W, Bech-Andersen G, Søndergaard S, Martiny K. Rating scales for affective lidelser. Kompendium. 2., revideret oplag. Psykiatrisk Forskningsenhed, Psykiatrisk Sygehus Hillerød, Frederiksborg Amt, 2005

Chapters in books

- Bech P, Kjærsgaard K, Simonsen N, Lund M. Personality in epilepsy. In: Penry, J. K. (ed) Epilepsy. The Eighth International Symposium. Raven Press, New York 1977; 257-263
- Gram LF, Bech P, Reisby N, Nagy A, Christiansen J. Factors influencing pharmacokinetics and clinical effects of tricyclic antidepressants. In: Garattini, S. (ed) Depressive disorders. Schattauer Verlag, Stuttgart 1978; 337-346.
- Gjerris A, Bech P, Broen-Christensen C, Geisler A, Klysner R, Rafaelsen OJ. Haloperidol plasma levels in relations to antimanic effect. In Usdin E, Dahl S, Gram LF, Lingjærde O (eds). Clinical Pharmacology and Psychiatry, MacMillan Press, London, 1980. pp 227-232
- Bech P, Rafaelsen OJ. Personality and manic-melancholic illness. In Achte K, Aalberg V, Lönnqvist, J. (eds). Psychiatria Fennica Supplementum 1980, 223-231.
- Rafaelsen OJ, Bech P, Bolwig TG, Kramp P, Gjerris, A. The Bech-Rafaelsen combined rating scale for mania and melancholia. In Achte K, Aalberg V, Lönnqvist J (eds). Psychiatria Fennica, Supplementum 1980, 327-331.
- Bech P, Rafaelsen OJ. Kliniske bedømmelseskalaer, konstruktion og anvendelse. In Andersen D, Havsteen B, Juhl E, Riis P (eds.) Lægevidenskabelig forskning. F.A.D.L.'s Forlag, København 1982.
- Bech P. The use of rating scales for affective disorders. In Helgason T (ed) Methodology in evaluation of psychiatric treatment. Cambridge University Press, Cambridge, 1983
- Gjerris A, Bech P, Andersen J, Bøjholm S, Kramp P, Bolwig TG, Kastrup M, Clemmesen L, Rafaelsen OJ. The Melancholia Scale, the Newcastle Scales, and the Eighth International Classification of Disease: Inter-observer reliability and diagnostic validity. Biological Psychiatry, Recent Studies, Depressive Illness. In Burrows, G, Norman T R, Maguire KP (eds). John Libbey, London, 1984, pp 121-125
- Kastrup M, Bech P. Unipolar and bipolar depression: Symptomatology and Treatment Effect. The spectrum of antidepressant effect. P Pichot (ed). Excerpta Medica, Amsterdam, 1984.
- Bech P. Klinisk psykiatrisk forskning: Rating scales, Principper og anvendelse. I Problemer i psykiatrisk forskning. N Reisby (ed). F.A.D.L.'s forlag, København, 1984: 46-52.

Bech P. Methodological problems in assessing quality of life as outcome in psychopharmacology. A multi-axial approach. In: Benkert O, Rickels K (eds). *Methodology and evaluation of psychotropic drugs*. Springer: Berlin 1990.

Bech P. Clinical criteria for selection of patients for research in biological psychiatry. In *New Research Strategies in Biological Psychiatry*. Kemali D, Morozov PV, Toffano G (eds). John Libbey, London, 1984

Bech P. Psychopharmacology and the classification of depression. Use of cyclic antidepressants: DSM-III and ICD-9. In Burrows GD, Norman TR, Dennerstein L (eds). *Clinical and Pharmacological Studies in Psychiatric Disorders*. John Libbey, London 1985: 1-7

Bech P. Methods to evaluate depressive and psychotic symptoms. In: *Biological Psychiatry in Europe today* (Pepplinkhuizen, Verhoeven WMA (eds). *Vitgiverig De Medicus*, Leidendorp, Holland 1986, pp 55-58.

Bech P, Langer, S. Z., Mellerup, E., Vartanian, M. E. Validity of Imipramine platelets Binding Sites as a biological marker of endogenous depression. In: Chagas C, Josiassen RC, Bridger WH, Weiss KJ, Stoff D, Simpson GM (eds). *Developments in psychiatry*, vol. 7. Elsevier 1986. pp 1510-1512.

Bech P, Rafaelsen OJ. The Melancholia Scale: Development, Consistency, Validity and Utility. In: Sartorius N and Ban TA (eds) *Assessment of Depression*. Springer: Berlin, 1986: 259-269.

Philipp M, Maier W, Buller R, Gjerris A, Bech P. Angst und Depression: Erfassung Körperlicher und Psychischer Aspekte mittels der Hamilton-Skalen. In: Hippus H (Hrsg) *Angst-Leitsymptom psychiatrischer Erkrankungen*. Springer-Verlag, Heidelberg 1987

Bech P. Construct validity of rating scales for melancholia. In: *Human Psychopharmacology*. Hindmarch I and Stonier PD (eds). John Wiley: Chichester; 1987, pp 19-29.

Bech P, Rafaelsen OJ. Kvantitativ forskning i psykiatri. I: Andersen, D. et al. *Lægevidenskabelig forskning* (4. udg). F.A.D.L., København 1987, pp 276-288.

Bech P. Clinical effects of selective serotonin reuptake inhibitors. In: Dahl SG, Gram LF (eds) *Clinical Pharmacology in Psychiatry*. Springer: Berlin, 1989, pp 81-93.

Bech P. Clinical properties of citalopram in comparison with other antidepressants: A quantitative meta-analysis. In: Montgomery, S. A. (ed). *Citalopram: The new antidepressant*. Excerpta Medica 1989, pp 56-68

Bech P. Diagnostic and classification tradition of mental disorders in the twentieth century in Scandinavia. In: Sartorius N (ed). *Sources of diagnosis in different cultures*. Hans Huber: Bern, 1990, pp 153-169.

Bech P, Rasmussen S, Dahl A, Lauritsen B, Lund K. Withdrawal states after alcohol and minor tranquilizers: Shared phenomenology as index for standardized substitution therapy. In: Stefanis CN (ed). *Psychiatry: A world perspective vol. 1*. Elsevier 1990, pp 1211-1218.

Bech P. The Construct validity of the diagnostic melancholia scale in the qualitative spectrum of depression with special reference to prediction of drug response. In: Stefanis CN (ed). *Psychiatry: A world perspective vol. 1*. Elsevier 1990, pp 440-445.

Bech P. Measuring the efficacy of psychotropic drugs: Clinical symptoms and rating scales. In: Benkert O, Rickels K (eds). *Methodology and evaluation of psychotropic drugs*. Springer: Berlin 1990.

Bech P. The clinical measurement of aggression. In: Thompson, C., Cowen P. (eds.). *The Science and Psychiatry of Violence*. Oxford, 1991 pp 186-196.

Bech P. Symptoms and assessment of depression. In: Paykel ES (ed.) *Handbook of affective disorders*. Edinburgh: Churchill Livingstone 1992, pp 3-13.

Bech P, Dunbar GC, Stoker MJ. The challenge of measuring quality of life in psychiatric patients. In: Jönsson B, Rosenbaum J (eds.). *The Health Economics of depression*. Chichester: Wiley 1993

Bech P, Langemark M, Loldrup D, Krogh Rasmussen B., Krabbe A. Tension-type Headache: Psychiatric Aspects. In: Olesen J, Schoenen J (eds.). *Tension-type Headache: Classification, Mechanisms, and Treatment*. New York: Raven Press 1993 pp 143-146

Kastrup MC, Bech P. The use of brief rating scales for psychopathologic States with reference to DSM-III-R. In: Mezzich JE, Jorge MR, Salloum IM (eds.). *Psychiatric epidemiology. Assessment concepts and methods*. Baltimore: The Johns Hopkins University Press, 1994, pp 321-331

Bech P. The PCASEE model: an approach to subjective well-being. In: J Orley W Kuyken (eds). *Quality of Life Assessment: international perspectives*. Berlin: Springer-Verlag, 1994

Bech P, Mak M. Measurements of impulsivity and aggression. In: Hollander E, Stein D (eds.). *Impulsivity and aggression*. New York: John Wiley 1995, pp 25-41.

Lauritzen L, Kørner A, Bech P. Psychogeriatric Rating Scales: Interrater reliability and validity. In: Bergener M, Fenkel SI (eds.). *Treating Alzheimer's and other dementias*. Springer: 1995, pp 269-276.

Bech P. (ed). *For andre er livet en selvfølge. Depressionssygdommen set med patientens øjne*. København: Psykiatrifondens Forlag 1997

Bech P. Medicinsk behandling af depression. In Bech P. (ed). *Depressionssygdommen og dens behandling*. København: Psykiatrifondens Forlag 1997, p. 111-121 Kapitel 17: Bech P. Sundhedsrelateret livskvalitet of depression. S. 143-151

Bech P. Sundhedsrelateret livskvalitet og depression. In Bech P. (ed). *Depressionssygdommen og dens behandling*. København: Psykiatrifondens Forlag 1997, p. 143-151

Bech P. Depression og livskvalitet. Hvornår og hvorfor skal man søge behandling. I: J Gerlach (ed.). *Depression og depressionsbehandling*. PsykiatridFondens Forlag 1997, pp 11-1

Bech P. Measurement and organisation in psychopharmacology. In: David Healy (Interviewer) *The Psychopharmacologists II*. London: Altman 1998; pp 449-520

Bech P. Stress, livskvalitet og depression. In: Larsen HE (ed.) *I sort – en debatbog om depression*. København: Lindhardt og Ringhoff 1999

Bech P. Methodological issues in individual quality of life assessment. In: Joyce CRB, McGee HM, O'Boyle CA (eds.) *Individual quality of life. Approaches to conceptualisation and assessment*. Amsterdam: Harwood Academic Publishers 1999, pp 51-63

Bech P. Social anxiety disorder: the impact on quality of life. In: Westenberg, H.G.M. & den Boer, J.A. (eds.): *Focus on psychiatry. Social Anxiety Disorder*. Amsterdam: Syn-thesis 1999. pp 109-115

Bech P. Et præcist psykometer til aflæsning af depression og mani i den psykokemiske forskning. In: Møllerup E, Jørgensen OS, Plenge P, Broberg AM (eds.) *Neuropsykiatriske aspekter*. Udgivet i anledning

af Neuropsykiatrisk Laboratoriums 100 års jubilæum 10. december 1998. København: Neuropsykiatrisk Laboratorium, Rigshospitalet, 1999; pp 42-50

Bech P. Stress og livskvalitet. København: PsykiatriFondens Forlag 1999.

Bech P. The difference in depression in men and women. In: Bech P, Dahl AA, Naukkarinen H (eds) What do we know about comorbidity today? Uddevalla: Det Mångkulturelle Förlaget, 2000: pp 6-19

Bech P. Clinical features of mood disorders and mania. In: Gelder MG, López-Ibor JJ and Andreasen N (eds.) New Oxford Textbook of Psychiatry. Oxford University Press 2000, pp 682-688

Bech P, Olsen LR, Nimeus A. Psychometric scales in suicide risk assessment. In: Wasserman D. Suicide - an unnecessary death. London: Martin Dunitz 2001

Bech P. Male depression: stress and aggression as pathways to major depression. In: Dawson A and Tylee A (eds.) Depression: Social and economic timebomb. London: BMJ Books 2001, pp 63-66.

Bech P. Pharmacological treatment of depressive disorders: a review. In: Maj, M. & Sartorius N, eds.: Depressive disorders. WPA Series Evidence and Experience in Psychiatry. Chichester: John Wiley & Sons 1999; pp 89-127. Second edition. Chichester: John Wiley & Sons 2002; pp 89-127.

Bech P. The clinical spectrum of mania. In: Maj M, Akiskal HS, López-Ibor JJ and Sartorius N (eds) Bipolar Disorder. WPA Series Evidence and Experience in Psychiatry, vol 5. Chichester: John Wiley & Sons, 2002, pp 89-91.

Bech P. Measurement issues. In: D'haenen H, den Boer JA and Willner P, eds. Biological Psychiatry. II. NY, John Wiley 2002; pp. 25-36

Bech P. Health-related Quality of Life: Disease-specific and Generic Dimensions in Social Phobia. Commentaries. 6.3. In Maj M, Akiskal HS, Lopez-Ibor JJ, Okasha A, eds. Phobias. WPA Series Evidence and Experience in psychiatry, Vol 7. London: Wiley 2004, pp 335-337

Bech P. Quality of life and rating scales of depression. In: Preskorn SH, Feighner JP, Stanga CY, Ross R, eds. Antidepressants: Past, present and future. New York: Springer 2004, pp 149-167

Bech P. The Bech-Rafaelsen Mania and Melancholia Scales in clinical trials: a 25-year review of their use as outcome measure in bipolar and unipolar patients. In Brown MC, ed. Focus on Bipolar Disorder Research. Nova Science Publishers; Hauppauge, NY 2005, pp 131-151

Bech P. Depressionsspørgeskemaer med særligt henblik på Major Depression Inventory (MDI). In Assessmentmetoder. Håndbog for psykologer og psykiatere. Red. Elsass P, Ivannouw J, Mortensen EL, Poulsen S og Rosenbaum B. København: Dansk Psykologisk Forlag 2006, pp 197-211

Bent-Hansen J, Bech P. Hamilton Depressionsskalaen (HAM-D). In Assessmentmetoder. Håndbog for psykologer og psykiatere. Red. Elsass P, Ivannouw J, Mortensen EL, Poulsen S og Rosenbaum B. København: Dansk Psykologisk Forlag 2006, pp 475-491

Bech P. Bech-Rafaelsen Mani- og Melankoliskalaer (MAS og MES). In Assessmentmetoder. Håndbog for psykologer og psykiatere. Red. Elsass P, Ivannouw J, Mortensen EL, Poulsen S og Rosenbaum B. København: Dansk Psykologisk Forlag 2006, pp 493-500

Olsen LR, Mortensen EL, Bech P. Symptom Checklist (SCL-90, SCL-90-R og SCL-92). In Assessmentmetoder. Håndbog for psykologer og psykiatere. Red. Elsass P, Ivannouw J, Mortensen EL, Poulsen S og Rosenbaum B. København: Dansk Psykologisk Forlag 2006, pp 183-196

Bech P. Livskvalitet Og Depression: Brugen af spørgeskemaer. I: Gerlach, J (red.) Depression. Symptomer, årsager og behandling. København: Psykiatrifondens Forlag, 2006; s. 89-101

Sørensen CH, Bech P. Depression and ischemic heart disease. In: Psychiatry Highlights 2005-2006 (Lader M, ed). London: Health Press 2006; pp. 13-18 (Book series: Fast Facts)

Bech P, Mortensen EL. Spørgeskemaer til vurdering af angsttilstande og livskvalitet. I Jes Gerlach (ed)

Angstbogen. PsykiatriFondens Forlag, København 2008, pp 93-112

Bech P, Søgaard. Angst og samfundsøkonomi. I Jes Gerlach (ed) Angstbogen. PsykiatriFondens Forlag, København 2008 pp 261-276

Bech P, Raabæk Olse L, Gormsen L. Smerter, Angst og Depression. In Smerter. Jensen TS, Dahl JB, Arendt-Nielsen L (eds) FADL's Forlag 2009 pp 285 – 298.

Papakostas GI, Bech P, Fava M. Pharmacological treatment of major depressive disorder: A review. In Herman H, Maj M, Sartorius N (eds) Depressive disorders. The WPA series on evidence and experience in psychiatry. Third edition. Chichester: Wiley – Blackwell 2009 pp 47-74

Bech P, Awata S. Measurement of suicidal behaviour with psychometric scales. In (eds.) Wasserman, D., Wasserman C.) Oxford Textbook of Suicidology, 2009. P. 305-311

Bech P. Clinical features of mood disorders and mania. In: Gelder M, Lopez-Ibor J.J, and Andreasen N (eds). New Oxford Textbook of Psychiatry. Second edition. Oxford: Oxford University Press 2009

Bech P, Olsen LR, Gormsen L. Smerter, angst og depression. In Smerter. Troels S. Jensen, Jørgen B Dahl (eds). FADL's Forlag, København 2013. 3 udgave. Side 283-297.

Bech P. Role of psychotropic drugs in quality of life improvement in psychiatric patients: historical aspects. In: History of Psychopharmacology. Lopez-Munoz F, Alamo C, Domino Ef (eds.). 2014 Volume 3, Chapter 68, pp 305 – 322

Bech P. Clinical Assessments. In Jeste DV, Palmer BW (eds). Positive Psychiatry: A Clinical Handbook. American Psychiatric Publishing. Washington DC, London 2015

Articles

Bech P. Cannabis and alcohol: Effects on simulated driving. In: Praag, H. M. van (ed) Biochemical and pharmacological aspects of dependence and reports on marijuana research. Harlem, 1972.

Rafaelsen L, Christrup H, Bech P & Rafaelsen O J. Cannabis and alcohol: Effects on psychological tests. Nature 1973; 242: 117-118.

Rafaelsen O J, Bech P, Christiansen J, Christrup H, Nyboe J, Rafaelsen L. Cannabis and alcohol: Effects on simulated car driving. Science 1973; 179: 920-923.

Rafaelsen O J, Bech P, Rafaelsen L. Simulated car-driving influenced by cannabis and alcohol. Pharmacopsychiatry 1973; 6: 71-83.

Bech P, Rafaelsen L, Rafaelsen O J. Cannabis and alcohol: Effects on estimation of time and distance. Psychopharmacologia 1973; 32: 373-381.

Bech P, Rafaelsen L, Rafaelsen OJ. Cannabis: A psychopharmacological review. Dan Med Bull 1974; 21: 106-120.

Thomsen J, Bech P, Geisler A, Balslev Jørgensen M, Rafaelsen O J, Terkildsen K, Udsen J, Zilstorff K. Ménière's disease: Preliminary report of lithium treatment. Acta Oto-laryng 1974; 78: 59-64.

Bech P. Depression: Influence on time estimation and time experience. Acta Psychiatr Scand 1975; 51: 42-50.

Bech P, Gram LF, Dein E, Jacobsen O, Vitger J., Bolwig TG. Quantitative rating of depressive states. Acta Psychiatr Scand 1975; 51: 161-170.

Bech P, Bolwig TG, Dein E, Jacobsen O, Gram LF Quantitative rating of manic states. Acta Psychiatr Scand 1975; 52: 1-6.

Bech P. Mental illness and simulated driving: Before and during treatment. *Pharmacopsychiatry* 1975; 8: 143-150.

Bech P, Vendsborg PB, Rafaelsen OJ. Lithium maintenance treatment of manic-melancholic patients. *Acta Psychiatr Scand* 1976; 53: 70-81.

Vendsborg PB, Bech P, Rafaelsen, OJ. Lithium treatment and weight gain. *Acta Psychiatr Scand* 1976; 53: 139-147.

Bech P, Kjærsgaard K, Simonsen N, Lund M. Personality in epilepsy. *Acta Neurol Scand* 1976; 54: 348-358.

Bech P, Thomsen J, Rafaelsen OJ. Long-term lithium treatment: Effect on simulated driving and other psychological tests. *Eur J Clin Pharmacol* 1976; 10: 331-335.

Geisler A, Bech P, Johannesen M, Rafaelsen OJ. Cyclic AMP levels in cerebrospinal fluid in manic-melancholic patients. *Neuropsychobiol* 1976; 2: 211-220.

Gram LF, Reisby N, Ibsen I, Nagy A, Dencker SJ, Bech P, Petersen GO, Christiansen J. Plasma levels and antidepressive effect of imipramine. *Clin Pharmacol Ther* 1976; 19: 318-324.

Thomsen J, Bech P, Geisler A, Prytz S, Rafaelsen OJ, Vendsborg P B, Zilstorff K. Lithium treatment of Ménière's disease. Result of a doubleblind cross-over trial. *Acta Oto-laryng.* 1976; 82: 294-296.

Jørgensen OS, Bock E, Bech P, Rafaelsen OJ. Synaptic membrane protein D2 in cerebrospinal fluid of manic-melancholic patients. *Acta Psychiatr Scand* 1977; 56: 50-56.

Reisby N, Gram LF, Bech P, Nagy, A, Petersen GO, Ortmann J, Ibsen I, Dencker SJ, Jacobsen O, Krautwald O, Søndegaard I, Christiansen J. Imipramine: Clinical effects and pharmacokinetic variability. *Psychopharmacol* 1977; 54: 263-272.

Bech P, Allerup P, Rosenberg R The Marke-Nyman Temperament Scale. Evaluation of transferability using the Rasch item analysis. *Acta Psychiatr Scand* 1978; 57: 49-58.

Bech P, Kirkegaard C, Bock, E, Johannesen M, Rafaelsen OJ. Hormones, electrolytes, and cerebrospinal fluid proteins in manic-melancholic patients. *Neuropsychobiol* 1978; 4: 99-112.

Bech P, Rafaelsen OJ, Kramp P, Bolwig TG. The mania rating scale: Scale construction and inter-observer agreement. *Neuropharmacol* 1978; 17: 430-431.

Bech P. Depressive symptomatology and drug response. *Communications in Psychopharmacology* 1978; 2: 409-418.

Thomsen J, Bech P, Nielsen OS. CSF Total Protein: Normal values. *Acta Otolaryngol* 1978; 86: 359-365.

Reisby N, Gram LF, Bech P, Sihm F, Krautwald O, Elley J, Ortmann J, Christiansen J. . Clomipramine: Plasma levels and clinical effects. *Communications in Psychopharmacology* 1979; 3: 341-351

Bech P, Bolwig TG, Kramp, P, Rafaelsen, OJ. The Bech-Rafaelsen Mania Scale and the Hamilton Depression Scale: Evaluation of homogeneity and inter-observer reliability. *Acta Psychiatr Scand* 1979; 59: 420-430.

Bech P, Thomsen J, Prytz S, Vendsborg P B, Zilstorff K, Rafaelsen OJ. The profile and severity of lithium-induced side effects in mentally healthy subjects. *Neuropsychobiology* 1979; 5: 160-166.

Bech P, Hey H. Depression or asthenia related to metabolic disturbances in obese patients after intestinal bypass surgery. *Acta Psychiatr Scand* 1979; 59: 462-470.

Thomsen J, Bech P, Prytz S, Vendsborg P, Zilstorff K. Ménière's disease: Lithium treatment (demonstration of placebo effect in a double-blind cross-over trial). *Clin Otolaryngol* 1979; 4: 119-123.

- Reisby N, Gram LF, Bech P, Sihm F, Krautwald O, Elly J, Ortman J, Christiansen J. Clomipramine: plasma levels and clinical effects. *Communications in Psychopharmacology* 1979; 3: 341-351.
- Møllerup E T, Bech P, Sørensen T, Fuglsang-Frederiksen A, Rafaelsen OJ. Calcium and electroconvulsive therapy of depressed patients. *Biol Psychiatry* 1979; 14: 711-714.
- Bech P, Gram LF, Reisby N, Rafaelsen, OJ. The WHO Depression Scale: Relationship to the Newcastle Scales. *Acta Psychiatr Scand* 1980; 62: 140-153.
- Bech P, Rafaelsen, OJ. The use of rating scales exemplified by a comparison of the Hamilton and the Bech-Rafaelsen Melancholia Scale. *Acta Psychiatr Scand* 1980, Suppl. 285; 62: 128-132.
- Bech P, Shapiro R W, Nielsen B M, Sørensen B, Rafaelsen OJ. Personality in unipolar and bipolar manic-melancholic patients. *Acta Psychiatr Scand* 1980; 62: 245-257.
- Gershon E S, Mendlewicz M, Gastpar M, Bech P, Goldin L R, Kielholz P, Rafaelsen OJ, Vartanian F, Bunney WE Jr. A collaborative study of genetic linkage of bipolar manic-depressive illness and red/green colorblindness. *Acta Psychiatr Scand* 1980; 61: 319-338.
- Bech P. Rating scales for affective disorders: Their validity and consistency. Thesis. *Acta Psychiatr Scand (Suppl 295)* 1981; 64: 1-101.
- Bech P, Allerup P, Gram LF, Reisby N, Rosenberg R., Jacobsen O Nagy A. The Hamilton Depression Scale. Evaluation of objectivity using logistic models. *Acta Psychiatr Scand* 1981; 63: 290-299.
- Lee K, Jensen E, Bech P. Neuropsychological and computerized tomographic evaluation of young alcoholics. *Br J Psychiatry* 1982; 141: 282-285.
- Larsen JK, Lund, Y, Wilki, L, Bech P, Rafaelsen OJ. Non-medical aspects of out-patient treatment of manic-melancholic patients. *Nord Psykiatr Tidsskr* 1983; 37: 331-337.
- Bech P, Gjerris A, Andersen J, Bøjholm S, Kramp P, Bolwig TG, Kastrup M, Clemmesen L, Rafaelsen OJ. The Melancholia Scale and the Newcastle Scales. Item-combinations and Inter-observer Reliability. *Br J Psychiatry* 1983; 143: 58-63.
- Bech P, Clemmesen, L. The diagnosis of depression: 20 years later. *Acta Psychiatr Scand* 1983, suppl. 310; 68: 9-30.
- Bech P. Assessment scales for depression: The next 20 years. *Acta Psychiatr Scand* 1983, suppl. 310; 68: 117-130.
- Rafaelsen OJ, Andersen J, Bech P, Clemmesen, L., Gjerris A, Kastrup M, Kramp, P. Multi-Axial Classification of Depression: MULTICLAD-2 Case Record System. *Acta Psychiatr Scand* 1983; suppl. 310: 85-102.
- Gjerris A, Bech P, Bøjholm, S., Bolwig TG, Kramp P, Clemmesen, L., Andersen J, Jensen E, Rafaelsen OJ. The Hamilton Anxiety Scale: Evaluation of homogeneity and inter-observer reliability in patients with depressive disorders. *J Affect Disord* 1983; 5: 163-170.
- Bech P. The instrumental use of rating scales for depression. *Pharmacopsychiatry* 1984; 17: 22-28 (Anna Monika Pris).
- Bech P. The Instrumental use of rating scales for depression. *Pharmacopsychiatry* 1984; 17: 22-28.
- Bech P. Clinical criteria for selection of patients for research in biological psychiatry. *J Psychiat Biol Ther* 1984; 3: 5-10.
- Bech P, Allerup P, Reisby N, Gram LF. Assessment of symptom change from improvement curves on the Hamilton Depression Scale in trials with antidepressants. *Psychopharmacology* 1984; 84: 276-281.

Bech P, Gastpar M, Morozov PV. Clinical assessment scales for biological psychiatry to be used in WHO studies. *Progr Neuro-Psychopharmacol & Biol Psychiatry*, 1984; 8: 190-196.

Kastrup M, Bech P, Gjerris A, Andersen J, Bøjholm, S., Kramp P, Bolwig TG, Clemmesen L, Rafaelsen OJ. La fidélité interobservateur et la validité diagnostique des échelles d'évaluation. *Psychologie Médicale* 1984; 16: 869-872.

Jørgensen B, Nørrelund N, Bech P, Jakobsen K. Smerter og depressive symptomer i almen praksis. *Ugeskr Læger* 1984; 146: 2868-2872.

Bech P. Citalopram versus clomipramine: A controlled clinical study. *Clin Neuropharmacol*. 1984. Suppl. 1; 7: 6471-2.

Bech P, Gjerris A, Andersen J, Rafaelsen OJ. World Health Organization Schedule for Standardized Assessment of Depressive Disorders (WHO/SADD5). Item combinations and inter-observer reliability. *Psychopathology* 1984; 17: 244-252.

Bech P, Grosby H, Husum B, Rafaelsen, L. Generalized Anxiety or Depression measured by the Hamilton Anxiety Scale and the Melancholia Scale in patients before and after cardiac surgery. *Psychopathology* 1984; 16: 253-263.

Bech P. Commentary to characterologic manifestations of affective disorders. *Integrative Psychiatry*, 1984; 2: 89-91.

Kastrup M, Bech P. Rating scales for measuring severity of schizophrenic states: An overview. *Nord Psykiatr Tidsskr* 1985; 39: 417-423.

Bech P, Kastrup M, Rafaelsen OJ. Mini-compendium of rating scales for states of anxiety, depression, mania, schizophrenia with corresponding DSM-III syndromes. *Acta Psychiatr Scand* 1986, suppl. 326; 73: 7-37.

Dencker SJ, Ahlfors UG, Bech P, Elgen K, Lingjærde O. Classification of side effects in psychopharmacology. *Pharmacopsychiatry* 1986; 19: 40-42.

Bech P, Kastrup M, Loldrup D. Use of headache rating scales: A Multiaxial approach. *Cephalalgia*, 1986; 6: 69-80.

Bech P. European College of Neuropsychopharmacology. *Pharmacopsychiatry* 1986; 19: 1.

Brøsen K, Gram LF, Klysner R, Bech P. Steady-state levels of imipramine and its metabolites: Significance of dose-dependent kinetics. *Eur J Clin Pharmacol* 1986; 30: 43-49.

Zierau F, Eplöv L, Jepsen PW, Kastrup M, Kijne B, Loldrup D, Rasmussen S, Stubgaard M, Bech P. Multiaksial diagnostik i forbindelse med psykiatrisk tilsynsvirksomhed. *Ugeskr Læg* 1986; 148: 883-940.

Danish University Antidepressant Group. Citalopram: Clinical effect profile in comparison with clomipramine. A controlled multicenter study. *Psychopharmacology* 1986; 90: 131-138.

Gjerris A, Bech P, Rafaelsen OJ. The mania and melancholia scales. *Nord Psykiatr Tidsskr* 1986; 40: 117-118.

Rasmussen S, Eplöv L, Jepsen PW, Kijne B, Poulsen, D. Loldrup, Zierau F, Bjørndal F, Gjerris A, Rafaelsen OJ, Bech P. Konkordans mellem patient og interviewer ved vurdering af personlighed. *Nord Psykiatr Tidsskr* 1986; 40: 119-124.

Kristensen CB, Rasmussen S, Dahl A, Lauritsen B, Lund K, Stubgaard M, Bech P. The withdrawal syndrome scale for alcohol and related psychoactive drugs: Total scores as guidelines for treatment with phenobarbital. *Nord Psykiatr Tidsskr* 1986; 40: 139-146.

Bech P, Ahlfors UG, Dencker SJ, Elgen K, Lingjærde O. UKU's bivirkningsskala - skala til registrering af

uønskede virkninger af psykofarmaka. Nord Psykiatr Tidsskr 1986; 40: 147-158.

Brøsen K, Klysner R, Gram LF, Otton SV, Bech P, Bertilsson L. Steady-State Concentrations of Imipramine and its Metabolites in Relation to the Sparteine/Debrisoquine Polymorphism. Eur J Clin Pharmacol 1986; 30: 679-684.

Kastrup M, Bech P, Rafaelsen OJ. Rating scales for states for anxiety, depression, mania and schizophrenia. A multi-axial approach. Acta Psychiatr Belg 1986; 86: 575-581.

Bech P, Jørgensen B, Jeppesen K, Loldrup Poulsen D, Vanggard T. Personality in depression: concordance between clinical assessment and questionnaires. Acta Psychiatr Scand 1986; 74: 263-268.

Bech P, Haaber A, Joyce CRB and DUAG. Experiments on clinical observation and judgement in the assessment of depression: profiled videotapes and judgement analysis. Psychol Med 1986; 16: 873-883.

Klysner R, Butler B, Vilmar T, Bech P. Empirical versus prospective pharmacokinetic dosing of perphenazine in schizophrenic and acute paranoid disorders. Preliminary findings. Nord Psykiatr Tidsskr 1986; 40: 473-477.

Rasmussen S, Bech P, Lorentzen K, Møllergård M, Rafaelsen OJ, Rosenberg R, Rosenberg N. Panic projektet. Kliniske og demografiske karakteristika. Nord Psykiatr Tidsskr 1986; 40: 435-437.

Rosenberg NK, Bech P, Lorentzen K, Møllergård M, Rasmussen S, Rafaelsen OJ, Rosenberg R. Personality Disorder in Panic Disorder Patients. Nord Psykiatr Tidsskr 1986; 40: 437-440.

Rosenberg R, Bech P, Plenge P, Møllerup ET, Rafaelsen OJ, Rasmussen S, Rosenberg NK. MAO activity and ³H-imipramine binding in platelets from patients with panic disorder. Nord Psykiatr Tidsskr 1986; 40: 440-441.

Bech P, Gastpar M, Mendlewicz J, Møllerup ET. WHO pilot study on the validity of the ³H-imipramine platelet binding sites as a biological marker of endogenous depression. Clinical Neuropharmacology 1986; suppl. 4: 440-441.

Bech P, Bech-Andersen G. A review of the antidepressant properties of 5-HT reuptake inhibitors. 15th. Collegium Internationalis Neuro-Psychopharmacologicum 1986; 9 suppl. 4: 165-166.

Bech P, Allerup P. A categorial approach to depression by a three-dimensional system. Psychopathology, 1986; 19: 327-339.

Bech P, Hjortsø S, Lund K, Vilmar T, Kastrup M. An integration of the DSM-III and ICD-8 by global severity assessments for measuring multidimensional outcomes in general hospital psychiatry. Acta Psychiatr Scand 1987; 75: 297-306.

Bech P. Observer Rating Scales of Anxiety and Depression with Reference to DSM-III for Clinical Studies in Psychosomatic Medicine. Adv Psychosom Med 1987; 17; 55-70.

Butler B, Bech P. Neuroleptic profile in ciproxapine (savoxepine), a new tetracyclic dopamine antagonist: clinical validation of the hippo-campus versus striatum ratio model of dopamine receptors in animals. Pharmacopsychiat. 1987; 20: 122-126.

Lingjærde O, Ahlfors UG, Bech P, Dencker SJ, Elgen, K. The UKU side effect rating scale. A new comprehensive rating scale for psychotropic drugs and a cross-sectional study of side effects in neuroleptic-treated patients. Acta Psychiatr Scand 1987, suppl. 334; vol. 76. pp.1-100

Bech P. Escalas y cuestionarios para la depresión. Psicopatologia (Madrid) 1987; 2: 185-194.

Bech P. Scales and questionnaires for depression. Psicopatologia (Madrid) 1987; 7,2: 195-204.

Lingjærde O, Ahlfors UG, Bech P, Dencker SJ, Elgen, K. The UKU side effect rating scale. Acta Psychiatr Scand 1987, suppl. 326, vol. 76.

Bech P. Concept of mild endogenous depression. *Br J Psychiatry* 1987; 151-271.

Bech P. Quality of life in psychosomatic research. A Psychometric Model. *Psychopathology* 1987; 20: 169-179.

Loldrup Poulsen D, Hansen HJ, Langemark M, Olesen J, Bech P. Discomfort or Disability in Patients with Chronic Pain Syndrome. *Psychother. Psychosom.* 1987; 48: 60-62.

Loldrup Poulsen D, Zierau F, Eplov L, Jepsen PW, Kastrup M, Kijne B, Rasmussen S, Stubgaard M, Bech P. Integration of DSM-III and ICD-8 to be used in a consultations-liaison psychiatric service. *Psychother. Psychosom.* 1987; 48: 78-82.

Bech P, Allerup P, Gram LF, Kragh-Sørensen P, Rafaelsen OJ, Reisby N, Vestergaard P and DUAG. The Diagnostic Melancholia Scale (DMS): Dimensions of endogenous and reactive depression with relationship to the Newcastle Scales. *Journ Aff Dis* 1988; 14: 161-170.

Bech P, Larsen JK, Andersen J. The BPRS: Psychometric Developments. *Psychopharmacol Bull.* 1988 24: 118-121.

Bech P. Dimensions de la depression: Modèles statistiques pour l'évaluation des troubles affectifs. *Psychiatr Psychobiol* 1988; 3: 37-44.

Bech P, Eplov L, Gastpar M, Gentsch C, Mendlewicz J, Plenge P, Rielaert C, Mellerup ET. WHO pilot Study on the Validity of Imipramine Platelet Receptor Binding Sites as a Biological Marker of Endogenous Depression. *Pharmacopsychiatry* 1988; 21: 147-150.

Bech P. Rating scales for mood disorders: Applicability, consistency and construct validity. *Acta Psychiatr Scand Suppl.* 345. 1988; 78: 45-55.

Bech P. A Review of the antidepressant properties of serotonin reuptake inhibitors. *Adv Biol Psychiatry*, 1988; 17: 58-69.

Clemmesen L, Klysner R, Lauritzen L, Loldrup D, Lunde, M., Schaumburg E, Waarst S Bech P. Kombinationsbehandling med imipramin og mianserin: En kontrolleret klinisk undersøgelse. *Nord Psykiatr Tidsskr* 1988; 42: 529-531.

Mellerup ET, Bech P, Hansen H J, Langemark M, Loldrup D, Plenge, P. Platelet³H-Imipramine Binding in Psychogenic Pain Patients. *Psychiatry Research.* 1988; 26: 149-156.

Bech P, Gram LF, Kragh-Sørensen P, Reisby N, Vestergaard P, DUAG: Standardized assessment scales and effectiveness of antidepressants. *Nord Psykiatr Tidsskr* 1988; 42: 511-115.

Bech P. Rating scales in psychopharmacology. Statistical aspects. *Acta Psychiatr Belg* 1988; 88: 291-302.

Bech P, Mellerup ET. Psychochemistry in psychiatry. Papers presented in memory of Ole J. Rafaelsen. *Acta Psychiatr Scand* 1988; 78 (suppl 345)

Angst J, Bech P, Boyer P, Bruinvels J, Engel R, Helmchen H, Hippus H, Lingjærde O, Racagni G, Saletu B, Sedvall G, Silverstone J T, Stefanis C N, Stoll K, Woggon B. Consensus Conference on the Methodology of Clinical Trials of Antidepressants, Zurich, March 1988. Report of the Consensus Committee. *Pharmacopsychiat.* 1989; 22: 3-7.

Andersen J, Larsen JK, Schultz V, Nielsen B M, Kørner A, Behnke K, Munk-Andersen E, Butler B, Allerup P, Bech P. The Brief Psychiatric Rating Scale. Dimension Schizophrenia - Reliability and Construct Validity. *Psychopathology* 1989; 22: 168-176.

Loldrup D, Langemark M, Hansen HJ, Olesen J, Bech P. Clomipramine and mianserin in chronic idiopathic pain syndrome. A placebo controlled study. *Psychopharmacology* 1989; 99: 1-7.

Bech P, Rasmussen S, Dahl A, Lauritsen B, Lund K. The Withdrawal Syndrome Scale for alcohol and related

psychoactive drugs. Inter-observer reliability and construct validity. *Nord Psykiatr Tidsskr* 1989; 43: 291-294.

Bech P, Jørgensen B, Nørrelund N, Loldrup D, Langemark M, Hansen HJ, Olesen J. Pains as presentation symptoms of depression in liaison psychiatry as evidenced by outcome of clomipramine treatment. *Nord Psykiatr Tidsskr* 1989; 43: 291-294.

Lingjærde O, Bech P, Malt U, Dencker SJ, Elgen K, Ahlfors UG. Skalaer for diagnostikk og sykdomsgradering ved psykiatriske tilstande. Del 1: Metodologiske aspekter. *Nord Psykiatr Tidsskr* 1989; 43 (suppl 19): 1-39.

Bech P, Kastrup M, Rafaelsen OJ. Echelles d'anxiete, de manie, de depression, de schizoprenie. Masson: Paris 1989.

Bech P. Methods of evaluation of psychoactive drugs. *Recenti Progressi in Medicina* 1989; 80: 706-711.

Bech P. Modern classification of affective disorders. In: J Lopez-Ibor (ed) *Depresiones y otros trastornos animicos*. Cursos de Verana de la Universidad Complutense de Madrid, 1989.

Hjortsø S, Butler B, Clemmesen L, Jepsen PW, Kastrup M, Vilmer T, Bech P. The use of case vignettes in studies of inter-rater reliability of psychiatric target syndromes and diagnoses. A comparison of ICD-8, ICD-10 and DSM-III. *Acta Psychiatr Scand* 1989; 80: 632-638.

Bech P, Loldrup D, Garre K, Rasmussen K, Ærenlund Jensen H. Livskvalitetsmåling som effektstørrelse ved behandling af essentiel arteriel hypertension. *Ugeskr Læger* 1990; 152/6, 383-386.

Kragh-Sørensen P, Holm P, Fynboe C, Andersen B, Bech P, Pichard J. Bromazepam in generalized anxiety. *Psychopharmacology* 1990; 100: 383-386.

Bech P, Hjortsø S. Problems in measuring quality of life in schizophrenia. *Nord Psykiatr Tidsskr* 1990; 44: 77-79.

Wistedt B, Rasmussen A, Petersen L, Malm U., Träskman-Bendz, L., Berggren, M., Wakelin, J., Bech P. The development of an observer scale for measuring social dysfunction and aggression. *Pharmacopsychiatry* 1990; 23: 249-252.

Bech P. Measurement of psychological distress and well-being. *Psychother Psychosom* 1990; 54: 77-89.

Danish University Antidepressant Group (DUAG). Paroxetine: A selective serotonin reuptake inhibitor showing better tolerance, but weaker antidepressant effect than clomipramine in a controlled multicenter study. *J Affect Dis* 1990; 18: 289-299.

Møller SE, Bech P, Bjerrum, H., Bøjholm S, Butler B, Folker, H., Gram LF, Larsen JK, Lauritzen L, Loldrup D, Munk-Andersen, E, Ødum K, Rafaelsen OJ. Plasma ratio tryptophan/neutral amino acids in relation to clinical response to paroxetine and clomipramine in patients with major depression. *J Affect Dis* 1990; 18: 59-66.

World Health Organization Collaborative Study. Validity of Imipramine Platelet Binding Sites as a Biological Marker of Endogenous Depression. *Pharmacopsychiatry* 1990; 23: 113-117.

Bech P. A meta-analysis of the antidepressant properties of serotonin reuptake inhibitors. *Internat Rev Psychiatry* 1990; 2: 207-211.

Bech P. Rating scales for anxiety and depression: content and construct validity. *J Psychiat Res* 1990; 24 (suppl. 1): 73-74.

Bech P. Psychometric Developments of the Hamilton Scales: The spectrum of depression, dysthymia and anxiety. *Acta et Commentationes Universitatis Tartuensis* 1990; 895: 15-26.

Bech P. Diagnostische en classificatiesystemen met een bijzondere nadruk op het Mini-compendium. *Acta Neuropsychiatr* 1990; 2,2: 38-42.

Maier W, Albus M, Buller R, Nutzinger D, Shera D, Bech P. Self- and observer assessment in anxiolytic drug trials: A comparison of their validity. *Eur. Arch Psychiatry. Clin Neurosci* 1990; 240: 103-108.

Albus M, Maier W, Shera D, Bech P. Consistencies and discrepancies in self- and observer-rated anxiety scales. A comparison between the self- and observer-rated Marks-Sheehan scales. *Eur Arch Psychiatry Clin Neurosci* 1990; 240: 96-102.

Bech P. The proper use of rating scales in depression. *Focus on Depression*, 1990; vol. 1: 12: 76-85.

Bech P. Cronholm-Ottosson Depression Scale. The first specific depression scale for the rating of changes during treatment. *Festskrift for Jan-Otto Ottosson. Acta Psychiatr Scand* 1991; 84: 439-445.

Ærenlund Jensen H, Rasmussen K, Garre K, Waldorf S, Loldrup Poulsen D, Bech P. Behandlingen af hypertension i almen praksis, konsekvenser af behandlingsskift. *Ugeskr Læger* 1991; 153: 1204-1207.

Argyle N, Deltito J, Allerup P, Maier W, Albus M, Nutzinger D, Rasmussen S, Ayuso JL, Bech P. The Panic-Associated Symptom Scale: measuring the severity of panic disorder. *Acta Psychiatr Scand* 1991; 83: 20-26.

Bech P. Treatment-related quality of life. *Quality of Life Newsletter* 1991; 3: 3.

Lund, H.G., Bech P, Epløv L, Jennum, P., Wildschjødzt, G. An epidemiological study of REM latency and psychiatric disorders. *J Affect Dis* 1991; 23: 107-112.

Frimodt-Møller J, Loldrup Poulsen D, Kornerup HJ, Bech P. Quality of life, side effects and efficacy of lisinopril compared with metoprolol in patients with mild to moderate essential hypertension. *J Hum Hypertension* 1991; 5: 215-221.

Loldrup D, Langemark M, Hansen, H.J., Kastrup M, Jeppesen K, Bonnevie O, Elsborg E, Olesen J, Bech P. The validity of the Melancholia Scale (MES) in predicting outcome of antidepressants in chronic idiopathic pain disorders. *Eur Psychiatry* 1991; 6: 119-125.

Bech P. Clinical target syndromes in psychiatry: latent structure analysis versus factor analysis. *Eur Psychiatry* 1991; 6: 301-306.

Angst J, Bech P, Engel R, Hippus H, Janzen GJ, Lecrubier Y, Lingjaerde O, Möller JJ, Montgomery S, Paes de Sousa M, Rossi A, Saletu B, Sedvall G, Stefanis C, Stoll K-D, Woggon B. Report on the Third Consensus Conference on the Methodology of Clinical Trials with Antipsychotic Drugs. *Pharmacopsychiatry* 1991; 24: 149-152.

Rosenberg R, Bech P, Møllergaard M, Ottosson JO. Alprazolam, imipramine and placebo treatment of panic disorder: predicting therapeutic response. *Acta Psychiatr Scand Suppl.* 1991;365:46-52

Rosenberg R, Bech P, Møllergaard M, Ottosson JO. Secondary depression in panic disorder: an indicator of severity with a weak effect on outcome in alprazolam and imipramine treatment. *Acta Psychiatr Scand Suppl.* 1991;365:39-45

Rosenberg R, Ottosson JO, Bech P, Møllergaard M, Rosenberg NK. Validation criteria for panic disorder as a nosological entity. *Acta Psychiatr Scand Suppl.* 1991;365:7-17. Review

Møllergaard M, Lorentzen K, Bech P, Ottosson JO, Rosenberg R. A trend analysis of changes during treatment of panic disorder with alprazolam and imipramine. *Acta Psychiatr Scand Suppl.* 1991;365:28-32

European Rating Aggression Group (ERAG). Social dysfunction and aggression scale (SDAS-21) in generalized aggression and in aggressive attacks: A validity and reliability study. *Int J Meth Psychiatr Res* 1992; 2: 15-29.

Bech P, Allerup P, Maier W, Albus M, Lavori, P., Ayuso, J.L. The Hamilton Scales and the Hopkins Symptom Checklist (SCL-90). A Cross-National Validity Study in Patients with Panic Disorders. *Br J Psychiatry* 1992; 160:

206-211.

Bech P, Cialdella, P. Citalopram in Depression. Meta-analysis of Intended and Unintended Effects. *Clin Psychopharmacol* 1992; 6 (suppl. 5): 43-52.

Øhrberg S, Christiansen PE, Severin, B, Calberg H, Nilakantan B, Borup A, Søgaaard J, Larsen SB, Loldrup D, Bahr B, Siebuhr N, Gregersen B, Jacobsen F, Liljeström M, Manniche PM, Bech P. Paroxetine and imipramine in the treatment of depressive patients in psychiatric practice. *Acta Psychiatr Scand* 1992; 86: 437-444.

Bech P, Tørning J. Alkoholisme. Psykopatologi og livskvalitet. *Månedsskr Prakt Lægegering* 1992; 9: 786-797.

Lauritzen L, Clemmesen L, Klysner R, Loldrup D, Lunde, M., Schaumburg E, Waarst S, Bech P. Combined treatment with imipramine and mianserin. A controlled pilot study. *Pharmacopsychiatry* 1992; 4: 182-186.

Bech P. Measuring quality of life: The medical perspective. *Nord J Psychiatry* 1992; 46: 85-89.

Bjerrum H, Allerup P, Thunedborg K, Jakobsen K, Bech P. Treatment of generalized anxiety disorder: Comparison of a new beta-blocking drug (CGP361A), low-dose neuroleptic (flupenthixol), and placebo. *Pharmacopsychiatry* 1992; 5: 229-232.

Klerman GL, Bech P, Benkert O. et al. Drug treatment of panic disorder. Reply to comment by marks and associates. *Br J Psychiatry* 1992; 161: 465-471.

Bech P. Quality of life measurement in the medical setting. *Int J Methods Psychiat Res* 1992; 2: 139-144.

Bech P. Den kliniske betydning af negative og positive symptomer ved skizofreni. *Nord Psykiatr Tidsskr* 1992; 46 (suppl. 26): 23-27.

Bech P, Allerup P, Maier W, Albus M, Lavori P, Ayuso JL. Insight and illusion. *Br J Psychiatry* 1992; 161: 716-717.

Mellerup ET, Bech P, Lauritzen L, Lunde M, Plenge P. Rapid Communication. Platelet paroxetine binding in alcoholics. *Alcohol & Alcoholism* 1992; 27: 603-606.

Rasmussen S, Bech P. Citalopram in the treatment of depression in specialist practice morning vs evening

Bech P. Quality of life measurements in chronic disorders. *Psychother Psychosom* 1993; 59: 1-10.

Angst J, Ansseau M, Bech P, Engel RR, Hippus H, Lader, M., Lecrubier Y, Lingjaerde O, Paes de Sousa M, Rossi A, Rüther E, Saletu B, Stefanis CN, Stoll KD, Westenberg GM, Woggon B. Report on the fourth consensus conference on the methodology of clinical trials with anxiolytic drugs. *Pharmacopsychiatry* 1993; 26: 1-5.

Bech P. Health-related quality of life. An editorial. *Annals Med* 1993; 25: 103-104.

Thunedborg K, Allerup P, Bech P, Joyce CRB. Development of the Repertory Grid for measurement of individual quality of life in clinical trials. *Int J Meth Psychiatr Res* 1993; 3: 48-58.

Bech P. Acute therapy of depression. *J Clin Psychiatry* 1993; 54 (suppl 8): 18-27.

Bech P. The Hamilton disorders. An editorial. *Psychother Psychosom* 1993; 60: 113-115.

Frimodt-Møller J, Loldrup Poulsen D, Kornerup HJ, Bech P. Livskvalitet, bivirkninger og effekt på blodtrykket af lisinopril og metoprolol ved mild til moderat essentiel hypertension. *Ugeskr Læger* 1993; 13: 967-970.

Rosenberg R, Rosenberg NK, Bech P, Rasmussen SB., Møllergård M, Lorentzen KD. Panikangst. Patienters somatiske kontaktmønstre. *Ugeskr Læger* 1993; 16: 1195-1198.

Bech P, Malt UF, Dencker SJ, Ahlfors UG, Elgen K, Lewander T, Lundell A, Simpson GM, Lingjærde O. Scales for

assessment of diagnosis and severity of mental disorders. *Acta Psychiatr Scand* 1993; 87; (suppl. 372): 1-87.

Bech P, Malt UF, Dencker SJ, Ahlfors UG, Elgen K, Lewander T, Lundell A, Simpson GM, Lingjærde O. Scales for assessment of diagnosis and severity of mental disorders. *Acta Psychiatr Scand* 1993; 87; (suppl. 372)

Gerlach J, Korsgaard S, Clemmesen P, Lund Lauersen A-M, Magelund G, Noring U, Povlsen UJ, Bech P, Casey DE. The St. Hans Rating Scale for extrapyramidal syndromes: reliability and validity. *Acta Psychiatr Scand* 1993; 87: 244-252.

Bech P. Depressive syndrome in Parkinson's disease: clinical manifestations. In: Wolters, E. Ch., Scheltens P. (eds). *Mental dysfunction in Parkinson's disease*. Amsterdam, Vrije Universiteit 1993.

Bech P. Measurement of Clinical Anxiety by Rating Scales: A review. *Torture* 1993; (suppl. 1): 13-18.

Danish University Antidepressant Group. Moclobemide: a reversible MAO-A-inhibitor showing weaker antidepressant effect than clomipramine in a controlled multicenter study. *J Affect Dis* 1993; 28: 105-116.

Bech P, Malt UF, Dencker SJ, Ahlfors UG, Elgen K, Lewander T, Lundell, A, Simpson GM, Lingjærde O. Scales for Assessment of Diagnosis and Severity of Mental Disorders. *Acta Psychiatrica Scand.* 1993; 87 (suppl. 372): 1-87.

Buchholtz-Hansen PE, Wang AG, Kragh-Sørensen P. and the Danish University Antidepressant Group (DUAG). Mortality in major affective disorder: relationship to subtype of depression. *Acta Psychiatr Scand* 1993; 87: 329-335.

Bech P. Misurazione della sofferenza e del benessere psicologici. *Boll Psicolog Appl* 1993; 205: 15-27.

Kelstrup A, Lund K, Lauritsen B, Bech P. Satisfaction with care reported by psychiatric inpatients. Relationship to diagnosis and medical treatment. *Acta Psychiatr Scand.* 1993; 87: 374-379.

Vestergaard P, Gram LF, Kragh-Sørensen P, Bech P, Reisby N, Bolwig TG. Therapeutic potentials of recently introduced antidepressants. Danish University Antidepressant Group. *Psychopharmacol Ser.* 1993;10:190-198 [Springer]

Bech P. The borderline syndromes of depression, mania and schizophrenia: the coaxial or temperamental approach. *Acta Psychiatr Scand Suppl* 1994; 379:45-49

Lauritzen L, Bjerg Bendsen B, Vilmer T, Bjerg Bendsen E, Lunde M, Bech P. Post-stroke depression: combined treatment with imipramine or desipramine and mianserin. A controlled clinical study. *Psychopharmacology* 1994; 114: 119-122.

Bech P. Issues of Concern in the Standardization and Harmonization of Psychotropic Drug Trials in Europe. *Methodological Issues in Psychotropic Drug Trials (ECST)*. An editorial. *Europ Psychiatry* 1994; 9: 113-114.

ECST Strasbourg Forum - 18-19 June 1992. *Europ Psychiatry* 1994; 9: 155-160.

Middelboe T, Ovesen L, Mortensen EL, Bech P. Depressive symptoms in cancer patients undergoing chemotherapy. A psychometric analysis. *Psychother Psychosom* 1994; 61: 171-177.

Bech P. Measurement by observations of aggressive behaviour and activities in clinical situations. *Crim Behav Ment Health* 1994; 4: 290-302.

Bech P. The borderline syndromes of depression, mania and schizophrenia: the coaxial or temperamental approach. *Acta Psychiatr Scand* 1994; 89 (suppl 379): 45-49

Angst J, Bech P, Bruinvels, J. Report on the fifth consensus conference: Methodology of long-term clinical trials in psychiatry. *Pharmacopsychiatry* 1994; 27: 101-107.

Allerup P, Bech P, Loldrup D, Alvarez P, Banegil T, Styles I, Tenenbaum G. Psychiatric, business, and

psychological applications of fundamental measurement models. *Int J Educational Res* 1994; 4: 611-622.

Jess P, Bech P. and the Hvidovre Ulcer Project Group. The validity of Eysenck's Neuroticism Dimension within the Minnesota Multiphasic Personality Inventory in Patients with Duodenal Ulcer. *Psychother Psychosom* 1994; 62: 168-175.

Bech P. Quality-of-Life Measurements for Patients Taking Which Drugs? The clinical PCASEE Perspective. *PharmacoEconomics* 1995; 7: 141-151.

Bech P. Depression - screening og behandling. *Månedsskr Prakt Lægegern* 1995; 4: 529-547.

Bent-Hansen J, Lauritzen L, Clemmesen L, Lunde M, Kørner A. A definite and a semidefinite questionnaire version of the Hamilton/melancholia (HDS/MES) scale. *J Aff Dis* 1995; 33: 143-150.

Kielholz P, Adams C, Bech P, Bocksberger JP, Crombecque A, de Girolamo G, Fayolle K, Holsboer E, Katschnig H, Korten A, Küng A, Meyer JW, Pöldinger W, Prilipko L, Reubi I, Sartorius N. Depression and cognitive impairment in the elderly: a multicentre study. *Eur Psychiatry* 1995; 10: 61-74.

Fava GA, Freyberger HJ, Bech P, Christodoulou G, Sensky T, Theorell T, Wise TN. Diagnostic criteria for use in psychosomatic research. *Psychother Psychosom* 1995; 63: 1-8.

Thunedborg K, Black C, Bech P. Beyond the Hamilton Depression Scores in long-term treatment of manic-melancholic patients: prediction of recurrence of depression by quality of life measurements. *Psychother Psychosom* 1995; 64: 131-140.

Bech P. Social aspects of treatment of depression. *Int Clin Psychopharmacol* 1995; 10 (suppl 1): 11-14.

Bech P. Nyt redskab i depressionsdiagnostik (PRIME-MD). *Månedsskr Prakt Lægegern* 1996; 74: 343-351.

Bech P, Angst J. Quality of life in anxiety and social phobia. *Clin Psychopharmacol* 1996; 11 (suppl 3): 16-20.

Lauritzen L, Odgaard K, Clemmesen L, Lunde M, Öhrström J, Black C, Bech P. Relapse prevention of paroxetine in ECT treated patients with major depression. A comparison with imipramine and placebo in medium-term continuation therapy. *Acta Psychiatr Scand* 1996; 94: 241-251.

Fuglum E, Rosenberg C, Damsbo N, Stage K, Lauritzen L, Bech P and DUAG. Screening and treating depressed patients. A comparison of two controlled citalopram trials across treatment settings: Hospitalized patients vs. patients treated by their family doctors. *Acta Psychiatr Scand* 1996; 94: 18-25.

Bech P, Gudex C, Staehr Johansen K. The WHO (Ten) Well-Being Index: Validation in Diabetes. *Psychother Psychosom* 1996; 65: 183-190.

Bech P. Quality of life measurements in major depression. *Eur Psychiatry* 1996; 11: 123-126.

Kørner A, Lauritzen L, Bech P. A psychometric evaluation of dementia rating scales. *Eur Psychiatry* 1996; 11: 185-191

Bech P. Understanding depression. *WPA Teaching Bulletin* 1996; 3: 1-3

Bech P, Stage KB, Nair NPV, Larsen JK, Kragh-Sørensen P, Gjerris A and DUAG. The major depression rating Scale (MDS). Inter-rater reliability and validity across different settings in randomized moclobemide trials. *J Affect Disord* 1997; 42: 39-48.

Bech P. Quality of life instruments in depression. *Eur Psychiatry* 1997; 12: 194-198

Bech P. Sundhedsrelateret livskvalitet, lykkepiller og depression. *Lægemagasinet* 1997; 3: 34-36

Bech P. Diagnostik af depressioner. Månedsskr Prakt Lægegern Juni 1997, 773-781

Bech P. The Measurement of health-related quality of life. (Paper presented at 29th Nordic Congress of Gastroenterology). Scand J Gastroenterol 1997; 32 Suppl 224: 21

Bjerg Bendsen B., Bjerg Bendsen E, Lauritzen L, Vilmer T, Bech P. Post-stroke patients in rehabilitation. The relationship between biological impairment (CT scanning), physical disability and clinical depression. Eur Psychiatry 1997;12:399-404

Lauritzen L, Odgaard K, Clemmesen L, Lunde M, Öhrström J, Black C, Bech P. The impact of treatment resistance on depressive relapse following electroconvulsive therapy. Acta Psychiatr Scand 1997; 96:405-406

Bech P. Hvordan diagnosticeres depression hos alvorligt syge og døende patienter? Differentialdiagnostiske overvejelser. OMSORG - Nord Tidsskr Palliat Med 1997;4: 42-46

Becker N, Bondegaard Thomsen A, Olsen AK, Sjøgren P, Bech P, Eriksen J. Pain epidemiology and health related quality of life in chronic non-malignant pain patients referred to a Danish multidisciplinary pain center. Pain 1997, 73: 393-400

Bech P, Grosby H, Hoffmann G, Rafaelsen OJ, Theilgaard A. Bilkørsel i laboratoriet. Har fenemal og fenytoin nogen virkning? Tidsskr Epilepsi 1997; 11:4-6

Bech P, Rylander A. The ECST quality of life task force. Eur Psychiatry 1997; 12: 161-162

Hjortsø S, Butler B, Wermus L, Poulsen S, Lund K, Bech P. Efterundersøgelse af skizofrene patienter 1½ - 3 år efter udskrivningen fra psykiatrisk afdeling P. Rapport. Centralsygehuset Hillerød. 1988.

Dam J, Ryde L, Svejsø J, Lauge N, Lauritsen B, Bech P. Morning fluoxetine plus evening mianserin versus morning fluoxetine plus evening placebo in the acute treatment of Major Depression. Pharmacopsychiatry 1998, 31: 48-54

Lauge N, Behnke K, Søgaard J, Bahr B, Bech P. Responsiveness of observer rating scales by analysis of number of days until improvement in patients with major depression. Eur Psychiatry 1998; 13: 143-145

Jess P, Jess T, Beck H, Bech P. Neuroticism in Relation to Recovery and Persisting Pain after Laparoscopic Cholecystectomy. Scand J Gastroenterol 1998; 33: 550-553

Wermuth L, Sørensen PS, Timm S, Christensen B, Utzon NP, Boas J, Dupont E, Hansen E, Magnussen I, Mikkelsen B, Worm-Petersen J, Lauritzen L, Bayer L, Bech P. Depression in idiopathic Parkinson's disease treated with citalopram. A placebo-controlled study. Nord J Psychiatry 1998; 52: 163-169

Bech P, Munk-Jensen N, Obel EB, Ulrich LG, Eiken P, Nielsen SP. Combined versus Sequential Hormonal Replacement Therapy: A Double-Blind, Placebo-Controlled Study on Quality of Life-Related Outcome Measures. Psychother Psychosom 1998; 67:259-265

Bech P, Wermuth L. Applicability and validity of the Major Depression Inventory in patients with Parkinson's Disease. Nord Psykiatr Tidsskr 1998; 52: 305-309

Bech P, Peuskens JCJR, Marder SR, Chouinard G, Høyberg OJ, Huttunen MO, Blin O, Claus A. Meta-analytic study of the benefits and risk of treating chronic schizophrenia with risperidone or conventional neuroleptics. Eur Psychiatry 1998; 13: 310-4

Becker N, Thomsen AB, Olsen AK, Sjøgren P, Bech P, Eriksen J. Smerteepidemiologi og helbredsrelateret livskvalitet hos patienter med kroniske ikkemaligne smerter. Ugeskr Læger 1998; 160: 6816-6819

Bullinger M, Alonso J, Apolone G, Leplège A, Sullivan M, Wood-Dauphinee S, Gandek B, Wagner A, Aaronson N, Bech P, Fukuhara S, Kaasa S, Ware JE. Translating health status questionnaires and evaluating their quality: The IQOLA Project approach. J Clin Epidemiol 1998; 51: 913-923

- Bjørner JB, Thunedborg K, Kristensen T, Modvig J, Bech P. The Danish SF-36 health survey: Translation and preliminary validity studies. *J Clin Epidemiol* 1998; 51: 991-999
- Ware J, Kosinski M, Gandek B, Aaronson N, Apolone G, Bech P, Brazier J, Bullinger M, Kaasa S, Lepègè A, Prieto L, Sullivan M. The factor structure of the SF-36 health survey in 10 countries: Results from the IQOLA project. *J Clin Epidemiol* 1998; 51: 1159-1165
- Bjørner JB, Kreiner S, Ware JE, Damsgaard MT, Bech P. Differential item functioning in the Danish translation of the SF-36. *J Clin Epidemiol* 1998; 51: 1189-1202.
- Raczek AE, Ware JE, Bjørner JB, Gandek B, Haley SM, Aaronson NK, Apolone G, Bech P, Brazier JE, Bullinger M, Sullivan M. Comparison of Rasch and summated rating scales constructed from SF-36 physical functioning items in seven countries: Results from the IQOLA project. *J Clin Epidemiol* 1998; 51: 1203-1214.
- Stage KB, Bech P, Gram LF, Kragh-Sorensen P, Rosenberg C, Øhrberg S and the Danish University Antidepressant Group. Are in-patient depressives more often of the melancholic subtype? *Acta Psychiatr Scand* 1998; 98: 432-436.
- Heun R, Burkart M, Maier W, Bech P. Internal and external validity of the WHO Well-Being Scale in the elderly general population. *Acta Psychiatr Scand* 1999; 99: 171-178
- Bech P, Raabæk Olsen L, Jarløv N, Hammer M, Schütze T, Breum L. A case of sequential anti-stress medication in a patient with major depression resistant to amine-reuptake inhibitors. *Acta Psychiatr Scand* 1999; 100: 76-78
- Christensen O, Bundgaard S, Bech P. Prævalens af middelsvær depression i almen praksis ved brug af PRIME-MD. *Månedsskr Prakt Lægegern* 1999; 77: 937-950
- Dreisig H, Beckmann J, Wermuth L, Skovlund S, Bech P. Psychologic effects of structured cognitive psychotherapy in young patients with Parkinson disease: A pilot study. *Nord J Psychiatry* 1999; 53: 217-221
- Groenvold M, Fayer PM, Sprangers MAG, Bjørner JB, Klee MC, Aaronson NK, Bech P, Mouridsen HT. Anxiety in breast cancer patients at low risk of recurrence compared with the general population: a valid comparison? *J Clin Epidemiol* 1999; 52: 523-530
- Bech P. Health-related quality of life measurements in the assessment of pain clinic results. *Acta Anaesthesiol Scand* 1999; 43: 893-896
- Peuskens J, Bech P, Möller H-J, Bale R, Fleurot O, Rein W. Amisulpride vs. risperidone in the treatment of acute exacerbations of schizophrenia. *Psychiatry Res* 1999; 88: 107-117
- Danish University Antidepressant Group (DUAG). Clomipramine dose-effect study in patients with depression: Clinical end points and pharmacokinetics. *Clin Pharmacol Therapeut* 1999; 66: 152-165
- Rasmussen NA, Norholm V, Bech P. The internal and external validity of "The Psychological General Well-Being Schedule" (PGWB). *Quality of Life Newsletter* 1999; 22: 7
- Bech P, Cialdella P, Haugh M, Birkett MA, Hours A, Boissel JP, Tollefson GD. A meta-analysis of randomised controlled trials of fluoxetine versus placebo and tricyclic antidepressants in the short-term treatment of major depression. *Br J Psychiatry* 2000; 176: 421-428
- Bech P. A case report showing that subclinical hypothyroidism rather than hyperthyroidism stabilizes rapidly cycling bipolar illness. *Psychother Psychosom* 2000; 69: 110-111
- Becker N, Sjøgren P, Bech P, Olsen AK, Eriksen J. Treatment outcome of chronic non-malignant pain patients managed in a Danish multidisciplinary pain centre compared to general practice: a randomised controlled trial. *Pain* 2000; 84: 203-211
- Årslund D, Larsen JP, Lim NG, Wermuth L, Bech P. α_2 -Adrenoreceptor antagonism and serotonin reuptake

inhibition in patients with Parkinson disease and depression. *Nord J Psychiatry* 2000; 54;: 411-415.

Bech P. Evidensbaseret kompendium i neuropsykiatri: psykopatologi og nervemedicin. Hillerød Psykiatrisk Forskningsenhed (Psykiatrisk Sygehus, Frederiksborg Amt) 2000

Watt T, Groenvold M, Bjrner JB, Noerholm V, Rasmussen N-A, Bech P. Fatigue in the Danish general population. Influence of sociodemographic factors and disease. *J Epidemiol Comm Health* 2000; 11: 827-833

Raabæk Olsen L, Nørholm V, Rasmussen N-A, Watt T, Grønvold M, Bjrner J, Bech P. Major depression and psychological well-being in the General Danish population. Poster, 10th Congress of the Association of European Psychiatrists, Prague October 28-November 1, 2000. *European Psychiatry* 2000; 15 (suppl 2), 388s

Olsen RL, Nørholm V, Rasmussen N-A, Watt T, Grønvold M, Bjrner J, Bech P. The prevalence (2-week) of major depression in the general Danish population. Poster. 26th Nordic Psychiatric Congress of Psychiatry. *Nord J Psychiatry* 2000; 54 (suppl 43): 33

Bech P. The significance of delusions in depressive disorders. *Curr Opin Psychiatry* 2001; 14: 47-49

Bech P & Olsen LR. Om opsporing af depression. *Ugeskr Læger* 2001; 163: 1980-1982

Christensen O, Bundgaard S, Bech P. Prevalence of clinical (major) depression in general practice using the DSM-IV version of PRIME-MD. *Int J Psychiatry Clin Pract* 2001; 5: 49-54

Bech P. I principali strumenti di valutazione della qol e le loro caratteristiche psicometriche. In: de Girolamo G, Becchi MA, Coppa FS, De Leo D, Neri G, Rucci P, Scocco P (eds) *Salute e qualità della vita*. Centro Scientifico Editore, Torino 2001.

Bech P, Baastrup PC, de Bleeker E, Ropert P. Dimensionality, responsiveness and standarsization of the Bech-Rafaelsen Mania Scale in the ultra-short therapy with antipsychotics in patients with severe manic episodes. *Acta Psychiatr Scand* 2001; 104: 25-30

Fountoulakis KN, Iacovides A, Kleanthous S, Samolis S, Kaprinis SG, Sitzoglou K, Kaprinis GS, Bech P. Reliability, validity and psychometric properties of the Greek translation of the Center for Epidemiological Studies - Depression (CES-D) Scale. *BioMed Central (BMC)* 2001;1:3 (www.biomedcentral.com/1471-244X/1/3)

Stage KB, Bech P, Kragh-Sørensen P, Nair NPV, Katona C. Differences in symptomatology and diagnostic profile in younger and elderly depressed inpatients a Danish University Antidepressant Group. *Journal of Affective Disorders* 64 (2001) 239-248

Schuetze T, Nørholm V, Olsen LR, Hougaard H, Ekstrøm M, Wagn P, Bech P. Reliability and validity of the Calgary Depression Scale for schizophrenia. *Nord J Psychiatry* 2001; 55: 119-122

Bech P, Rasmussen N-A, Olsen LR, Noerholm V, Abildgaard W. The sensitivity and specificity of the Major Depression Inventory, using the Present State Examination as the index of diagnostic validity. *J Affect Disord* 2001; 66: 159-164

Fountoulakis KN, Karamouzis M, Iacovides A, Nimatoudis J, Diakogiannis J, Kaprinis G, Demitriadou A, Bech P. Morning and evening plasma melatonin and Dexamethasone Suppression Test in patients with nonseasonal disorder from Northern Greece (latitude 40-41.5°). *Neuropsychobiology* 2001; 44: 113-117

Bech P. Meta-analysis of placebo-controlled trials with mirtazapine using the core items of the Hamilton Depression Scale as evidence of a pure antidepressive effect in the short-term treatment of major depression. *Int J Neuropsychopharmacol* 2001; 4: 337-345

Nørholm V, Bech P. The WHO Quality of Life (WHOQOL) Questionnaire: Danish validation study. *Nord J Psychiatry* 2001; 55: 229-235

Holm J, Holm L, Bech P. Monitoring improvement using a patient-rated depression scale during treatment with

anti-depressants in general practice. *Scand J Prim Care* 2001; 19: 263-266

Nørholm V, Bech P, Svensson L. Individual quality of life in schizophrenic patients - description and applicability of GRIDQoL in a computer based version. *Int J Methods Psychiatr Res* 2001; 10: 134-139

Bech P. The Bech-Rafaelsen Mania Scale in clinical trials of therapies for bipolar disorder: 20-year review of its use as an outcome measure. *CNS Drugs* 2002; 16: 47-63

Stage KB, Bech P, Kragh-Sørensen P and the Danish University Antidepressant Group. Age-related adverse drug reactions to clomipramine. *Acta Psychiatr Scand* 2002; 105: 55-59

Bech P. Socialfobi. *Månedsskr Prakt Lægegern* 2002.; 80: 491-96

Zierau F, Bille A, Rutz W, Bech P. The Gotland Male Depression Scale: A validity study in patients with alcohol use disorder. *Nord J Psychiatry* 2002; 56: 265-271

Bech P, Tanghøj P, Andersen HF, Overø K. Citalopram dose-response revisited using an alternative psychometric approach to evaluate clinical effects of four fixed citalopram doses compared to placebo in patients with major depression. *Psychopharmacol* 2002; 163: 20-25

Montgomery SA, Bech P, Blier P, Möller H-J, Nierenberg AA, Pinder RM, Quitkin FM, Reimtz PE, Rosenbaum JF, Rush J, Stassen HH, Thase ME. Selecting methodologies for the evaluation of differences in time to response between antidepressants. *J Clin Psychiatry* 2002; 63:8

Bech P. The Bech-Rafaelsen Melancholia Scale (MES) in clinical trials of therapies in depressive disorders: a 20-year review of its use as outcome measure. *Acta Psychiatr Scand* 2002; 106: 252-264

Jess P, Christiansen J, Bech P. Quality of life after anterior resection versus abdominoperineal extirpation for rectal cancer. *Scand J Gastroenterol* 2002; 10: 1201-1204

.

Bech P, Lunde M, Undén M. Social Adaptation Self-evaluation Scale (SASS): Psychometric analysis as outcome measure in the treatment of patients with major depression in the remission phase. *Int J Psychiatry Clin Pract* 2002; 6: 141-146

Bech P. Dimensions of depression and mania emerging in the 1980s: Shared with Max Hamilton and Ole Rafaelsen. In Ban TA, Healy D, Shorter E (eds) *From psychopharmacology to neuropsychopharmacology in the 1980s*. Budapest: Animula Publishing House 2002, pp 122-126

1. Bech P, Hackett D, Pitrosky B. Assessment of venlafaxine efficacy on a derived measure of well being in major depressive disorder (MDD) and generalized anxiety disorder (GAD). 42nd NCDEU meeting. Abstract. Session II - 40. 2002

2. Bech P, Hackett D, Pitrosky B. Efficacy of venlafaxine on a derived self-rating scale of well being. Abstract. 12th AEP Congress 2003. *Eur Psychiatry* 2003, 18, Suppl. :S228

Fountoulakis KN, Iacovides A, Kleanthous S, Samolis S, Gougoulia K, Kaprinis SG, Bech P. Reliability, validity and psychometric properties of the Greek translation of the Major Depression Inventory. *BMC Psychiatry* 2003, 3:2 , <http://www.biomedcentral.com/bmcpsychiatr/>

Olsen LR, Jensen DV, Noerholm V, Martiny K, Bech P. The internal and external validity of the Major Depression Inventory in measuring severity of depressive states. *Psychol Med* 2003; 33, 351-356

Bech P, Moses R, Gomis R. The effect of prandial glucose regulation with repaglinide on treatment satisfaction, wellbeing and health status in patients with pharmacotherapy-naïve Type 2 diabetes: a placebo-controlled, multicentre study. *Qual Life Res* 2003; 12: 413-425

Bech P, Olsen RL, Kjoller M, Rasmussen NK. Measuring well-being rather than the absence of distress symptoms: a comparison of the SF-36 Mental Health subscale and the WHO-Five Well-Being Scale. *Int J Meth Psychiatr Res* 2003; 12: 85-91

Bech P. Commentary [to: *Kocsis J et al. 18-month maintenance treatment with sertraline may have sustained psychosocial benefits in chronic depression, Arch Gen Psychiatry* 2002; 59: 723-728]. *Evidence-based Mental Health* 2003; 6: 49

Bech P, Lucas M, Amir M, Bushnell D, Martin M, Buesching D, and the LIDO Group. Association between clinically depressed subgroups, type of treatment, and patient retention in the LIDO study. *Psychol Med* 2003; 33: 1051-1059

Bech P, Bille J, Schutze T, Sondergaard S, Wiese M, Waarst S. Health of the Nations Outcomes Scale (HoNOS): Implementability, subscale structure and responsiveness in the daily psychiatric hospital routine over the first 18 months. *Nord J Psychiatry* 2003; 57:285-290

Rasmussen A, Lunde M, Poulsen DL, Sørensen K, Qvitzau S, Bech P. A double-blind, placebo-controlled study in the prevention of depression in stroke patients. *Psychosomatics* 2003; 44: 216-221

Shea S, Skovlund S, Bech P, Kalo I, Home P. Routine assessment of psychological well-being in people with diabetes - validation of the WHO-5 Well-being Index in six countries. Presentation at the 18th International Diabetes Federation Congress, August 24-29 2003, Paris. *Diabetologia* 2003; 46 (Suppl 2): A88 [no 245]

Fountoulakis KN, Iacovides A, Kleanthous <mailto:kfount@med.auth.gr> S, Samolis S, Gougoulis K, Kaprinis GN, Bech P. The Greek translation of the Symptoms Rating Scale for Depression and Anxiety: preliminary results of the validation study. *BMC Psychiatry* 2003, 3:21. <http://www.biomedcentral.com/1471-244X/3/21>

Bent-Hansen J, Lunde M, Klysner R, Andersen M, Tanghøj P, Solstad K, Bech P. The validity of the depression rating scales in discriminating between citalopram and placebo in depression recurrence in the maintenance therapy of elderly unipolar patients with major depression. *Pharmacopsychiatry* 2003; 36: 313-316

Olsen LR, Mortensen EL, Bech P. Prevalence of major depression and stress indicators in the Danish general population. *Acta Psychiatr Scand*. 2004;109:96-103

Martiny K, Lunde M, Simonsen C, Clemmensen L, Poulsen DL, Solstad K, Bech P. Relapse prevention by citalopram in SAD patients responding to 1 week of light therapy. A placebo-controlled study. *Acta Psychiatr Scand* 2004;109: 230-234

Bech P. (SBU's rapport om depressionsbehandling kan öka vårdkvaliteten.) Måtte den bli läst! *Läkartidningen* 2004; 101: 534-535

Noerholm V, Groenvold M, Watt T, Bjorner JB, Rasmussen N-A, Bech P. Quality of life in the Danish general population - normative data and validity of WHOQOL-BREF using Rasch and item response theory models. *Qual Lif Res* 2004; 13: 531-540

Fountoulakis KN, Iacovides A, Grammaticos P, Kaprinis GS, Bech P. Thyroid Function in Clinical Subtypes of Major Depression: an exploratory study. *BMC Psychiatry* 2004, 4:6. <http://www.biomedcentral.com/1471-244X/4/6>

Bech P. Modern psychometrics in clinimetrics: Impact on clinical trials of antidepressants. *Psychother Psychosom* 2004;73:134-138

Bech P. Measuring the dimensions of psychological general well-being by the WHO-5. *QoL Newsletter* 2004; 32: 15-16.

Martiny K, Simonsen C, Lunde M, Clemmensen L, Bech P. Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy. *J Affect Disord* 2004; 79: 253-257

Fountoulakis KN, Iacovides A, Fotiou F, Nimatoudis J, Bscialla F, Ioannidou C, Kaprinis G, Bech P.

Neurobiological and psychological correlates of suicidal attempts and thoughts of death in patients with major depression. *Neuropsychobiology* 2004; 49: 42-52

Bech P, Tanghøj P, Cialdella P, Friis Andersen H, Pedersen AG. Escitalopram dose-response revisited: an alternative psychometric approach to evaluate clinical effects of escitalopram compared to citalopram and placebo in patients with major depression. *Int J Neuropsychopharmacol* 2004;7:283-290.

Hvass A-M, Juul S, Bech P, Nexø E. Vitamin B₆ level is associated with symptoms of depression. *Psychother Psychosom* 2004; 73: 340-343

Bech P. The impact of the SCL-90 on the validity of the DSM-IV neurotic or stress-related disorders. *Acta Psychiatr Scand* 2004; 110: 161-162

Olsen LR, Mortensen EL, Bech P. The SCL-90 and SCL-90R versions validated by item response theory models in a Danish community sample. *Acta Psychiatr Scand* 2004; 110: 225-229

Bech P. Bipolar lidelse og behandling. *Læge-Helse Overblik* 2004; 9 (12): 17-18

Bech P. Hvordan er sammenhængen mellem angst/socialfobi – og hvordan behandles det – med antidepressiva/psykoterapi? *InfoMed* 2005;16:1

Sørensen S, Friis-Hasché, Haghfelt, Bech P. Postmyocardial infarction mortality in relation to depression: A systematic critical review. *Psychother Psychosom* 2005; 74: 69-80

Licht RW, Qvitzau S, Allerup P, Bech P. Validation of the Bech-Rafaelsen Melancholia Scale and the Hamilton Depression Scale in patients with major depression: is the total score a valid measure of illness severity? *Acta Psychiatr Scand* 2005; 111: 144-149

Sørensen C, Friis-Hasché E, Haghfelt T, Bech P. Postmyocardial infarction mortality in relation to depression: a systematic critical review. *Psychother Psychosom* 2005; 74: 69-80

Sørensen C, Brandes A, Hendricks O, Thrane J, Friis-Hasché E, Haghfelt T, Bech P. Psychosocial predictors of depression in patients with acute coronary syndrome. *Acta Psychiatr Scand* 2005; 111: 116-124

Bech P, Gex-Fabry M, Aubry J-M, Favre S, Bertschy G. Olanzapine plasma levels in relation to antimanic effect in the acute therapy of manic states. *SCNP* 2005, Helsingør (Marienlyst). Poster

Bech P. Social functioning. Should it become an endpoint in trials of antidepressants? Review article. *CNS Drugs* 2005; 19: 313-324

Rasmussen N-A, Schrøder P, Olsen LR, Brødsgaard M, Undén M, Bech P. Modafinil augmentation in depressed patients with partial response to antidepressants: A pilot study on self-reported symptoms covered by the Major Depression Inventory (MDI) and the Symptom Checklist (SCL-92). *Nord J Psychiatry* 2005; 59: 173-178

Andersen TH, Bech P, Larsen N-E. Switching patients from olanzapine or risperidone to a combination treatment using perphenazine plus buspirone: Evaluation of antipsychotic efficacy and side-effects, including extrapyramidal effects and weight loss. *Nord J Psychiatry* 2005; 59: 205-208

Rasmussen N-A, Schrøder P, Olsen LR, Brødsgaard M, Undén M, Bech P. Modafinil augmentation in depressed patients with partial response to antidepressants: A pilot study on self-reported symptoms covered by the Major Depression Inventory (MDI) and the Symptom Checklist (SCL-92). *Nord J Psychiatry* 2005; 59: 173-178

Martiny K, Lunde M, Undén M, Dam H, Bech P. Adjunctive bright light in non-seasonal major depression: Results from clinician-rated depression scales. *Acta Psychiatr Scand* 2005; 112: 117-125

Bech P, Lunde M, Undén M. An inventory for the measurement of generalised anxiety distress symptoms, the GAD-10 Inventory. *Acta Psychiatr Belg* 2005; 105:111-118

- Bech P, Andersen MB, Bech-Andersen G, Tønnesen S, Agnarsdottir E, Borg V. Work-related stress, depression and quality of life in Danish managers. *Eur Psychiatry* 2005 (suppl 3): S318-S325
- Martiny K, Lunde M, Undén M, Dam H, Bech P. Adjunctive bright light in non-seasonal major depression: Results from patient-reported symptom and well-being scales. *Acta Psychiatr Scand* 2005 Jun;111:453-459.
- Kessing LV, Hansen HV, Demyttenaere K, Bech P. Depressive and bipolar disorders: patients' attitudes and beliefs towards depression and antidepressants. *Psychol Med* 2005; 35: 1205-1213
- Sørensen C, Brandes A, Hendricks O, Thrane J, Friis-Hasché E, Haghfelt T, Bech P. Depression assessed over 1-year survival in patients with myocardial infarction. *Acta Psychiatr Scand* 2006; 113: 290-297
- Bech P, Gex-Fabry M, Aubry J-M, Favre S, Bertschy G. Olanzapine plasma level in relation to antimanic effect in the acute therapy of manic states. Short communication. *Nord J Psychiatry* 2006; 60: 181-182
- Olsen LR, Mortensen EL, Bech P. Mental distress in the Danish general population. *Acta Psychiatr Scand* 2006; 113: 477-484
- Bech P, Bille J, Waarst S, Wiese M, Borberg L, Treufeldt P, Kessing L. Validity of HoNOS in identifying frequently hospitalised patients with ICD-10 mental disorders. *Acta Psychiatr Scand* 2006; 113: 485-491
- Engelhardt N, Kobak K, Williams JBW, Lipsitz J, Evans K, Kalali A, Olin J, Pearson J, Bech P. Validation of the GRID-Hamilton Depression Rating Scale (GRID-HAMD). NCDEU 2006, Boca Raton, Florida, 12-15 June 2006.
- Kessing LV, Hansen HV, Bech P. Attitudes and beliefs among patients treated with mood stabilizers. *Clin Pract Epidemiol Ment Health* 2006;2:8 (7 pages)
- Søndergaard MP, Jarden JO, Martiny K, Andersen G, Bech P. Dose Response to Adjunctive Light Therapy in Citalopram-Treated Patients with Post-Stroke Depression *Psychother Psychosom* 2006;75: 244-248
- Bech P. Rating scales in depression: Limitations and pitfalls. *Dialogues Clin Neurosci* 2006; 8: 207-215
- Bech P. Papel de los psicofármacos en la mejoría de la calidad de vida de los pacientes psiquiátricos: aspectos históricos. In: López-Munñoz F, Álamo C. *Historia de la psicofarmacología*, Tomo III, sección XII; capítulo 68. Editorial Médica Panamericana 2006
- Bech P, Andersen HF, Wade A. Effective dose of escitalopram in moderate versus severe DSM-IV major depression. *Pharmacopsychiatry* 2006; 39: 128-134
- Bech P. The full story of lithium. A tribute to Mogens Schou (1918 – 2005). *Psychother Psychosom* 2006;75:265-269
- Martiny K, Lunde M, Undén M, Dam H, Bech P. The lack of sustained effect of bright light in non-seasonal major depression. *Psychol Med* 2006; 36: 1247-1252
- Larsen JK, Bech P. Om affektive lidelser - særligt med henblik på depressionsdiagnostik og prognose. *Ugeskr Læg sept* 2006; Sep: 1427-1431
- Wermuth L, Bech P. Letter to the editor. Depression in Parkinson's disease – a review. *Acta Neurol Scand* 2006; 114: 360
- Awata S, Bech P, Koizumi Y. Validity of the Japanese version of the WHO-Five in the context of detecting suicide ideation in elderly community residents. *Int Psychogeriatr* 2007;19:1,77-88
- Bech P. Measuring the mind. Conceptual issues in contemporary psychometrics. *Acta Psychiatr Scand* 2006;114; :70
- Bech P. Sådan måler man depression. *Psykiatriinformation* 2007; 14: 20-21

Bech P, Kajdasz DK, Porsdal V. Dose-response relationship of duloxetine in placebo-controlled clinical trials in patients with major depressive disorder. *Psychopharmacology* 2006;188:273-280.

Bech P, Hansen HV, Kessing LV. The internalising and externalising dimensions of affective symptoms in depressed (unipolar) and bipolar patients. *Psychother Psychosom* 2006;75:362-369

Kessing LV, Hansen HV, Ruggeri M, Bech P. Satisfaction with treatment among patients with depressive and bipolar disorders. *Soc Psychiatry Psychiatr Epidemiol* 2006;41:148-155

Nørholm V, Bech P. Quality of life in schizophrenic patients: Association with depressive symptoms. *Nordic Journal of Psychiatry* 2006; 60: 32-37

Netterstøm B, Bech P, Eller N. Erfaringer fra en stressklinik. Et pilotstudium. *Ugeskr Læg* 2007; 169: 132-137

Bech P, Lunde M, Bech-Andersen G, Lindberg L, Martiny K. Psychiatric outcome studies (POS): Does treatment help the patients? A Popperian approach to research in clinical psychiatry. *Nord J Psychiatry* 2007; 61 (Suppl 46): 1-80

Lecrubier Y, Bech P. The Ham D(6) is more homogenous and as sensitive as the Ham D(17) European Psychiatry. *Eur Psychiatry* 2007; 22: 252-255

Olsen LR, Munk-Jørgensen P, Bech P. Forekomsten af depression i Danmark. *UfL* 2007; 167: 1425-1426

Larsen JK, Bech P. Om affektive lidelser – særligt med henblik på depressionsdiagnostik og prognose. *UfL* 2007; 167: 1427-1431

Awata S, Bech P, Yoshida S, Hirai M, Suzuki S, Yamashita M, Ohara A, Hinokio Y, Matsuoka H, Oka Y. Reliability and validity of the Japanese version of the World Health Organization-Five Well-Being Index in the context of detecting depression in diabetic patients. *Psychiatry Clin Neurosci* 2007;61:112-119.

Hjollund NJ, Andersen JH, Bech P. Fatigue in chronic disease: a review. *Health and Quality of Life Outcomes* 2007;5:12

Bech P, Christensen KS. Psykometriske test til diagnostik og monitorering af affektive lidelser i almen praksis. *Månedsskrift for Praktisk Lægegerning* August 2007;85:835-849

Bech P. Dose-response relationship of Pregabalin in patients with generalized anxiety disorder. A pooled analysis of four placebo-controlled trials. *Pharmacopsychiatry* 2007; 40: 163-168.

Vinberg MC, Bech P, Kyvik KO, Kessing LV. Quality of life in unaffected twins discordant for affective disorder. Submitted to *J Affect Disord*. 2007;99(1-3):133-8

Bretlau LG, Lunde M, Lindberg L, Undén M, Bech P. Repetitive Transcranial Magnetic Stimulation (rTMS) in combination with escitalopram in patients with treatment-resistant major depression. A double-blind, randomised, sham-controlled trial. *Pharmacopsychiatry* 2008;41:41-47

Bech P. Depressed mood as a core symptom of depression. *Medicographia* No 94, 2008, Vol 30 No 1, 9-13

Bobes J, Bulbena A, Luque A, Dal-Re R, Ballesteros J, Ibarra N, Bech P. The sufficiency of the HAM-D6 as an outcome instrument in the acute therapy of antidepressants in the outpatient setting. *Int J Psychiatry Clin Pract*. 2007; 11: 146-150

Fountoulakis KN, Bech P, Panagiotidis P et al. Comparison of depressive indices: reliability, validity, relationship to anxiety and personality and the role of age and life events. *J Affect Dis* 2007;97:187-195

Hjollund NH, Andersen JH, Bech P. Træthed ved kronisk sygdom. *Ugeskrift for Læger* 2008;170/20:1733-1738

Bech P. The use of rating scales in affective disorders. *European Psychiatric Review* 2008;1:14-18

Netterstrøm B, Conrad N, Bech P, Fink P, Olsen O, Rugulies R, Stansfeld S. The relationship between Work-related Psychosocial Factors and the Development of Depression. *Epidemiologic Reviews* 2008; 30: 118-132

Rasmussen A, Hanash JA, Bech P. Escitalopram, Problem-Solving Therapy and Poststroke. Depression. *JAMA* 2008; 300: 1758-1759

DUAG group. Acute and continuation therapy in unipolar depression: observations from the run-in phase of a maintenance trial. *Acta Psychiatr Scand* 2008; 118: 123-129

Bech P. Pichot – A tribute to the European pharmacopsychologist on his 90th birthday. *European Psychiatric Review* 2008;2: 76-80

Williams JB, Kobakc KA, Bech P et al. The GRID-HAMD: standardization of the Hamilton Depression Rating Scale. *International Clinical Psychopharmacology* 2008;23: 120-129

Bech P, Wilson P, Wessel T, Lunde M, Fava M. A validation of two self-reported HAM-D₆ versions. *Acta Psychiatr Scand* 2009;119:298-303

Bech P. Fifty years with the Hamilton scales for anxiety and depression. *Psychotherapy and Psychosomatics* 2009;78:202-211

Bech P. Scandinavian College of Neuropsychopharmacology (SCNP) contributions: rating scales. *Scandinavian Neuropsychopharmacology* 2009;2:4

Jennum P, Martiny K, Bech P. Insomni. *Ugeskrift for læger* 2009;171/22 (25 maj): 1854-1859

Bech P, Gormsen L, Loldrup D, Lunde M. The clinical effect of clomipramine in chronic idiopathic pain disorder revisited using the Spielberger State Anxiety Symptom Scale (SSASS) as outcome scale. *J Affect Dis* 2009;119:43-51

Bech P, Lönn SL, Overø KF. Relapse prevention and residual symptoms; further analyses of clinical studies with escitalopram in MDD, GAD, SAD, OCD. *J Clin Psychiatry* 2010;71(2):121-129

Bech P. Applied psychometrics in clinical psychiatry: The pharmacopsychometric triangle. *Acta Psychiatr Scand* 2009; 120: 400-409

Søgaard HJ, Bech P. Psychiatric disorders in long-term sickness absence – a population-based cross-sectional study. *Scandinavian Journal of Public Health* 2009;37:682-689.

Hanson LLM, Theorell T, Bech P, Rugulies R, Burr H, Hyde M, Oxenstierna G, Westerlund H. Psychosocial working conditions and depressive symptoms among Swedish employees. *Int Arch Occup Environ Health* 2009;82(8):951-60

Licht RW, Bech P. How to manage mania not responding to a first-step 2 weeks treatment with quetiapine – a report from a prematurely discontinued randomised clinical trial. *Acta Psychiatr Scand* 2009; 120: 334-335

Bech P. Is the antidepressive effect of second-generation antidepressants a myth? *Psychological Medicine* 2010;40:181-186

Thielen K, Nygaard E, Andersen I, Rugulies R, Heinesen E, Bech P, Bültmann U, Diderichsen F. Misclassification and the use of register-based indicators for depression. *Acta Psychiatr Scand*. 2009 Apr;119(4):312-9

Ayalon L, Goldfracht M, Bech P. Do you think you suffer from depression? Reevaluating the use of a single item question for the screening of depression in older primary care patients. *Int J Geriatr Psychiatry* 2010;25:497-502

Søgaard HJ, Bech P. Psychometric analysis of common mental disorders-Screening Questionnaire (CMD-SQ) in long-term sickness absence. *Scand J Public Health*. 2009;37(8):855-63

Søgaard HJ, Bech P. The effect on length of sickness absence by recognition of undetected psychiatric disorder in long-term sickness absence. A randomized controlled trial. *Scand J Public Health*. 2009;37(8):864-71.

Søgaard HJ, Bech P. Predictive validity of common mental disorders screening questionnaire as a screening instrument in long sickness absence. *Scand J Public Health*. 2010;38:375-385

Søgaard HJ, Bech P. Psychiatric disorders in long-term sickness absence – a population-based cross-sectional study. *Scand J Public Health*. 2009;37:682-689

Martiny K, Lunde M, Undén M, Dam H, Bech P. High cortisol awakening responses is associated with an impairment of the effect of bright light therapy. *Acta Psychiatr Scand* 2009;120:196-202

Basnov M, Kongsved SM, Bech P, Hjøllund NH. Reliability of short form-36 in an Internet and a pen-and-paper version. *Informatics for Health and Social Care* 2009;34:53-58

Søgaard HJ, Bech P. Compensating for non-response in a study estimating the incidence of mental disorders in long-term sickness absence by a two-phased design. *Scandinavian Journal of Public Health*, 2010;38:625-632

Bech P. The struggle for subtypes in primary and secondary depression and their mode-specific treatment or healing. *Psychother Psychosom* 2010;79:331-338

Leutscher PD, Lagging M, Buhl MR, Pedersen C, Norkrans G, Langeland N, Mørch K, Färkkilä M, Hjerrild S, Hellstrand K, Bech P. NORDynamIC Group. Evaluation of depression as a risk factor for treatment failure in chronic hepatitis C. *Hepatology*. 2010 Aug;52(2):430-5.

Martiny K, Lunde M, Bech P. Transcranial Low Voltage Pulsed Electromagnetic Fields in Patients with Treatment-Resistant Depression. *Biol Psychiatry* 2010;68(2):163-9.

Christensen KS, Bech P, Fink P. Measuring mental health by questionnaires in primary care – unidimensionality, responsiveness and compliance. *European Psychiatric Review* 2010;3:8-12

Bauer M et alBech P. World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders, part 1: Acute and continuation treatment of major depressive disorder. *Revista de Psiquiatria Clinica* Volume 36, Issue SUPPL. 2, 2009, Pages 17-57

Bauer M et alBech P. World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders, part 2: Maintenance treatment of major depressive disorder and treatment of chronic depressive disorders and subthreshold depressions. *Revista de Psiquiatria Clinica* Volume 36, Issue SUPPL. 2, 2009, Pages 58-76

Rugulies R, Madsen IEH, Nielsen MBD, Olsen LR, Mortensen EL, Bech P. Occupational position and its relation to mental distress in a random sample of Danish residents. *International Archives of Occupational and Environmental Health* Volume 2010;83, Issue 6: 625-629

Bent-Hansen J, Bech P. Validity of the Definite and Semidefinite Questionnaire version of the Hamilton Depression Scale, the Hamilton Subscale and the Melancholia scale. Part I. *European Archives of Psychiatry and Clinical Neuroscience* 2011;261:37-46

Guidi J, Fava G, Bech P, Paykel E. The Clinical Interview for Depression: A Comprehensive Review of Studies and Clinimetric Properties. *Psychother Psychosom* 2011;80:10-27

Konstantinidis A, Martiny K, Bech P, Kasper S. A comparison of the Major Depression Inventory (MDI) and the Beck Depression Inventory (BDI) in severely depressed patients. *International Journal of Psychiatry in Clinical Practice* 2011;15:56-61

Netterstrøm B, Bech P. Effect of a multidisciplinary stress treatment programme on the return to work rate for persons with work-related stress. A non-randomized controlled study from a stress clinic. *BMC Public Health* 2010;10:658

Bech P, Boyer P, Germain J-M, Padmanabhan K, Haudiquet V, Pitrosky B, Tourian KA. HAM-D17 and HAM-D6 sensitivity to change in relation to desvenlafaxine dose and baseline depression severity in major depressive disorder. *Pharmacopsychiatry* 2010;43:271-276

Andreasson K, Liest V, Lunde M, Martiny K, Uden M, Dissing S, Bech P. Identifying patients with therapy-resistant depression by using factor analysis. *Pharmacopsychiatry* 2010;43:252-256

Bech P. Depressed mood: a hallmark symptom of depression. *Depression in Clinical Practice* 2010;16:8-11

Bech P, Tanghøj P, Andreasson K, Overø KF. Dose response relationship of sertindole and haloperidol using the pharmacopsychometric triangle. *Acta Psychiatr Scand* 2011;123:154-161

Søgaard HJ, Bech P. The effect of detecting undetected common mental disorders on psychological distress and quality of life in long-term sickness absence: A randomised controlled trial. *Scand J Public Health*. 2010;38:845-856

Bauer M et alBech P. The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the treatment of acute bipolar depression. *World J Biol Psychiatry* 2010 Mar;11(2):81-109.

Bech P, Christensen E-M, Vinberg M, Bech-Andersen G, Kessing L.V. From items to syndromes in the Hypomania Checklist (HCL-32): Psychometric validation and clinical validity analysis *J Affect Dis* 2011;132:48-54

Larsen JK, Bendtsen BB, Bech P. Vitamin B6 treatment of oedema induced by mirtazapine and isocarboxazid. *Acta Psychiatri Scand* 2011;124:76-77

Bech P, Fava M, Trivedi MH, Wisniewski SR, Rush AJ. Factor structure and dimensionality of the two depression scales in STAR*D using level 1 datasets. *Journal of affective disorders* 2011;132:396-400

Bech P, Gefke M, Lunde M, Lauritzen L, Martiny K. The pharmacopsychometric triangle to illustrate the effectiveness of T-PEMF concomitant with antidepressants in treatment resistant patients: A double-blind, randomised, sham-controlled trial revisited with focus on the patient-reported outcomes. *Depression Research and Treatment*. Volume 2011, Article ID 806298,

Bech P. The ABC profile of the HAM-D17. *Revista Brasileira de Psiquiatria* 2011;33:109-110 (Brazilian Journal of Psychiatry)

William JBW, Kobak K, Bech P, Engelhardt N, Evans K, Lipsitz J, Olin J, Pearson J, Kalali A. The GRID-HAM-D: standardization of the Hamilton Depression Rating Scale. *Int Clin Psychopharmacol* 2008;23:120-129

Bech P. Bipolar II Disorder. Modelling, measuring and managing By Gordon Parker (ed). Cambridge University Press, Cambridge *Acta Psychiatr Scand* 2010: 121: 487-488

Bech P. Measuring states of anxiety with clinician-rated and patient-rated scales. In: *Different Views of Anxiety Disorders*. Salih Selek (ed). 2011 pp 169-184

Bech P. The dimension of psychotic experiences. *Acta Psych Scand* 2012;125:13-14

Østergaard SD, Rothschild AJ, Uggerby P, Munk-Jørgensen P, Bech P, Mors O. Considerations on the ICD-11 Classification of Psychotic Depression. *Psychotherapy and Psychosomatics* 2012;81:135-144

Østergaard SD, Jensen SOW, Bech P. The heterogeneity of the depressive syndrome: when numbers get serious. *Acta Psychiatr Scand* 2011; 124:495-496

Bech P, Fava M, Trivedi MH, Wisniewski SR, Rush AJ. Outcomes on the Pharmacopsychometric Triangle: Bupropion-SR versus Buspirone Augmentation of Citalopram in the STAR*D Trial. *Acta Psychiatr Scand* 2012; 125: 342-348.

Bech P. The Threefold Hamilton Depression Scale. *Acta Psych Scand* 2012;125:423-224

Bech P. Mood and Anxiety in the medically ill. Fava GA, Sonino N, Wise TN (eds): *The psychosomatic Assessment. Strategies to improve Clinical Practice. Adv Psychosom Med.* 2012;32:118-32.

Andersen I, Thielen K, Bech P, Nygaard E, Diderichsen F. Increasing prevalence of depression from 2000 to 2006. *Scandinavian Journal of Public Health*, 2011;39:857-863

Bech P. Stress og psykometri. *Ugeskrift for Læger* 2012; 174: 195-197

Bech P, Christensen EM, Vinberg M, Bech-Andersen G, Kessing LV. Psychometric validation and clinical validity of the Minor Melancholia Mood Checklist (MMCL-32). *J Affect Dis* 2012;137:79-86

Martiny K, Lunde M, Bech P, Plenge P. A short-term double-blind randomized controlled pilot trial with active or placebo pindolol in patients treated with venlafaxine for major depression. *Nord. J Psychiatry* 2012;66(3):147-154.

Bech P. Subjective positive well-being. *World psychiatry* 2012;2:105-106

Østergaard S.D, Lauge N, Søtoft-Jensen H, Bille J, Bech P. The Validity of the Severity-Psychosis Hypothesis in Depression. *Journal of Affective Disorders* 2012;140:48-56

Bech P, Csillag C. Rational polypharmacy in the acute therapy of major depression. In Ru-Band Lu (ed). *Antidepressant Drugs and Pain.* In Tech 2012

Bech P, Stage KB, Larsen JK, Vestergaard P, Gram LF and the DUAG-group. The predictive validity of atypical neurovegetative depressive symptoms identified by the first principal component in the DUAG trial of moclobemide versus clomipramine. *Journal of Affective Disorders* 2012;140:253-259

Tomba E, Bech P. Clinimetrics and clinical psychometrics: macro- and micro-analysis. *Psychotherapy and Psychosomatics* 2012;81(6):333-343

Bech P. Fact and fictions in clinical psychiatry. *Nordic J of Psychiatry* 2013;67(1):13-14

Lucas-Carrasco R, Allerup P, Bech P. The validity of the WHO-5 as an early screening for apathy in an elderly population. *Current Gerontology and Geriatrics Research* 2012. ID171857

Bech P, Lunde M, Møller SB. The two big Eysenck personality factors and their relationship to depression in patients with chronic idiopathic pain disorder. A clinical validation analysis. *ISRN Psychiatry* 2012 Volume 2012, Article ID 140458.

Martiny K, Middelboe ER, Lund V, Lunde MA, Sørensen L, Thougard B, Lindberg L, Bech P. Nine weeks randomised trial comparing a chronotherapeutic intervention (wake and light therapy) to exercise in major depression. *J Clin psychiatry* 2012;73:1234-1242

Leadholm AK, Rothschild AJ, Nolen WB, Bech P, Munk-Jørgensen P, Østergaard SD. The treatment of psychotic depression: Is there consensus among guidelines and psychiatrists? *Journal of Affective Disorders*

2013;145(2):214-

Bech P. Autism as the clinical core marker in schizophrenia. *World Psychiatry* 2013, No. 0022, 23. january.

Bech P, Christensen E-M, Vinberg M, Østergaard SD, Martiny K, Kessing LV. The performance of the revised Major Depression Inventory for self-reported severity of depression - Implications for the DSM-5 and ICD-11 -. *Psychotherapy and Psychosomatics* 2013;82:187-188

Østergaard S.D, Petrides G, Dinesen PT, Skadhede S, Bech P, Munk-Jørgensen, Nielsen J. The association between physical morbidity and subtypes of severe depression. *Psychotherapy and Psychosomatics* 2013;82:45-52

Bech P, Allerup P, Larsen ER, Csillag C, Licht RW. Escitalopram versus nortriptyline: How to let the clinical GENDEP data tell us what they contained. *Acta psychiatr Scand* 2013; 127:328-329

Blom EH, Bech P, Högberg G, G, Larsson JO, Serlachius E. Screening for depressed mood in an adolescent psychiatric context by brief self-assessment scales – testing psychometric validity of WHO-5 and BDI-6 indices by latent trait analyses. *Health and Quality of Life outcomes* 2012; 10: 149

Licht RW. On behalf of the Danish Antidepressant Group. Is it possible to evaluate true prophylactic efficacy of antidepressants in severely ill patients with recurrent depression? Lessons from a placebo-controlled trial. The fifth trial of the Danish University Antidepressant Group (DUAG-5) *Journal of Affective Disorders* 148 (2013) 286–290

Bachner YG, Goldfracht RM, Bech P, Ayalon L. Psychometric Properties of Responses by Clinicians and Older Adults to a 6-Item. Hebrew Version of the Hamilton Depression Rating Scale (HAM-D6). *BMC Psychiatry* 2013. Jan 3;13:2.

Bech P, Engell R, Møller SB. Comparative validity of inventories and checklists for identifying depressed patients with hidden bipolarity. *Neuropsychiatry Reviews* 2013;3(3):331-343.

Bech P, Tomba E. Letter to Editor. *Psychotherapy and Psychosomatics* 2013;82:259

Østergaard SD, Meyers BS, Flint AJ, Mulsant BH, Whyte EM, Ulbricht CM, Bech P, Rothschild AJ. Measuring psychotic depression. *Acta psychiatry Scand.* 2014;129:211-220

Bech P, Bille J, Lindberg L, Waarst S, Lauge N, Treufeldt P. Ti år med HoNOS 2000-2009. Udgivet 2010 fra Psykiatrisk Forskningsenhed, Psykiatrisk Center Nordsjælland, Hillerød, DK.

Magnusson Hanson LLM, Westerlund H, Leineweber C, Rugulies R, Osika W, Theorell T, Bech P. The Symptom Checklist-core depression (SCL-CD6) scale: Psychometric properties of a brief six item scale for the assessment of depression. *Scand J Public Health* 2014;42:82-88

Bergmann N, Ballegaard S, Holmager P, Kristiansen J, Gyntelberg F, Andersen LJ, Hjalmarson A, Bech P, Arendt-Nielsen L, Faber J. Pressure pain sensitivity: A new method of stress measurement in patients with ischemic heart disease. *Scand J Clin Lab Invest.* 2013;73(5):373-379

Martiny K, Refsgaard E, Lund V, Lunde M, Sørensen L, Thougard B, Lindberg L, Bech P. The day-to-day acute effect of wake therapy in patients with major depression using the HAM-D6 as primary outcome measure. *PLoS One* 2013;28(6):e67264.

Bech P, Ban TA. A short historical review of SCNPs with special reference to the UKU. *Acta Neuropsychiatrica* 2014;26(1):4-7

Bech P, Lauritzen L, Lunde M, Uden M, Hellström LC, Csillag C, Martiny K. Psychometric analysis of the Melancholia Scale in trials with non-pharmacological augmentation of patients with therapy resistant depression. *Acta Neuropsychiatrica* 2014;26(3):155-160

Bech P. Quality of life as the mental aspect of health in the measurement based care of neurological patients.

Acta Neuropsychiatrica 2013; 25 (04):191-192

Hellstrøm L, Bech P, Nordentoft M, Lindschou J, Epløv LF. The effect of IPS-modified, an early intervention for people with mood and anxiety disorders: study protocol for a randomised clinical superiority trial. *Trials* 2013;14:442-451

Wittchen HU, Knappe S, Andersson G, Araya R, Rivera RMB, Barkham M, Bech P, et al. The need for a behavioural science focus in research on mental health and mental disorders. *Int J Methods Psychiatr Res.* 2014;23(suppl 1):28-40

Bech P, Bille J, Møller SB, Hellstrøm LC, Østergaard SD. Psychometric validation of the Hopkins Symptom Checklist (SCL-90) subscales for depression, anxiety, and interpersonal sensitivity. *Journal of Affective Disorders* 2014;160:98-103

Bech P, Csillag C, Hellstrøm L, Fleck M. Time has come to stop rotations for the identification of structures in the Hamilton Depression Scale (HAM-D₁₇). *Revista Brasileira de Psiquiatria* 2013;35(4):360-363.

Østergaard SD, Meyers BS, Flint AJ, Mulsant BH, Whyte EM, Ulbricht CM, Bech P, Rothschild AJ, on behalf of the STOP-PD Study Group. Measuring treatment response in psychotic depression: The Psychotic Depression Scale (PDAS) takes both depressive and psychotic symptoms into account. *Journal of Affective Disorders* 2014;160: 68-73

Leadholm AK, Rothschild AJ, Nielsen J, Bech P, Østergaard SD. Risk factors for suicide among 34,671 patients with psychotic and non-psychotic severe depression. *Journal of Affective Disorders* 2014;156:119-125

Ellervik C, Kvetny J, Christensen KS, Vestergaard M, Bech P. Prevalence of depression, quality of life and antidepressant treatment in the Danish General Suburban Population Study. *Nordic J of Psychiatry* 2014; 68(7): 507-512

Ringqvist Å, Bech P, Glenthøj B, Petersen E. Acute and Long-term Psychiatric Side Effects of Mefloquine: A Follow-up on Danish Adverse Event Reports. *Travel Medicine and Infectious Disease* 2015;13(1):80-88

Fava GA, Tossani E, Bech P, Berrocal C, Chouinard G, Csillag C, Wittchen HU, Rief W. Emerging clinical trends and perspectives on comorbid patterns of mental disorders in research. *Int J Methods Psychiatr Research* 2014; 23 Suppl 1:92-101.

Straasø B, Lauritzen L, Lunde M, Vinberg M, Lindberg L, Larsen ER, Dissing S, Bech P. Dose-remission of Pulsating ElectroMagnetic Fields as augmentation in therapy-resistant depression. A randomized, double-blind controlled study. *Acta Neuropsychiatrica* 2014;26(5):272-279-

Bech P, Allerup P, Larsen ER, Csillag C, Licht RW. The Hamilton Depression Scale (HAM-D) and the Montgomery-Åsberg Depression Scale (MADRS). A psychometric re-analysis of the GENDEP sample using Rasch analysis. *Psychiatry Research* 2014; 217(3):226-232

Bech P. Karl Rickels: A tribute on his 90th birthday. *Psychotherapy and Psychosomatics* 2014;83:131-135

Østergaard SD, Bech P, Trivedi M, Wisniewski S, Rush J, Fava M. Brief unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: Implications for the Research Domain Criteria (RDoC). *Journal of affective Disorders* 2014; 163: 18-24

Tran MTD, Skovbjerg S, Arendt-Nielsen L, Bech P, Lunde M, Elberling J. Two of three patients with multiple chemical sensitivity had less symptoms and secondary hyperalgesia after transcranially applied pulsed electromagnetic fields. *Scandinavian Journal of Pain* 2014;5:104-109

Jepsen PW, Butler B, Rasmussen S, Juel K, Bech P. Predictive validity of neurotic disorders: a 50-year follow-up study. *Dan Med Bulletin* 2014;61(6):A4858

Andersen MN, Bech P, Csillag C. Development and remission of depressive symptoms and treatment with hormonal contraceptives. *Oxford Medical Case Reports* 2014;3:63-64

Fjaellegaard K, Kvetny J, Allerup PN,, Bech P, Ellervik C. Well-being and depression in individuals with subclinical hypothyroidism and thyroid autoimmunity – A general population study. *Nordic J of Psychiatry* 2015;69(1):73-78.

Högberg G, Bech P, Hällström T, Petersson M. Does vitamin D play a role in depression? Clinical, epidemiological, and biological studies. *Current Nutrition & Food Science* 2014;10:16-28

Bech P, Lindberg L. It is never too late to treat anxiety neurosis or panic disorder with a serotonin-reuptake inhibitor. *Oxford Medical Case Reports* 2014; 5: 100-101

Hellström LC, Eplöv LF, Nordentoft M, Østergaard SD, Bech P. The Diagnostic Apathia scale predicts the ability to return to work following depression or anxiety. *Acta Neuropsychiatrica* 2014;26(6):364-371

Bech P, Lunde M, Lauritzen L, Straasø B, Lindberg L, Vinberg M, Undén M, Hellström LC, Dissing S, Larsen ER. The Diagnostic Apathia Scale predicts a dose–remission relationship of T-PEMF in treatment-resistant depression. *Acta Neuropsychiatrica* 2015; 27(1):1-7

Bech P, Paykel E, Sireling L, Yiend J. Rating Scales in General Practice Depression: Psychometric Analyses of the Clinical Interview for Depression and the Hamilton Rating Scale. *Journal of Affective Disorders* 2014;171:68-73

Fountoulakis K et alBech P,.....Soendergaard S,...Lopez-Ibor J. Relationship of suicide rates to economic variables in Europe: 2000-2001. *B J Psych* 2014;205(6):486-496

Kvetny J, Ellervik C, Bech P. Is suppressed thyroid-stimulating hormone (TSH) associated with subclinical depression in the Danish General Suburban Population Study? *Nordic J Psychiatry* 2014; [Early online](#)

Østergaard SD, Pedersen CH, Uggerby P, Munk-Jørgensen P, Rothchild AJ, Larsen JI, Gøtsche C, Søndergaard MG, Bille AG, Bolwig TG, Larsen JK, Bech P. Clinical and psychometric validation of the psychotic depression assessment scale. *Journal of Affective Disorders* 2015; 173:261-268

Palic S, Kappel ML, Nielsen MS, Carlsson J, Bech P. Comparison of Psychiatric Disability on the Health of Nation Outcome Scales (HoNOS) in Resettled Traumatized Refugee Patients and Danish Inpatients. *BMC Psychiatry* 2014;14(1):330

Bergmann N, Ballegaard S, Bech P, Hjalmarson A, Krogh J, Gyntelberg F, Faber J. The effect of daily self-measurement of pressure pain sensitivity followed by acupuncture on depression and quality of life versus treatment as usual in ischemic heart disease: a randomized clinical trial. *Plos One*. 21;9(5):e97553.

Bech P, Lindberg L, Straasø B, Larsen ER. A two-year follow-up study of patients participating in our transcranial pulsating electromagnetic fields (T-PEMF) augmentation in treatment-resistant depression. *Acta Neuropsychiatrica* 2015; 2:119-125

Bergmann N, Ballegaard S, Holmager P, Bech P, Hjalmarson A, Gyntelberg F, Faber J. Diabetes and ischemic heart disease: double jeopardy with regard to depressive mood and reduced quality of life. *Endocr Connect*. 2014;3(4):156-60.

Østergaard SD, Bech P, Miskowiak K. Fewer study participants needed to demonstrate superior antidepressant efficacy when using the Hamilton melancholia subscale (HAM-D6) as outcome measure. *Journal of Affective Disorders* [E-pub ahead of print](#)

Martiny K, Refsgaard E, Lund V, Lunde M, Thougard B, Lindberg L, Bech P. Maintained superiority of Chronotherapeutics vs. exercise in a 20-weeks randomized follow-up trial in major depression. *Acta Psychiatrica Scandinavica* 2015 [E-pub ahead of print](#)

Reko A, Bech P, Wohlert C, Noerregaard C, Csillag C. Usage of psychiatric emergency services by asylum seekers: Clinical implications based on a descriptive study in Denmark. *Nordic Journal of psychiatry* 2015 [E-pub ahead of print](#)

Østergaard SD, Pedersen CH, Uggerby P, Munk-Jørgensen P, Rothschild AJ, Larsen JI, Gøtzsche C, Søndergaard MG, Bille AG, Bolwig TG, Larsen JK, Bech P. Clinical and psychometric validation of the psychotic depression assessment scale. *Journal of Affective Disorders* 2015;173:261-268.

Topp CW, Østergaard SD, Søndergaard S, Bech P. The WHO-5 Well-being Index: A systematic review of the Literature. *Psychotherapy & Psychosomatics* 2015;84(3):167-176.

Ballegaard S, Bergmann N, Karpatschhof B, Kristiansen J, Gyntelberg F, Arendt-Nielsen L, Bech P, Hjalmarson A, Faber J. Association between pressure pain sensitivity and autonomic function as assessed by a tilt table test. *Scand J Clin Lab Invest* 2015 epub ahead of print

Østergaard SD, Meyers BS, Flint AJ, Mulsant BH, Whyte EM, Ulbricht CM, Bech P, Rothschild AJ on behalf of the STOP-PD Study Group. Towards a Rating Scale Measuring the Severity of both Psychotic and Depressive Symptoms in Psychotic Depression. *J Clin psychiatry* in press.