## **EUGENE PAYKEL'S CLASSIFICATION OF DEPRESSION**

- 1. DEPRESSED MOOD
- 2. FEELINGS OF GUILT/ FEELING OF INADEQUACY
- 3. FEELING OF HOPELESSNESS
- 4. FEELING OF HELPLESSNESS
- 5. APATHETIC INDIFFERENCE/ IMPAIRMENT OF ADAPTATION AT HOME/ IMPAIRMENT OF ADAPTATION AT WORK/ IMPAIRMENT OF SOCIAL ADAPTATION/ LACK OF INTEREST
- 6. ANXIETY/
- ANXIOUS MOOD 7. LACK OF INSIGHT
- 8. UNMOTIVATED DEPRESSED MOOD
- 9. SOMATIC SYMPTOMS/ VEGETATIVE MANIFESTATIONS
- 10. DECREASED APPETITE
- 11. HYPOCHONDRIASIS
- 12. DELUSIONS/ SUSPICIOUSNESS
- 13. LATE INSOMNIA
- 14. MOTOR RETARDATION/ RETARDED THINKING/ STUPOR
- 15. AGITATION/ MOTOR RESTLESSNESS
- 16. HOSTILITY

At least 8 of 16 present, proceed to 17 Less than 8 of 16 present, proceed to 18

17. MANIA/ HYPOMANIA

Present, stop Absent, stop

18. DEPRESSED MOOD
19. SUICIDAL TENDENCIES
20. FEELING OF HELPLESSNESS
21. APATHETIC INDIFFERENCE/

Probable Psychotic (Group 4A) Depression Possible Anxious (Group 4B Depression)

### PSYCHIATRIC DISORDER PSYCHOTIC (GROUP 4A) DEPRESSION

IMPAIRMENT OF ADAPTATION AT HOME/ IMPARMENT OF ADAPTATION AT WORK/ IMPAIRMENT OF SOCIAL ADAPTATION/ LACK OF INTEREST

#### 22. ASTHENIA

# 23. ANXIETY/

ANXIOUS MOOD 24. SOMATIC SYMPTOMS/

VEGETATIVE MANIFESTATIONS

**25. DIURNAL VARIATION** 

26. DEPERSONALISATION

- 27. OBSESSIVE THOUGHTS
- 28. SELF-PITY

At least 5 of 11 present, proceed to 29 Less than 5 of 11 present, proceed to 30 Probable Anxious (Group 4B) Depression Possible Hostile (Group 4C) Depression

29. MANIA/ HYPOMANIA

Present, stop Absent, stop

### PSYCHIATRIC DISORDER ANXIOUS (GROUP 4B) DEPRESSION

### 30. DEPRESSED MOOD

- 31. SUICIDAL TENDENCIES
- 32. APATHETIC INDIFFERENCE/ IMPARMENT OF ADAPTATION AT HOME/ IMPAIRMENT OF ADAPTATION AT WORK/ IMPAIRMENT OF SOCIAL ADAPTATION/ LACK OF INTEREST
- 33. ASTHENIA
- 34. EARLY INSOMNIA
- 35. MIDDLE INSOMNIA

At least 3 of 6 present, proceed to 36 Less than 3 of 6 present, proceed to 37 Personality Disorder

36. MANIA/ HYPOMANIA

Present, stop Absent, stop Probable Hostile (Group 4C) Depression Possible Young (Group 4D) Depressive with

PSYCHIATRIC DISORDER HOSTILE (GROUP 4C) DEPRESSION 37. DEPRESSED MOOD38. REACTIVE MOOD CHANGES39. SUICIDAL TENDENCIES40. IRRITABILITY

At least 2 of 4 present, proceed to 41

Less than 2 of 4 present, stop

41. EARLY ONSET

Present, proceed to 42

Absent, stop

42. MANIA/ HYPOMANIA

Present, stop Absent, stop Possible Young (Group 4D) Depressive with Personality Disorder PSYCHIATRIC DISORDER

Probable Young (Group 4D) Depressive with Personality Disorder PSYCHIATRIC DISORDER

PSYCHIATRIC DISORDER YOUNG (GROUP 4D) DEPRESSIVE WITH PERSONALITY DISORDER

It consists of a total number of 67 digits, based on 40 codes included in 42 variables organised into 9 decision clusters, yielding 4 diagnoses.

It is based on Eugene Paykel's report, "Classification of Depressed Patients: A Cluster Analysis Derived Grouping," published in the British Journal of Psychiatry in 1971 in which -- with the employment of cluster analysis -- depressed patients are divided into 4 groups: psychotic (Group A) depression, anxious (Group B) depression, hostile (Group C) depression and young (Group D) depression with personality disorder. In revised CODE-DD psychotic (Group A) depression is characterised by depressed mood, feeling of guilt (feeling of inadequacy), feeling of hopelessness, feeling of helplessness, apathetic indifference (impairment of adaptation at home, impairment of adaptation at work, impairment of social adaptation, or lack of interest), anxiety (anxious mood), lack of insight, unmotivated depressed mood, somatic symptoms (vegetative manifestations), decreased appetite, hypochondriasis, delusions (suspiciousness), late insomnia, motor retardation (retarded thinking, or stupor), agitation (motor restlessness) and hostility; anxious (Group B) depression by depressed mood, suicidal tendencies and feeling of helplessness, apathetic indifference (impairment of adaptation at home, impairment of adaptation at work, impairment of social adaptation, or lack of interest), asthenia, anxiety (anxious mood), somatic symptoms (vegetative manifestations), diurnal variation, depersonalisation, obsessive thoughts and self pity; hostile (Group C) depression by depressed mood, suicidal tendencies, apathetic indifference (impairment of adaptation at home, impairment of adaptation at work, impairment of social adaptation, or lack of interest), asthenia, early insomnia and middle insomnia; and young (Group D) depression with personality disorder by depressed mood, reactive mood changes, suicidal

tendencies and irritability with early onset.

PAYKEL ES (1971) CLASSIFICATION OF DEPRESSED PATIENTS: A CLUSTER ANALYSIS DERIVED GROUPING. BRIT J PSYCHIAT 118: 275-288

EUGENE PAYKEL'S CLASSIFICATION OF DEPRESSION

PSYCHOTIC (GROUP 4A) DEPRESSION ANXIOUS (GROUP 4B) DEPRESSION HOSTILE (GROUP 4C) DEPRESSION YOUNG (GROUP 4D) DEPRESSIVE WITH PERSONALITY DISORDER