

DSM-III-R'S CRITERIA

1. ANHEDONIA/
DEPRESSED MOOD/
LACK OF INTEREST

Present, proceed to 2

Possible Major Depressive
Disorder

Absent, proceed to 541

Possible Major Depressive
Disorder, In Remission

2. LOSS OF LOVED ONE
3. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH LOSS OF LOVED
ONE

Both present, proceed to 4

Possible Uncomplicated
Bereavement

Less than 2 present, proceed to 6

Possible Major Depressive
Disorder

4. FEELING OF WORTHLESSNESS/
IMPAIRMENT OF ADAPTATION AT HOME/
IMPAIRMENT OF ADAPTATION AT WORK/
IMPAIRMENT OF SOCIAL ADAPTATION/
MOTOR RETARDATION/
PROLONGED DURATION/
STUPOR/
SUICIDAL IDEATION

Absent, proceed to 5

Probable Uncomplicated
Bereavement

Present, proceed to 6

Possible Major Depressive
Disorder

5. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

Absent, stop

UNCOMPLICATED

BEREAVEMENT

6. DEPRESSED MOOD
7. ANHEDONIA/
LACK OF INTEREST
8. DECREASED APPETITE/
EXCESSIVE APPETITE/

- WEIGHT GAIN/
WEIGHT LOSS
9. HYPERSOMNIA/
INSOMNIA
10. MOTOR RESTLESSNESS/
MOTOR RETARDATION
11. ASTHENIA/
LACK OF DRIVE
12. FEELING OF WORTHLESSNESS/
FEELINGS OF GUILT/
SELF-INCRIMINATION
13. DISTURBANCE OF CONCENTRATION/
INDECISIVENESS/
RETARDED THINKING
14. LOSS OF DESIRE TO LIVE/
RECURRENT THOUGHTS OF DEATH/
SUICIDAL TENDENCIES

At least 5 of but less than 7
present, proceed to 15
7 of 9 present, proceed to 125

Possible Major Depressive
Disorder, Mild

Possible Major Depressive
Disorder, Moderate

At least 8 of 9 present,
proceed to 235

Possible Major Depressive
Disorder, Severe

Less than 5 of 9 present,
proceed to 520

Possible Dysthymia

15. MEDICAL ILLNESS
16. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,
proceed to 17

Possible Major Depressive
Disorder, Mild

Both present, stop

PSYCHIATRIC DISORDER

17. MOOD-DEPRESSANT MEDICATION
18. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MOOD-DEPRESSANT
MEDICATION

Less than 2 present,
proceed to 19

Possible Major Depressive
Disorder, Mild

Both present, stop

PSYCHIATRIC DISORDER

19. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS

20. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 21

Both present, stop

Possible Major Depressive
Disorder, Mild
PSYCHIATRIC DISORDER

21. DELUSIONS/
HALLUCINATIONS/
FEELING OF ALIEN INFLUENCES/
THOUGHT BROADCASTING/
THOUGHT INSERTION

Absent, proceed to 22

Present, proceed to 242

Possible Major Depressive
Disorder, Mild
Possible Major Depressive
Disorder, Severe, Psychotic

22. ANHEDONIA/
LACK OF INTEREST
23. ABSENCE OF REACTIVE MOOD CHANGES
24. WORSE IN THE MORNING
25. LATE INSOMNIA
26. MOTOR RESTLESSNESS/
MOTOR RETARDATION
27. DECREASED APPETITE/
WEIGHT LOSS
28. NO IMPAIRMENT OF SOCIAL ADAPTATION
IN PAST
29. FULL RECOVERY IN THE PAST
30. RESPONSIVENESS TO SOMATIC
TREATMENT IN PAST

At least 5 of 9 present,
proceed to 31

Less than 5 of 9 present,
proceed to 73

Possible Major Depressive
Disorder, Mild,
Melancholic
Possible Major Depressive
Disorder, Mild, Chronic

31. PROLONGED DURATION

Present, proceed to 32

Absent, proceed to 115

Possible Major Depressive
Disorder, Mild,
Melancholic, Chronic
Possible Major Depressive
Disorder, Mild,

Melancholic

32. DYSTHYMIA

Present, proceed to 33

Possible Major Depressive
Disorder, Mild, Melancholic,
and Dysthymia

Absent, proceed to 68

Possible Major Depressive
Disorder, Mild, Melancholic,
Chronic

33. DEPRESSED MOOD

Present, proceed to 34

Possible Major Depressive
Disorder, Mild, Melancholic,
and Dysthymia

Absent, proceed to 68

Possible Major Depressive
Disorder, Mild, Melancholic,
Chronic

34. DECREASED APPETITE/
EXCESSIVE APPETITE/
WEIGHT GAIN/
WEIGHT LOSS

35. HYPERSOMNIA/
INSOMNIA

36. ASTHENIA/
LACK OF DRIVE

37. FEELING OF INADEQUACY/
SELF-INCRIMINATION

38. DISTURBANCE OF CONCENTRATION/
INDECISIVENESS

39. FEELING OF HOPELESSNESS

At least 2 of 6 present,
proceed to 40

Possible Major Depressive
Disorder, Mild, Melancholic
and Dysthymia

Less than 2 of 6 present,
proceed to 68

Possible Major Depressive
Disorder, Mild, Melancholic,
Chronic

40. MEDICAL ILLNESS

41. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,

Possible Major Depressive

| | |
|---|---|
| proceed to 42 | Disorder, Mild, Melancholic and Dysthymia |
| Both present, stop | PSYCHIATRIC DISORDER |
| 42. SUBSTANCE USE | |
| 43. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE | |
| Less than 2 present, proceed to 44 | Possible Major Depressive Disorder, Mild, Melancholic and Dysthymia |
| Both present, stop | PSYCHIATRIC DISORDER |
| 44. NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| 45. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| Less than 2 present, proceed to 46 | Possible Major Depressive Disorder, Mild, Melancholic and Primary Dysthymia |
| Both present, proceed to 47 | Possible Major Depressive Disorder, Mild, Melancholic and Secondary Dysthymia |
| 46. EARLY ONSET | |
| Present, proceed to 47 | Possible Major Depressive Disorder, Mild, Melancholic and Primary Dysthymia, Early Onset |
| Absent, proceed to 48 | Possible Major Depressive Disorder, Mild, Melancholic and Primary Dysthymia, Late Onset |
| 47. EARLY ONSET | |
| Present, proceed to 48 | Possible Major Depressive Disorder, Mild, Melancholic and Secondary Dysthymia, Early Onset |
| Absent, proceed to 63 | Possible Major Depressive Disorder, Mild, Melancholic and Secondary |

| | |
|-------------------------|--|
| | Dysthymia, Late Onset |
| 48. FIRST EPISODE | |
| Present, proceed to 49 | Probable Major Depressive Disorder Mild, Melancholic, Single and Primary Dysthymia, Early Onset |
| Absent, proceed to 50 | Possible Major Depressive Disorder Mild, Melancholic, Recurrent and Primary Dysthymia, Early Onset |
| 49. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MILD, MELANCHOLIC, SINGLE AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 50. SEASONAL RECURRENCE | |
| Present, proceed to 51 | Probable Major Depressive Disorder Mild, Melancholic, Recurrent, Seasonal and Primary Dysthymia, Early Onset |
| Absent, proceed to 52 | Probable Major Depressive Disorder Mild, Melancholic, Recurrent and Primary Dysthymia, Early Onset |
| 51. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MILD, MELANCHOLIC, RECURRENT, SEASONAL AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 52. MANIA/ HYPOMANIA | |

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT AND PRIMARY
DYSTHYMIA, EARLY ONSET

53. FIRST EPISODE

Present, proceed to 54

Probable Major Depressive
Disorder Mild, Melancholic,
Single and Primary
Dysthymia, Late Onset

Absent, proceed to 55

Possible Major Depressive
Disorder Mild, Melancholic,
Recurrent and Primary
Dysthymia, Late Onset

54. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
SINGLE AND PRIMARY
DYSTHYMIA, LATE ONSET

55. SEASONAL RECURRENCE

Present, proceed to 56

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent, Seasonal and
Primary Dysthymia, Late
Onset

Absent, proceed to 57

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent and Primary
Dysthymia, Late Onset

56. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT, SEASONAL AND
PRIMARY DYSTHYMIA,
LATE ONSET

57. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT AND PRIMARY

58. FIRST EPISODE

Present, proceed to 59

Probable Major Depressive
Disorder Mild, Melancholic,
Single and Secondary
Dysthymia, Early Onset

Absent, proceed to 60

Possible Major Depressive
Disorder Mild, Melancholic,
Recurrent and Secondary
Dysthymia, Early Onset

59. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
SINGLE AND SECONDARY
DYSTHYMIA, EARLY ONSET

60. SEASONAL RECURRENCE

Present, proceed to 61

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent, Seasonal and
Secondary Dysthymia, Early
Onset

Absent, proceed to 62

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent and Secondary
Dysthymia, Early Onset

61. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,

RECURRENT, SEASONAL AND
SECONDARY DYSTHYMIA,
EARLY ONSET

62. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT AND SECONDARY
DYSTHYMIA, EARLY ONSET

63. FIRST EPISODE

Present, proceed to 64

Probable Major Depressive
Disorder Mild, Melancholic,
Single and Secondary
Dysthymia, Late Onset

Absent, proceed to 65

Possible Major Depressive
Disorder Mild, Melancholic,
Recurrent and Secondary
Dysthymia, Late Onset

64. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
SINGLE AND SECONDARY
DYSTHYMIA, LATE ONSET

65. SEASONAL RECURRENCE

Present, proceed to 66

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent, Seasonal and
Secondary Dysthymia, Late
Onset

Absent, proceed to 67

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent and Secondary
Dysthymia, Late Onset

66. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT, SEASONAL AND
SECONDARY DYSTHYMIA,
LATE ONSET

67. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT AND SECONDARY
DYSTHYMIA, LATE ONSET

68. FIRST EPISODE

Present, proceed to 69

Probable Major Depressive
Disorder Mild, Melancholic,
Chronic, Single

Absent, proceed to 70

Possible Major Depressive
Disorder Mild, Melancholic,
Chronic, Recurrent

69. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
CHRONIC, SINGLE

70. SEASONAL RECURRENCE

Present, proceed to 71

Probable Major Depressive
Disorder Mild, Melancholic,
Chronic, Recurrent, Seasonal

Absent, proceed to 72

Probable Major Depressive
Disorder Mild, Melancholic,
Chronic, Recurrent

71. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

| | |
|---|--|
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MILD, MELANCHOLIC, CHRONIC, RECURRENT, SEASONAL |
| 72. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MILD, MELANCHOLIC, CHRONIC, RECURRENT |
| 73. PROLONGED DURATION | |
| Present, proceed to 74 Absent, proceed to 120 | Possible Major Depressive Disorder, Mild, Chronic Possible Major Depressive Disorder, Mild, Single |
| 74. DYSTHYMIA | |
| Present, proceed to 75 Absent, proceed to 110 | Possible Major Depressive Disorder, Mild and Dysthymia Possible Major Depressive Disorder, Mild, Chronic Single |
| 75. DEPRESSED MOOD | |
| Present, proceed to 76 Absent, proceed to 110 | Possible Major Depressive Disorder, Mild and Dysthymia Possible Major Depressive Disorder, Mild, Chronic Single |
| 76. DECREASED APPETITE/ EXCESSIVE APPETITE/ WEIGHT GAIN/ WEIGHT LOSS | |
| 77. HYPERSOMNIA/ INSOMNIA | |
| 78. ASTHENIA/ LACK OF DRIVE | |
| 79. FEELING OF INADEQUACY/ | |

SELF-INCRIMINATION

80. DISTURBANCE OF CONCENTRATION/
INDECISIVENESS

81. FEELING OF HOPELESSNESS

At least 2 present,
proceed to 82

Possible Major Depressive
Disorder, Mild and
Dysthymia

Less than 2 present,
proceed to 110

Possible Major Depressive
Disorder, Mild, Chronic,
Single

82. MEDICAL ILLNESS

83. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,
proceed to 84

Possible Major Depressive
Disorder, Mild and
Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

84. SUBSTANCE USE

85. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 86

Possible Major Depressive
Disorder, Mild and
Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

86. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS

87. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 88

Possible Major Depressive
Disorder, Mild and
Primary Dysthymia

Both present, proceed to 89

Possible Major Depressive
Disorder, Mild and
Secondary Dysthymia

88. EARLY ONSET

Present, proceed to 90

Possible Major Depressive

| | |
|-------------------------|--|
| Absent, proceed to 95 | Disorder, Mild and Primary Dysthymia, Early Onset Possible Major Depressive Disorder, Mild and Primary Dysthymia, Late Onset |
| 89. EARLY ONSET | |
| Present, proceed to 100 | Possible Major Depressive Disorder, Mild and Secondary Dysthymia, Early Onset |
| Absent, proceed to 105 | Possible Major Depressive Disorder, Mild and Secondary Dysthymia, Late Onset |
| 90. FIRST EPISODE | |
| Present, proceed to 91 | Probable Major Depressive Disorder Mild Single and Primary Dysthymia, Early Onset |
| Absent, proceed to 92 | Possible Major Depressive Disorder Mild, Recurrent and Primary Dysthymia, Early Onset |
| 91. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MILD SINGLE AND PRIMARY DYSTHYMIA, EARLY ONSET |
| Absent, stop | |
| 92. SEASONAL RECURRENCE | |
| Present, proceed to 93 | Probable Major Depressive Disorder Mild Recurrent, Seasonal and Primary Dysthymia, Early Onset |
| Absent, proceed to 94 | Probable Major Depressive Disorder Mild Recurrent and Primary Dysthymia, Early Onset |
| 93. MANIA/ HYPOMANIA | |

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT SEASONAL
AND PRIMARY DYSTHYMIA,
EARLY ONSET

94. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT AND
PRIMARY DYSTHYMIA,
EARLY ONSET

95. FIRST EPISODE

Present, proceed to 96

Probable Major Depressive
Disorder Mild Single and
Primary Dysthymia, Late
Onset

Absent, proceed to 97

Possible Major Depressive
Disorder Mild, Recurrent and
Primary Dysthymia, Late Onset

96. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD SINGLE AND PRIMARY
DYSTHYMIA, LATE ONSET

97. SEASONAL RECURRENCE

Present, proceed to 98

Probable Major Depressive
Disorder Mild Recurrent
Seasonal and Primary
Dysthymia, Late Onset

Absent, proceed to 99

Probable Major Depressive
Disorder Mild Recurrent and
Primary Dysthymia, Late
Onset

98. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT
SEASONAL ANPRIMARY
DYSTHYMIA, LATE
ONSET

99. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT AND
PRIMARY DYSTHYMIA,
LATE ONSET

100. FIRST EPISODE

Present, proceed to 101

Probable Major Depressive
Disorder Mild Single and
Secondary Dysthymia, Early
Onset

Absent, proceed to 102

Possible Major Depressive
Disorder Mild, Recurrent and
Secondary Dysthymia, Early
Onset

101. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD SINGLE AND
SECONDARY DYSTHYMIA,
EARLY ONSET

102. SEASONAL RECURRENCE

Present, proceed to 103

Probable Major Depressive
Disorder Mild Recurrent
Seasonal and Secondary
Dysthymia, Early Onset

Absent, proceed to 104

Probable Major Depressive
Disorder Mild Recurrent and
Secondary Dysthymia, Early
Onset

103. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT SEASONAL
AND SECONDARY DYSTHYMIA,
EARLY ONSET

104. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT AND
SECONDARY DYSTHYMIA,
EARLY ONSET

105. FIRST EPISODE

Present, proceed to 106

Probable Major Depressive
Disorder Mild Single and
Secondary Dysthymia, Late
Onset

Absent, proceed to 107

Possible Major Depressive
Disorder Mild, Recurrent and
Secondary Dysthymia, Late
Onset

106. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD SINGLE AND SECONDARY
DYSTHYMIA, LATE ONSET

107. SEASONAL RECURRENCE

Present, proceed to 108

Probable Major Depressive
Disorder Mild Recurrent
Seasonal and Secondary
Dysthymia, Late Onset

Absent, proceed to 109

Probable Major Depressive
Disorder Mild Recurrent and
Secondary Dysthymia, Late
Onset

108. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT
AND SECONDARY DYSTHYMIA,
LATE ONSET

109. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD RECURRENT AND
SECONDARY DYSTHYMIA,
LATE ONSET

110. FIRST EPISODE

Present, proceed to 111

Probable Major Depressive
Disorder Mild, Chronic,
Single

Absent, proceed to 112

Possible Major Depressive
Disorder Mild, Chronic,
Recurrent

111. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, CHRONIC, SINGLE

112. SEASONAL RECURRENCE

Present, proceed to 113

Probable Major Depressive
Disorder Mild, Chronic,
Recurrent, Seasonal

Absent, proceed to 114

Probable Major Depressive
Disorder Mild, Chronic,
Recurrent

113. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, CHRONIC, RECURRENT,
SEASONAL

114. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, CHRONIC, RECURRENT

115. FIRST EPISODE

Present, proceed to 116

Probable Major Depressive
Disorder Mild, Melancholic,
Single

Absent, proceed to 117

Possible Major Depressive
Disorder, Mild,
Melancholic, Recurrent

116. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
SINGLE

117. SEASONAL RECURRENCE

Present, proceed to 118

Probable Major Depressive
Disorder, Mild, Melancholic,
Recurrent, Seasonal

Absent, proceed to 119

Probable Major Depressive
Disorder Mild, Melancholic,
Recurrent

118. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MILD, MELANCHOLIC,
RECURRENT, SEASONAL

119. MANIA/
HYPOMANIA

| | |
|---|---|
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MILD, MELANCHOLIC, RECURRENT |
| 120. FIRST EPISODE | |
| Present, proceed to 121 Absent, proceed to 122 | Probable Major Depressive Disorder Mild, Single Possible Major Depressive Disorder Mild, Recurrent |
| 121. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MILD, SINGLE |
| 122. SEASONAL RECURRENCE | |
| Present, proceed to 123 Absent, proceed to 124 | Probable Major Depressive Disorder Mild, Recurrent, Seasonal Probable Major Depressive Disorder Mild, Recurrent |
| 123. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MILD, RECURRENT, SEASONAL |
| 124. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MILD, RECURRENT |
| 125. MEDICAL ILLNESS | |
| 126. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH MEDICAL ILLNESS | |
| Less than 2 present, | Possible Major Depressive |

| | |
|--|---|
| proceed to 127 Both present, stop | Disorder, Moderate PSYCHIATRIC DISORDER |
| 127. SUBSTANCE USE 128. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE | |
| Less than 2 present, proceed to 129 Both present, stop | Possible Major Depressive Disorder, Moderate PSYCHIATRIC DISORDER |
| 129. NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS 130. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| Less than 2 present, proceed to 131 Both present, stop | Possible Major Depressive Disorder, Moderate PSYCHIATRIC DISORDER |
| 131. DELUSIONS/ FEELING OF ALIEN INFLUENCES/ HALLUCINATIONS/ THOUGHT BROADCASTING/ THOUGHT INSERTION | |
| Absent, proceed to 132 Present, proceed to 242 | Possible Major Depressive Disorder, Moderate Possible Major Depressive Disorder, Severe, Psychotic |
| 132. ANHEDONIA/ LACK OF INTEREST 133. ABSENCE OF REACTIVE MOOD CHANGES 134. WORSE IN THE MORNING 135. LATE INSOMNIA 136. MOTOR RESTLESSNESS/ MOTOR RETARDATION 137. DECREASED APPETITE/ WEIGHT LOSS 138. NO IMPAIRMENT OF SOCIAL ADAPTATION IN PAST 139. FULL RECOVERY IN THE PAST 140. RESPONSIVENESS TO SOMATIC TREATMENT IN PAST | |

| | |
|--|--|
| At least 5 present, proceed to 141 | Possible Major Depressive Disorder, Moderate, Melancholic |
| Less than 5 present, proceed to 183 | Possible Major Depressive Disorder, Moderate, Chronic |
| 141. PROLONGED DURATION | |
| Present, proceed to 142 | Possible Major Depressive Disorder, Moderate, Melancholic, Chronic |
| Absent, proceed to 225 | Possible Major Depressive Disorder, Moderate, Melancholic, Single |
| 142. DYSTHYMIA | |
| Present, proceed to 143 | Possible Major Depressive Disorder, Moderate, Melancholic and Dysthymia |
| Absent, proceed to 178 | Possible Major Depressive Disorder, Moderate, Melancholic, Chronic, Single |
| 143. DEPRESSED MOOD | |
| Present, proceed to 144 | Possible Major Depressive Disorder, Moderate, Melancholic and Dysthymia |
| Absent, proceed to 178 | Possible Major Depressive Disorder, Moderate, Melancholic, Chronic, Single |
| 144. DECREASED APPETITE/ EXCESSIVE APPETITE/ WEIGHT GAIN/ WEIGHT LOSS | |
| 145. HYPERSOMNIA/ INSOMNIA | |
| 146. ASTHENIA/ LACK OF DRIVE | |
| 147. FEELING OF INADEQUACY/ SELF-INCRIMINATION | |
| 148. DISTURBANCE OF CONCENTRATION/ INDECISIVENESS | |
| 149. FEELING OF HOPELESSNESS | |

At least 2 of 6 present,
proceed to 150

Possible Major Depressive
Disorder, Moderate,
Melancholic and Dysthymia

Less than 2 of 6 present,
proceed to 178

Possible Major Depressive
Disorder, Moderate,
Melancholic, Chronic, Single

150. MEDICAL ILLNESS

151. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH MEDICAL ILLNESS

Less than 2 present,
proceed to 152

Possible Major Depressive
Disorder, Moderate,
Melancholic and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

152. SUBSTANCE USE

153. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 154

Possible Major Depressive
Disorder, Moderate,
Melancholic and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

154. NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS

155. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 156

Possible Major Depressive
Disorder, Moderate,
Melancholic and Primary
Dysthymia

Both present, proceed to 157

Possible Major Depressive
Disorder, Moderate,
Melancholic and Secondary
Dysthymia

156. EARLY ONSET

Present, proceed to 158

Possible Major Depressive
Disorder, Moderate,
Melancholic and Primary

| | |
|-------------------------------|--|
| Absent, proceed to 163 | Dysthymia, Early Onset Possible Major Depressive Disorder, Moderate, Melancholic and Primary Dysthymia, Late Onset |
| 157. EARLY ONSET | |
| Present, proceed to 168 | Possible Major Depressive Disorder Moderate Melancholic and Secondary Dysthymia, Early Onset |
| Absent, proceed to 173 | Possible Major Depressive Disorder Moderate Melancholic and Secondary Dysthymia, Late Onset |
| 158. FIRST EPISODE | |
| Absent, proceed to 160 | Possible Major Depressive Disorder Moderate, Melancholic, Recurrent and Primary Dysthymia, Early Onset |
| Present, proceed to 159 | Probable Major Depressive Disorder Moderate, Melancholic, Single and Primary Dysthymia, Early Onset |
| 159. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC SINGLE AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 160. SEASONAL RECURRENCE | |
| Present, proceed to 161 | Probable Major Depressive Disorder Moderate, Melancholic, Recurrent, Seasonal and Primary Dysthymia, Early Onset |
| Absent, proceed to 162 | Probable Major Depressive |

| | |
|-------------------------------|--|
| | Disorder Moderate, Melancholic, Recurrent and Primary Dysthymia, Early Onset |
| 161. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC RECURRENT SEASONAL AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 162. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC RECURRENT AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 163. FIRST EPISODE | |
| Present, proceed to 164 | Probable Major Depressive Disorder Moderate, Melancholic, Single and Primary Dysthymia, Late Onset |
| Absent, proceed to 165 | Possible Major Depressive Disorder Moderate, Melancholic, Recurrent and Dysthymia, Late Onset |
| 164. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC SINGLE AND PRIMARY DYSTHYMIA, LATE ONSET |
| 165. SEASONAL RECURRENCE | |

Present, proceed to 166

Probable Major Depressive
Disorder Moderate,
Melancholic, Recurrent
Seasonal and Primary
Dysthymia, Late Onset

Absent, proceed to 167

Probable Major Depressive
Disorder Moderate,
Melancholic, Recurrent and
Primary Dysthymia, Late
Onset

166. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
RECURRENT SEASONAL AND
PRIMARY DYSTHYMIA, LATE
ONSET

167. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
RECURRENT AND PRIMARY
DYSTHYMIA, LATE ONSET

168. FIRST EPISODE

Present, proceed to 169

Probable Major Depressive
Disorder Moderate,
Melancholic Single and
Secondary Dysthymia,
Early Onset

Absent, proceed to 170

Possible Major Depressive
Disorder Moderate,
Melancholic, Recurrent and
Secondary Dysthymia, Early
Onset

169. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

Absent, stop

MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
SINGLE AND SECONDARY
DYSTHYMIA, EARLY ONSET

170. SEASONAL RECURRENCE

Present, proceed to 171

Probable Major Depressive
Disorder Moderate,
Melancholic Recurrent
Seasonal and Secondary
Dysthymia, Early Onset

Absent, proceed to 172

Probable Major Depressive
Disorder Moderate,
Melancholic Recurrent and
Secondary Dysthymia, Early
Onset

171. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
RECURRENT SEASONAL AND
SECONDARY DYSTHYMIA,
EARLY ONSET

172. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
RECURRENT AND SECONDARY
DYSTHYMIA, EARLY ONSET

173. FIRST EPISODE

Present, proceed to 174

Probable Major Depressive
Disorder Moderate,
Melancholic Single and
Secondary Dysthymia, Late
Onset

Absent, proceed to 175

Possible Major Depressive
Disorder Moderate,
Melancholic, Recurrent and

Secondary Dysthymia, Late
Onset

174. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
SINGLE AND SECONDARY
DYSTHYMIA, LATE ONSET

175. SEASONAL RECURRENCE

Present, proceed to 176

Probable Major Depressive
Disorder Moderate,
Melancholic, Recurrent,
Seasonal and Secondary
Dysthymia, Late Onset

Absent, proceed to 177

Probable Major Depressive
Disorder Moderate,
Melancholic Recurrent and
Secondary Dysthymia, Late
Onset

176. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
RECURRENT SEASONAL
AND SECONDARY DYSTHYMIA,
LATE ONSET

177. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, MELANCHOLIC
RECURRENT AND SECONDARY
DYSTHYMIA, LATE ONSET

178. FIRST EPISODE

Present, proceed to 179

Probable Major Depressive

| | |
|-------------------------------|---|
| Absent, proceed to 180 | Disorder Moderate, Melancholic, Chronic, Single Possible Major Depressive Disorder Moderate, Melancholic, Chronic, Recurrent |
| 179. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC, CHRONIC, SINGLE |
| 180. SEASONAL RECURRENCE | |
| Present, proceed to 181 | Probable Major Depressive Disorder, Moderate, Melancholic, Chronic, Recurrent, Seasonal |
| Absent, proceed to 182 | Probable Major Depressive Disorder Moderate, Melancholic, Chronic, Recurrent |
| 181. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC, CHRONIC, RECURRENT, SEASONAL |
| 182. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC, CHRONIC, RECURRENT |
| 183. PROLONGED DURATION | |
| Present, proceed to 184 | Possible Major Depressive Disorder, Moderate, |

| | |
|--|--|
| Absent, proceed to 230 | Chronic Possible Major Depressive Disorder, Moderate, Single |
| 184. DYSTHYMIA | |
| Present, proceed to 185 | Possible Major Depressive Disorder, Moderate, Chronic, and Dysthymia |
| Absent, proceed to 220 | Possible Major Depressive Disorder, Moderate, Chronic, Single |
| 185. DEPRESSED MOOD | |
| Present, proceed to 186 | Possible Major Depressive Disorder, Moderate, Chronic and Dysthymia |
| Absent, proceed to 220 | Possible Major Depressive Disorder, Moderate, Chronic |
| 186. DECREASED APPETITE/ EXCESSIVE APPETITE/ WEIGHT GAIN/ WEIGHT LOSS | |
| 187. HYPERSOMNIA/ INSOMNIA | |
| 188. ASTHENIA/ LACK OF DRIVE | |
| 189. FEELING OF INADEQUACY/ SELF-INCRIMINATION | |
| 190. DISTURBANCE OF CONCENTRATION/ INDECISIVENESS | |
| 191. FEELING OF HOPELESSNESS | |
| At least 2 present, proceed to 192 | Possible Major Depressive Disorder, Moderate and Dysthymia |
| Less than 2 present, proceed to 220 | Possible Major Depressive Disorder, Moderate, Chronic, Single |
| 192. MEDICAL ILLNESS | |
| 193. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH MEDICAL ILLNESS | |

| | |
|--|---|
| Less than 2 present, proceed to 194 | Possible Major Depressive Disorder, Moderate and Dysthymia |
| Both present, stop | PSYCHIATRIC DISORDER |
| 194. SUBSTANCE USE | |
| 195. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE | |
| Less than 2 present, proceed to 196 | Possible Major Depressive Disorder, Moderate and Dysthymia |
| Both present, stop | PSYCHIATRIC DISORDER |
| 196. NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| 197. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| Less than 2 present, proceed to 198 | Possible Major Depressive Disorder, Moderate and Primary Dysthymia |
| Both present, proceed to 199 | Possible Major Depressive Disorder, Moderate and Secondary Dysthymia |
| 198. EARLY ONSET | |
| Present, proceed to 200 | Possible Major Depressive Disorder Moderate and Primary Dysthymia, Early Onset |
| Absent, proceed to 205 | Possible Major Depressive Disorder, Moderate and Primary Dysthymia, Late Onset |
| 199. EARLY ONSET | |
| Present, proceed to 210 | Possible Major Depressive Disorder Moderate and Secondary Dysthymia, Early Onset |
| Absent, proceed to 215 | Possible Major Depressive Disorder Moderate and Secondary Dysthymia, Late |

| | Onset |
|--------------------------|---|
| 200. FIRST EPISODE | |
| Present, proceed to 201 | Probable Major Depressive Disorder Moderate, Single and Primary Dysthymia, Early Onset |
| Absent, proceed to 202 | Possible Major Depressive Disorder Moderate, Melancholic, Recurrent and Primary Dysthymia, Early Onset |
| 201. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, SINGLE AND PRIMARY DYSTHYMIA, EARLY ONSET |
| Absent, stop | |
| 202. SEASONAL RECURRENCE | |
| Present, proceed to 203 | Probable Major Depressive Disorder Moderate, Recurrent Seasonal and Primary Dysthymia, Early Onset |
| Absent, proceed to 204 | Probable Major Depressive Disorder Moderate, Recurrent and Primary Dysthymia, Early Onset |
| 203. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, RECURRENT SEASONAL AND PRIMARY DYSTHYMIA, EARLY ONSET |
| Absent, stop | |
| 204. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |

| | |
|--------------------------|--|
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MODERATE, RECURRENT AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 205. FIRST EPISODE | |
| Present, proceed to 206 | Probable Major Depressive Disorder Moderate, Single and Primary Dysthymia, Late Onset |
| Absent, proceed to 207 | Possible Major Depressive Disorder Moderate, Recurrent and Dysthymia, Late Onset |
| 206. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, SINGLE AND PRIMARY DYSTHYMIA, LATE ONSET |
| Absent, stop | |
| 207. SEASONAL RECURRENCE | |
| Present, proceed to 208 | Probable Major Depressive Disorder Moderate, Recurrent Seasonal and Primary Dysthymia, Late Onset |
| Absent, proceed to 209 | Probable Major Depressive Disorder Moderate, Recurrent and Primary Dysthymia, Late Onset |
| 208. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, MODERATE, RECURRENT SEASONAL AND PRIMARY DYSTHYMIA, LATE ONSET |
| Absent, stop | |
| 209. MANIA/ HYPOMANIA | |

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, RECURRENT
AND PRIMARY DYSTHYMIA,
LATE ONSET

210. FIRST EPISODE

Present, proceed to 21

Probable Major Depressive
Disorder Moderate, Single
and Secondary Dysthymia,
Early Onset

Absent, proceed to 212

Possible Major Depressive
Disorder Moderate, Recurrent
and Secondary Dysthymia,
Early Onset

211. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, SINGLE AND
SECONDARY DYSTHYMIA,
EARLY ONSET

212. SEASONAL RECURRENCE

Present, proceed to 213

Probable Major Depressive
Disorder Moderate, Recurrent
Seasonal and Secondary
Dysthymia, Early Onset

Absent, proceed to 214

Probable Major Depressive
Disorder Moderate, Recurrent
and Secondary Dysthymia,
Early Onset

213. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, RECURRENT
SEASONAL AND SECONDARY
DYSTHYMIA, EARLY ONSET

214. MANIA/

HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER,
 MODERATE, RECURRENT AND
 SECONDARY DYSTHYMIA,
 EARLY ONSET

215. FIRST EPISODE

Present, proceed to 216

Probable Major Depressive
 Disorder Moderate, Single
 and Secondary Dysthymia,
 Late Onset

Absent, proceed to 217

Possible Major Depressive
 Disorder Moderate, Recurrent
 and Secondary Dysthymia,
 Late Onset

216. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER,
 MODERATE, SINGLE AND
 SECONDARY DYSTHYMIA,
 LATE ONSET

217. SEASONAL RECURRENCE

Present, proceed to 218

Probable Major Depressive
 Disorder Moderate, Recurrent
 Seasonal and Secondary
 Dysthymia, Late Onset

Absent, proceed to 219

Probable Major Depressive
 Disorder Moderate, Recurrent
 and Secondary Dysthymia,
 Late Onset

218. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER,
 MODERATE, RECURRENT
 SEASONAL AND SECONDARY
 DYSTHYMIA, LATE ONSET

219. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, RECURRENT AND
SECONDARY DYSTHYMIA,
LATE ONSET

220. FIRST EPISODE

Present, proceed to 221

Probable Major Depressive
Disorder Moderate,
Chronic, Single

Absent, proceed to 222

Possible Major Depressive
Disorder Moderate,
Chronic, Recurrent

221. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, CHRONIC, SINGLE

222. SEASONAL RECURRENCE

Present, proceed to 223

Probable Major Depressive
Disorder Moderate, Chronic,
Recurrent, Seasonal

Absent, proceed to 224

Probable Major Depressive
Disorder Moderate,
Chronic, Recurrent

223. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, CHRONIC,
RECURRENT, SEASONAL

224. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

| | |
|--------------------------|---|
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MODERATE, CHRONIC, RECURRENT |
| 225. FIRST EPISODE | |
| Present, proceed to 226 | Probable Major Depressive Disorder Moderate, Melancholic, Single |
| Absent, proceed to 227 | Possible Major Depressive Disorder, Moderate, Melancholic, Recurrent |
| 226. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC, SINGLE |
| 227. SEASONAL RECURRENCE | |
| Present, proceed to 228 | Probable Major Depressive Disorder, Moderate, Melancholic, Recurrent, Seasonal |
| Absent, proceed to 229 | Probable Major Depressive Disorder Moderate, Melancholic, Recurrent |
| 228. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC, RECURRENT, SEASONAL |
| 229. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | MAJOR DEPRESSIVE DISORDER, MODERATE, MELANCHOLIC, RECURRENT |

230. FIRST EPISODE

Present, proceed to 231

Probable Major Depressive
Disorder Moderate, Single

Absent, proceed to 232

Possible Major Depressive
Disorder Moderate, Recurrent231. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, SINGLE

Absent, stop

232. SEASONAL RECURRENCE

Present, proceed to 233

Probable Major Depressive
Disorder Moderate,
Recurrent, Seasonal

Absent, proceed to 234

Probable Major Depressive
Disorder Moderate, Recurrent233. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, RECURRENT,
SEASONAL

Absent, stop

234. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
MODERATE, RECURRENT

Absent, stop

235. MEDICAL ILLNESS

236. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESSLess than 2 present,
proceed to 237Possible Major Depressive
Disorder, Severe

Both present, stop

PSYCHIATRIC DISORDER

237. SUBSTANCE USE

238. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 239
Both present, stop

Possible Major Depressive
Disorder, Severe
PSYCHIATRIC DISORDER

239. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS

240. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 241
Both present, stop

Possible Major Depressive
Disorder, Severe
PSYCHIATRIC DISORDER

241. DELUSIONS/
HALLUCINATIONS/
FEELING OF ALIEN INFLUENCES/
THOUGHT BROADCASTING/
THOUGHT INSERTION/

Present, proceed to 242

Possible Major Depressive
Disorder, Severe, Psychotic

Absent, proceed to 316

Possible Major Depressive
Disorder, Severe,
Melancholic

242. ANHEDONIA/
LACK OF INTEREST

243. ABSENCE OF REACTIVE MOOD CHANGES

244. WORSE IN THE MORNING

245. LATE INSOMNIA

246. MOTOR RESTLESSNESS/
MOTOR RETARDATION

247. DECREASED APPETITE/
WEIGHT LOSS

248. NO IMPAIRMENT IN SOCIAL ADAPTATION
IN PAST

249. FULL RECOVERY IN THE PAST

250. RESPONSIVENESS TO SOMATIC
TREATMENT IN PAST

At least 5 of present,
proceed to 251

Possible Major Depressive
Disorder, Severe,
Psychotic, Melancholic,

| | |
|--|--|
| Less than 5 of 9 present, proceed to 367 | Chronic Possible Major Depressive Disorder, Severe, Psychotic, Chronic |
| 251. PROLONGED DURATION | |
| Present, proceed to 252 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Chronic and Dysthymia |
| Absent, proceed to 432 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Single |
| 252. DYSTHYMIA | |
| Present, proceed to 253 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic and Dysthymic Disorder |
| Absent, proceed to 312 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Chronic, Single |
| 253. DEPRESSED MOOD | |
| Present, proceed to 254 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic and Dysthymic Disorder |
| Absent, proceed to 312 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Chronic, Single |
| 254. DECREASED APPETITE/ EXCESSIVE APPETITE/ WEIGHT GAIN/ WEIGHT LOSS | |
| 255. HYPERSOMNIA/ INSOMNIA | |
| 256. ASTHENIA/ LACK OF DRIVE | |
| 257. FEELING OF INADEQUACY/ SELF-INCRIMINATION | |
| 258. DISTURBANCE OF CONCENTRATION/ INDECISIVENESS | |

259. FEELING OF HOPELESSNESS

At least 2 of 6 present,
proceed to 260

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic and Dysthymia

Less than 2 of 6 present,
proceed to 312

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Chronic, Single

260. MEDICAL ILLNESS

261. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,
proceed to 262

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

262. SUBSTANCE USE

263. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 264

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

264. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS265. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 266

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic and Primary
Dysthymia

Both present, proceed to 267

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic and Secondary
Dysthymia

266. EARLY ONSET

Present, proceed to 268

Possible Major Depressive
Disorder, Severe, Psychotic,

| | |
|--|--|
| Absent, proceed to 279 | Melancholic and Primary Dysthymia, Early Onset Possible Major Depressive Disorder, Severe, Psychotic, Melancholic and Primary Dysthymia, Late Onset |
| 267. EARLY ONSET | |
| Present, proceed to 290 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic and Primary Dysthymia, Early Onset |
| Absent, proceed to 301 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic and Secondary Dysthymia, Late Onset |
| 268. FIRST EPISODE | |
| Present, proceed to 269 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Single and Primary Dysthymia Early Onset |
| Absent, proceed to 272 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Recurrent and Primary Dysthymia Early Onset |
| 269. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS | |
| Present, proceed to 270 | Probable Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Melancholic, Single and Primary Dysthymia, Early Onset |
| Absent, proceed to 271 | Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Single and Primary Dysthymia, Early Onset |
| 270. MANIA/ | |

HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
SINGLE AND PRIMARY
DYSTHYMIA, EARLY ONSET

271. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
SINGLE AND PRIMARY
DYSTHYMIA, EARLY ONSET

272. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 273

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Melancholic,
Recurrent and Primary
Dysthymia Early Onset

Absent, proceed to 276

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent,
Melancholic, Recurrent and
Primary Dysthymia Early
Onset

273. SEASONAL RECURRENCE

Present, proceed to 274

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent, Seasonal and
Primary Dysthymia, Early
Onset

Absent, proceed to 275

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent and Primary
Dysthymia, Early Onset

274. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL AND
PRIMARY DYSTHYMIA,
EARLY ONSET

275. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT AND PRIMARY
DYSTHYMIA, EARLY ONSET

276. SEASONAL RECURRENCE

Present, proceed to 277

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent,
Seasonal and Primary
Dysthymia, Early Onset

Absent, proceed to 278

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent and
Primary Dysthymia, Early
Onset

277. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL AND
PRIMARY DYSTHYMIA, EARLY
ONSET

278. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT AND PRIMARY
DYSTHYMIA, EARLY ONSET

279. FIRST EPISODE

Present, proceed to 280

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Single and
Primary Dysthymia Late
Onset

Absent, proceed to 283

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Recurrent and
Primary Dysthymia Late
Onset

280. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 281

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Single and Primary
Dysthymia, Late Onset

Absent, proceed to 282

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Single and
Primary Dysthymia, Late
Onset

281. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
SINGLE AND PRIMARY
DYSTHYMIA, LATE ONSET

282. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
SINGLE AND PRIMARY
DYSTHYMIA, LATE ONSET

283. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 284

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Melancholic,
Recurrent and Primary
Dysthymia Late Onset

Absent, proceed to 287

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent,
Melancholic, Recurrent and
Primary Dysthymia Late
Onset

284. SEASONAL RECURRENCE

Present, proceed to 285

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent, Seasonal and
Primary Dysthymia, Late
Onset

Absent, proceed to 286

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent and Primary
Dysthymia, Late Onset

285. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL AND
PRIMARY DYSTHYMIA, LATE

ONSET

286. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT AND PRIMARY
DYSTHYMIA, LATE ONSET

287. SEASONAL RECURRENCE

Present, proceed to 288

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent,
Seasonal and Primary
Dysthymia, Late Onset

Absent, proceed to 289

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent and
Primary Dysthymia, Late
Onset

288. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL AND
PRIMARY DYSTHYMIA, LATE
ONSET

289. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT AND PRIMARY
DYSTHYMIA, LATE ONSET

290. FIRST EPISODE

Present, proceed to 291

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Single and
Secondary Dysthymia Early
Onset

Absent, proceed to 294

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Recurrent and
Secondary Dysthymia Early
Onset

291. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 292

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Single and Secondary
Dysthymia, Early Onset

Absent, proceed to 293

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Single and
Secondary Dysthymia, Early
Onset292. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
SINGLE AND SECONDARY
DYSTHYMIA, EARLY ONSET293. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
SINGLE AND SECONDARY
DYSTHYMIA, EARLY ONSET

294. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 295

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Melancholic,
Recurrent and Secondary
Dysthymia Early Onset

Absent, proceed to 298

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent,
Melancholic, Recurrent and
Secondary Dysthymia Early
Onset

295. SEASONAL RECURRENCE

Present, proceed to 296

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent, Seasonal and
Secondary Dysthymia,
Early Onset

Absent, proceed to 297

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent and Secondary
Dysthymia, Early Onset296. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL AND
SECONDARY DYSTHYMIA,
EARLY ONSET297. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD

CONGRUENT, MELANCHOLIC,
RECURRENT AND SECONDARY
DYSTHYMIA, EARLY ONSET

298. SEASONAL RECURRENCE

Present, proceed to 299

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent,
Seasonal and Secondary
Dysthymia, Early Onset

Absent, proceed to 300

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent and
Secondary Dysthymia, Early
Onset

299. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL AND
SECONDARY DYSTHYMIA,
EARLY ONSET

300. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT AND SECONDARY
DYSTHYMIA, EARLY ONSET

301. FIRST EPISODE

Present, proceed to 302

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Single and
Secondary Dysthymia Late
Onset

Absent, proceed to 305

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Recurrent and
Secondary Dysthymia Late
Onset

302. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 303

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Single and Secondary
Dysthymia, Late Onset

Absent, proceed to 304

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Single and
Secondary Dysthymia, Late
Onset

303. MANIA/ HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
SINGLE AND SECONDARY
DYSTHYMIA, LATE ONSET

304. MANIA/ HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
SINGLE AND SECONDARY
DYSTHYMIA, LATE ONSET

305. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 306

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Melancholic,
Recurrent and Secondary
Dysthymia Late Onset

Absent, proceed to 309

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent,
Melancholic, Recurrent and
Secondary Dysthymia Late
Onset

306. SEASONAL RECURRENCE

Present, proceed to 307

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent, Seasonal
and Secondary Dysthymia,
Late Onset

Absent, proceed to 308

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Recurrent and Secondary
Dysthymia, Late Onset

307. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL
AND SECONDARY DYSTHYMIA,
LATE ONSET

308. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
RECURRENT AND SECONDARY
DYSTHYMIA, LATE ONSET

309. SEASONAL RECURRENCE

Present, proceed to 310

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,

| | |
|--|---|
| Absent, proceed to 311 | Melancholic, Recurrent, Seasonal and Secondary Dysthymia, Late Onset Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Secondary Dysthymia, Late Onset |
| 310. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, PSYCHOTIC, MOOD INCONGRUENT, MELANCHOLIC, RECURRENT, SEASONAL AND SECONDARY DYSTHYMIA, LATE ONSET |
| 311. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, PSYCHOTIC, MOOD INCONGRUENT, MELANCHOLIC, RECURRENT AND SECONDARY DYSTHYMIA, LATE ONSET |
| 312. FIRST EPISODE | |
| Present, proceed to 313 | Possible Major Depressive Disorder, Severe, Psychotic, Melancholic, Chronic, Single |
| Absent, proceed to 436 | Possible Major Depressive Disorder, Severe, Psychotic, Mood congruent, Melancholic, Chronic, Recurrent |
| 313. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS | |
| Present, proceed to 314 | Probable Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Chronic, Single |

Absent, proceed to 315

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Chronic, Single

314. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
CHRONIC, SINGLE

315. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
CHRONIC, SINGLE

316. ANHEDONIA/
LACK OF INTEREST

317. ABSENCE OF REACTIVE MOOD CHANGES

318. WORSE IN THE MORNING

319. LATE INSOMNIA

320. MOTOR RESTLESSNESS/
MOTOR RETARDATION

321. DECREASED APPETITE/
WEIGHT LOSS

322. NO IMPAIRMENT OF SOCIAL ADAPTATION
IN PAST

323. FULL RECOVERY IN THE PAST

324. RESPONSIVENESS TO SOMATIC
TREATMENT IN PAST

At least 5 of 9 present,
proceed to 325

Possible Major Depressive
Disorder, Severe,
Melancholic, Chronic

Less than 5 of 9 present,
proceed to 443

Possible Major Depressive
Disorder, Severe, Chronic

325. PROLONGED DURATION

Present, proceed to 326

Possible Major Depressive

| | |
|--|---|
| Absent, proceed to 485 | Disorder, Severe, Melancholic, Chronic and Dysthymia Possible Major Depressive Disorder, Severe, Melancholic, Single |
| 326. DYSTHYMIA | |
| Present, proceed to 327 | Possible Major Depressive Disorder, Severe, Melancholic and Dysthymia |
| Absent, proceed to 362 | Possible Major Depressive Disorder, Severe, Melancholic, Chronic, Single |
| 327. DEPRESSED MOOD | |
| Present, proceed to 328 | Possible Major Depressive Disorder, Severe, Melancholic and Dysthymia |
| Absent, proceed to 362 | Possible Major Depressive Disorder, Severe, Melancholic, Chronic, Single |
| 328. DECREASED APPETITE/ EXCESSIVE APPETITE/ WEIGHT GAIN/ WEIGHT LOSS | |
| 329. HYPERSOMNIA/ INSOMNIA | |
| 330. ASTHENIA/ LACK OF DRIVE | |
| 331. FEELING OF INADEQUACY/ SELF-INCRIMINATION | |
| 332. DISTURBANCE OF CONCENTRATION/ INDECISIVENESS | |
| 333. FEELING OF HOPELESSNESS | |
| At least 2 of 6 present, proceed to 334 | Possible Major Depressive Disorder, Severe, Melancholic and Dysthymia |
| Less than 2 of 6 present, proceed to 362 | Possible Major Depressive Disorder, Severe, Melancholic, Chronic |

334. MEDICAL ILLNESS

335. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,
proceed to 336

Possible Major Depressive
Disorder, Severe,
Melancholic and Dysthymia
PSYCHIATRIC DISORDER

Both present, stop

336. SUBSTANCE USE

337. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 338

Possible Major Depressive
Disorder, Severe,
Melancholic and Dysthymia
PSYCHIATRIC DISORDER

Both present, stop

338. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS339. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 340

Possible Major Depressive
Disorder, Severe,
Melancholic and Primary
Dysthymia, Early Onset
Possible Major Depressive
Disorder, Severe,
Melancholic and Secondary
Dysthymia, Early Onset

Both present, proceed to 341

340. EARLY ONSET

Present, proceed to 342

Possible Major Depressive
Disorder, Severe,
Melancholic and Primary
Dysthymia, Early Onset

Absent, proceed to 347

Possible Major Depressive
Disorder, Severe,
Melancholic and Primary
Dysthymia, Late Onset

341. EARLY ONSET

Present, proceed to 352

Possible Major Depressive
Disorder, Severe,
Melancholic and Secondary
Dysthymia, Early Onset

Absent, proceed to 357

Possible Major Depressive
Disorder Severe,
Melancholic and Secondary
Dysthymia, Late Onset

342. FIRST EPISODE

Present, proceed to 343

Probable Major Depressive
Disorder Severe, Melancholic
Single and Primary
Dysthymia, Early Onset

Absent, proceed to 344

Possible Major Depressive
Disorder Severe,
Melancholic, Recurrent and
Primary Dysthymia, Early
Onset

343. MANIA/ HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, MELANCHOLIC SINGLE
AND PRIMARY DYSTHYMIA,
EARLY ONSET

344. SEASONAL RECURRENCE

Present, proceed to 345

Probable Major Depressive
Disorder Severe, Melancholic
Recurrent Seasonal and
Primary Dysthymia, Early
Onset

Absent, proceed to 346

Probable Major Depressive
Disorder Severe, Melancholic
Recurrent and Primary
Dysthymia, Early Onset

345. MANIA/ HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,

| | |
|---|--|
| | SEVERE, MELANCHOLIC RECURRENT SEASONAL AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 346. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC RECURRENT AND PRIMARY DYSTHYMIA, EARLY ONSET |
| 347. FIRST EPISODE | |
| Present, proceed to 348 Absent, proceed to 349 | Probable Major Depressive Disorder Severe, Melancholic Single and Primary Dysthymia, Late Onset Possible Major Depressive Disorder Severe, Melancholic, Recurrent and Dysthymia, Late Onset |
| 348. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC SINGLE AND PRIMARY DYSTHYMIA, LATE ONSET |
| 349. SEASONAL RECURRENCE | |
| Present, proceed to 350 Absent, proceed to 351 | Probable Major Depressive Disorder Severe, Melancholic Recurrent Seasonal and Primary Dysthymia, Late Onset Probable Major Depressive Disorder Severe, Melancholic Recurrent and Primary Dysthymia, Late Onset |
| 350. MANIA/ | |

HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, MELANCHOLIC
RECURRENT SEASONAL AND
PRIMARY DYSTHYMIA, LATE
ONSET

351. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, MELANCHOLIC
RECURRENT AND PRIMARY
DYSTHYMIA, LATE ONSET

352. FIRST EPISODE

Present, proceed to 353

Probable Major Depressive
Disorder Severe, Melancholic
Single and Secondary
Dysthymia, Early Onset

Absent, proceed to 354

Possible Major Depressive
Disorder Severe,
Melancholic, Recurrent and
Secondary Dysthymia, Early
Onset

353. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, MELANCHOLIC SINGLE
AND SECONDARY DYSTHYMIA,
EARLY ONSET

354. SEASONAL RECURRENCE

Present, proceed to 355

Probable Major Depressive
Disorder Severe, Melancholic
Recurrent Seasonal and
Secondary Dysthymia, Early
Onset

Absent, proceed to 356

Probable Major Depressive

| | |
|-------------------------------|--|
| | Disorder Severe, Melancholic Recurrent and Secondary Dysthymia, Early Onset |
| 355. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC RECURRENT SEASONAL AND SECONDARY DYSTHYMIA, EARLY ONSET |
| 356. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC RECURRENT AND SECONDARY DYSTHYMIA, EARLY ONSET |
| 357. FIRST EPISODE | |
| Present, proceed to 358 | Probable Major Depressive Disorder Severe, Melancholic Single and Secondary Dysthymia, Late Onset |
| Absent, proceed to 359 | Possible Major Depressive Disorder Severe, Melancholic, Recurrent and Secondary Dysthymia, Late Onset |
| 358. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC SINGLE AND SECONDARY DYSTHYMIA, LATE ONSET |
| 359. SEASONAL RECURRENCE | |
| Present, proceed to 360 | Probable Major Depressive |

| | |
|-------------------------------|---|
| Absent, proceed to 361 | Disorder Severe, Melancholic Recurrent Seasonal and Secondary Dysthymia, Late Onset Probable Major Depressive Disorder Severe, Melancholic Recurrent and Secondary Dysthymia, Late Onset |
| 360. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC RECURRENT SEASONAL AND SECONDARY DYSTHYMIA, LATE ONSET |
| 361. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC RECURRENT AND SECONDARY DYSTHYMIA, LATE ONSET |
| 362. FIRST EPISODE | |
| Present, proceed to 363 | Probable Major Depressive Disorder, Severe, Melancholic, Chronic, Single |
| Absent, proceed to 364 | Possible, Major Depressive Disorder, Severe, Melancholic, Chronic, Recurrent |
| 363. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, MELANCHOLIC, CHRONIC, SINGLE |
| 364. SEASONAL RECURRENCE | |

Present, proceed to 365

Probable Major Depressive
Disorder Severe,
Melancholic, Chronic,
Recurrent, Seasonal

Absent, proceed to 366

Probable Major Depressive
Disorder Severe,
Melancholic, Chronic,
Recurrent

365. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, MELANCHOLIC,
CHRONIC, RECURRENT,
SEASONAL

Absent, stop

366. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, MELANCHOLIC,
CHRONIC, RECURRENT

Absent, stop

367. PROLONGED DURATION

Present, proceed to 368

Possible Major Depressive
Disorder, Severe, Psychotic,
Chronic and Dysthymia

Absent, proceed to 490

Possible Major Depressive
Disorder, Severe, Psychotic,
Single

368. DYSTHYMIA

Present, proceed to 369

Possible Major Depressive
Disorder, Severe, Psychotic,
and Dysthymia

Absent, proceed to 428

Possible Major Depressive
Disorder, Severe, Psychotic,
Chronic, Single

369. DEPRESSED MOOD

Present, proceed to 370

Possible Major Depressive
Disorder, Severe, Psychotic,
and Dysthymia

Absent, proceed to 428

Possible Major Depressive
Disorder, Severe,
Psychotic, Chronic, Single

370. DECREASED APPETITE/
EXCESSIVE APPETITE/
WEIGHT GAIN/
WEIGHT LOSS

371. HYPERSOMNIA/
INSOMNIA

372. ASTHENIA/
LACK OF DRIVE

373. FEELING OF INADEQUACY/
SELF-INCRIMINATION

374. DISTURBANCE OF CONCENTRATION/
INDECISIVENESS

375. FEELING OF HOPELESSNESS

At least 2 of 6 present,
proceed to 376

Possible Major Depressive
Disorder, Severe, Psychotic,
and Dysthymia

Less than 2 of 6 present,
proceed to 428

Possible Major Depressive
Disorder, Severe, Psychotic,
Chronic, Single

376. MEDICAL ILLNESS

377. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,
proceed to 378

Possible Major Depressive
Disorder, Severe, Psychotic,
Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

378. SUBSTANCE USE

379. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 380

Possible Major Depressive
Disorder, Severe, Psychotic,
and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

380. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS

381. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 382

Possible Major Depressive
Disorder, Severe, Psychotic,
and Primary Dysthymia Early
Onset

Both present, proceed to 383

Possible Major Depressive
Disorder, Severe, Psychotic,
and Secondary Dysthymia
Early Onset

382. EARLY ONSET

Present, proceed to 383

Possible Major Depressive
Disorder, Severe, Psychotic,
and Primary Dysthymia
Early Onset

Absent, proceed to 395

Possible Major Depressive
Disorder, Severe, Psychotic,
Single and Primary Dysthymia
Late Onset

383. EARLY ONSET

Present, proceed to 406

Possible Major Depressive
Disorder Severe, Psychotic,
Single and Secondary
Dysthymia Early Onset

Absent, proceed to 417

Possible Major Depressive
Disorder Severe, Psychotic,
Single and Secondary
Dysthymia Late Onset

384. FIRST EPISODE

Present, proceed to 385

Possible Major Depressive
Disorder, Severe, Psychotic,
Single and Primary Dysthymia
Early Onset

Absent, proceed to 388

Possible Major Depressive
Disorder, Severe, Psychotic,
Recurrent and Primary
Dysthymia Early Onset

385. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 386

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Single and
Primary Dysthymia, Early
Onset

Absent, proceed to 387

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Single and
Primary Dysthymia, Early
Onset386. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, SINGLE AND
PRIMARY DYSTHYMIA, EARLY
ONSET387. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, SINGLE AND
PRIMARY DYSTHYMIA,
EARLY ONSET

388. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 389

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Congruent, Recurrent
and Primary Dysthymia Early
Onset

Absent, proceed to 392

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Incongruent,
Recurrent and Primary
Dysthymia Early Onset

389. SEASONAL RECURRENCE

Present, proceed to 390

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent,
Seasonal and Primary
Dysthymia, Early Onset

Absent, proceed to 391

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent
and Primary Dysthymia, Early
Onset

390. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, RECURRENT,
SEASONAL AND PRIMARY
DYSTHYMIA, EARLY ONSET

Absent, stop

391. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, RECURRENT AND
PRIMARY DYSTHYMIA, EARLY
ONSET

Absent, stop

392. SEASONAL RECURRENCE

Present, proceed to 393

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Recurrent,
Seasonal and Primary
Dysthymia, Early Onset

Absent, proceed to 394

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Recurrent
and Primary Dysthymia, Early
Onset

393. MANIA/

HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER,
 SEVERE, PSYCHOTIC, MOOD
 INCONGRUENT, RECURRENT,
 SEASONAL AND PRIMARY
 DYSTHYMIA, EARLY ONSET

394. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER
 SEVERE, PSYCHOTIC, MOOD
 INCONGRUENT, RECURRENAND
 PRIMARY DYSTHYMIA, EARLY
 ONSET

395. FIRST EPISODE

Present, proceed to 396

Possible Major Depressive
 Disorder, Severe, Psychotic,
 Single and Primary Dysthymia
 Late Onset

Absent, proceed to 399

Possible Major Depressive
 Disorder, Severe, Psychotic,
 Recurrent and Primary
 Dysthymia Late Onset

396. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 397

Probable Major Depressive
 Disorder Severe, Psychotic,
 Mood Congruent, Single and
 Primary Dysthymia, Late
 Onset

Absent, proceed to 398

Probable Major Depressive
 Disorder Severe, Psychotic,
 Mood Incongruent, Single and
 Primary Dysthymia, Late
 Onset

397. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

Absent, stop

MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, SINGLE AND
PRIMARY DYSTHYMIA, LATE
ONSET

398. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, SINGLE AND
PRIMARY DYSTHYMIA, LATE
ONSET

399. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 400

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Congruent, Recurrent
and Primary Dysthymia Late
Onset

Absent, proceed to 403

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Incongruent,
Recurrent and Primary
Dysthymia Late Onset

400. SEASONAL RECURRENCE

Present, proceed to 401

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent,
Seasonal and Primary
Dysthymia, Late Onset

Absent, proceed to 402

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent
and Primary Dysthymia, Late
Onset

401. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,

| | |
|-------------------------------|---|
| | SEVERE, PSYCHOTIC, MOOD CONGRUENT, RECURRENT, SEASONAL AND PRIMARY DYSTHYMIA, LATE ONSET |
| 402. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, PSYCHOTIC, MOOD CONGRUENT, RECURRENT AND PRIMARY DYSTHYMIA, LATE ONSET |
| 403. SEASONAL RECURRENCE | |
| Present, proceed to 404 | Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal and Primary Dysthymia, Late Onset |
| Absent, proceed to 405 | Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent and Primary Dysthymia, Late Onset |
| 404. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, PSYCHOTIC, MOOD INCONGRUENT, RECURRENT, SEASONAL AND PRIMARY DYSTHYMIA, LATE ONSET |
| 405. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, PSYCHOTIC, MOOD INCONGRUENT, RECURREN AND PRIMARY DYSTHYMIA, LATE ONSET |

406. FIRST EPISODE

Present, proceed to 407

Possible Major Depressive
Disorder, Severe, Psychotic,
Single and Secondary
Dysthymia Early Onset

Absent, proceed to 410

Possible Major Depressive
Disorder, Severe, Psychotic,
Recurrent and Secondary
Dysthymia Early Onset

407. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 408

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Single and
Secondary Dysthymia, Early
Onset

Absent, proceed to 409

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Single and
Secondary Dysthymia, Early
Onset408. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, SINGLE AND
SECONDARY DYSTHYMIA,
EARLY ONSET409. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, SINGLE AND
SECONDARY DYSTHYMIA,
EARLY ONSET

410. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 411

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Congruent, Recurrent
and Secondary Dysthymia
Early Onset

Absent, proceed to 414

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Incongruent,
Recurrent and Secondary
Dysthymia Early Onset

411. SEASONAL RECURRENCE

Present, proceed to 412

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent,
Seasonal and Secondary
Dysthymia, Early Onset

Absent, proceed to 413

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent
and Secondary Dysthymia,
Early Onset

412. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, RECURRENT,
SEASONAL AND SECONDARY
DYSTHYMIA, EARLY ONSET

413. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, RECURRENT AND
SECONDARY DYSTHYMIA,
EARLY ONSET

414. SEASONAL RECURRENCE

Present, proceed to 415

Probable Major Depressive

| | |
|--|---|
| Absent, proceed to 416 | Disorder Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal and Secondary Dysthymia, Early Onset Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Secondary Dysthymia, Early Onset |
| 415. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, PSYCHOTIC, MOOD INCONGRUENT, RECURRENT, SEASONAL AND SECONDARY DYSTHYMIA, EARLY ONSET |
| 416. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, PSYCHOTIC, MOOD INCONGRUENT, MELANCHOLIC, RECURRENT AND SECONDARY DYSTHYMIA, EARLY ONSET |
| 417. FIRST EPISODE | |
| Present, proceed to 418 | Possible Major Depressive Disorder, Severe, Psychotic, Single and Secondary Dysthymia Late Onset |
| Absent, proceed to 421 | Possible Major Depressive Disorder, Severe, Psychotic, Recurrent and Secondary Dysthymia Late Onset |
| 418. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS | |
| Present, proceed to 419 | Probable Major Depressive Disorder Severe, Psychotic, Mood Congruent, Single and |

| | |
|--|---|
| Absent, proceed to 420 | Secondary Dysthymia, Late Onset Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single and Secondary Dysthymia, Late Onset |
| 419. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, PSYCHOTIC, MOOD CONGRUENT, SINGLE AND SECONDARY DYSTHYMIA, LATE ONSET |
| 420. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, PSYCHOTIC, MOOD INCONGRUENT, SINGLE AND SECONDARY DYSTHYMIA, LATE ONSET |
| 421. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS | |
| Present, proceed to 422 | Possible Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Recurrent and Secondary Dysthymia Late Onset |
| Absent, proceed to 425 | Possible Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Recurrent and Secondary Dysthymia Late Onset |
| 422. SEASONAL RECURRENCE | |
| Present, proceed to 423 | Probable Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent, Seasonal and Secondary |

Absent, proceed to 424

Dysthymia, Late Onset
 Probable Major Depressive
 Disorder Severe, Psychotic,
 Mood Congruent, Recurrent
 and Secondary Dysthymia,
 Late Onset

423. MANIA/
 HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER,
 SEVERE, PSYCHOTIC, MOOD
 CONGRUENT, RECURRENT,
 SEASONAL AND SECONDARY
 DYSTHYMIA, LATE ONSET

424. MANIA/
 HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER
 SEVERE, PSYCHOTIC, MOOD
 CONGRUENT, RECURRENT AND
 SECONDARY DYSTHYMIA,
 LATE ONSET

425. SEASONAL RECURRENCE

Present, proceed to 426

Probable Major Depressive
 Disorder Severe, Psychotic,
 Mood Incongruent, Recurrent,
 Seasonal and Secondary
 Dysthymia, Late Onset

Absent, proceed to 427

Probable Major Depressive
 Disorder Severe, Psychotic,
 Mood Incongruent, Recurrent
 and Secondary Dysthymia,
 Late Onset

426. MANIA/
 HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
 MAJOR DEPRESSIVE DISORDER,
 SEVERE, PSYCHOTIC, MOOD
 INCONGRUENT, RECURRENT,

SEASONAL AND SECONDARY
DYSTHYMIA, LATE ONSET

427. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, RECURREN AND
SECONDARY DYSTHYMIA, LATE
ONSET

428. FIRST EPISODE

Present, proceed to 429

Possible Major Depressive
Disorder, Severe, Psychotic,
Chronic, Single

Absent, proceed to 494

Possible Major Depressive
Disorder, Severe, Psychotic,
Chronic, Recurrent

429. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 430

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Chronic,
Single

Absent, proceed to 431

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Chronic,
Single

430. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, CHRONIC, SINGLE

431. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD

INCONGRUENT, CHRONIC,
SINGLE

432. FIRST EPISODE

Present, proceed to 433

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Single

Absent, proceed to 501

Possible Major Depressive
Disorder, Severe, Psychotic,
Melancholic, Recurrent

433. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 434

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Single

Absent, proceed to 435

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Single

434. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
SINGLE

435. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
SINGLE

436. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 437

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Congruent, Melancholic,
Chronic, Recurrent, Seasonal

Absent, proceed to 440

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood Incongruent,
Melancholic, Chronic,
Recurrent, Seasonal

437. SEASONAL RECURRENCE

Present, proceed to 438

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Chronic, Recurrent, Seasonal

Absent, proceed to 439

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic,
Chronic, Recurrent

438. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
CHRONIC, RECURRENT,
SEASONAL

439. MANIA/ HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC,
CHRONIC, RECURRENT

440. SEASONAL RECURRENCE

Present, proceed to 441

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Chronic,
Recurrent, Seasonal

Absent, proceed to 442

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Chronic,

Recurrent

441. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
CHRONIC, RECURRENT,
SEASONAL

442. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
CHRONIC, RECURRENT

443. PROLONGED DURATION

Present, proceed to 444

Possible Major Depressive
Disorder, Severe,
Chronic

Absent, proceed to 508

Possible Major Depressive
Disorder, Severe, Single

444. DYSTHYMIA

Present, proceed to 445

Possible Major Depressive
Disorder, Severe,
and Dysthymia

Absent, proceed to 480

Possible Major Depressive
Disorder, Severe,
Chronic, Single

445. DEPRESSED MOOD

Present, proceed to 446

Possible Major Depressive
Disorder, Severe, and
Dysthymia

Absent, proceed to 480

Possible Major Depressive
Disorder, Severe,
Chronic, Single

446. DECREASED APPETITE/
EXCESSIVE APPETITE/
WEIGHT GAIN/
WEIGHT LOSS
447. HYPERSOMNIA/
INSOMNIA
448. ASTHENIA/
LACK OF DRIVE
449. FEELING OF INADEQUACY/
SELF-INCRIMINATION
450. DISTURBANCE OF CONCENTRATION/
INDECISIVENESS
451. FEELING OF HOPELESSNESS

At least 2 of 6 present,
proceed to 452

Possible Major Depressive
Disorder, Severe,
and Dysthymia

Less than 2 of 6 present,
proceed to 480

Possible Major Depressive
Disorder, Severe,
Chronic, Single

452. MEDICAL ILLNESS
453. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

Less than 2 present,
proceed to 454

Possible Major Depressive
Disorder, Severe,
and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

454. SUBSTANCE USE
455. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 456

Possible Major Depressive
Disorder, Severe,
and Dysthymia

Both present, stop

PSYCHIATRIC DISORDER

456. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS
457. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHIATRIC PSYCHOTIC ILLNESS

Less than 2 present,

Possible Major Depressive

| | |
|------------------------------|--|
| proceed to 458 | Disorder, Severe, and Primary Dysthymia |
| Both present, proceed to 459 | Possible Major Depressive Disorder, Severe and Secondary Dysthymia |
| 458. EARLY ONSET | |
| Present, proceed to 460 | Possible Major Depressive Disorder, Severe, and Primary Dysthymia, Early Onset |
| Absent, proceed to 465 | Possible Major Depressive Disorder, Severe and Primary Dysthymia, Late Onset |
| 459. EARLY ONSET | |
| Present, proceed to 470 | Possible Major Depressive Disorder, Severe, Single and Secondary Dysthymia, Early Onset |
| Absent, proceed to 475 | Possible Major Depressive Disorder, Severe and Secondary Dysthymia, Late Onset |
| 460. FIRST EPISODE | |
| Present, proceed to 461 | Probable Major Depressive Disorder Severe, Single and Primary Dysthymia, Early Onset |
| Absent, proceed to 462 | Possible Major Depressive Disorder Severe, Melancholic, Recurrent and Primary Dysthymia, Early Onset |
| 461. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | MAJOR DEPRESSIVE DISORDER, SEVERE, SINGLE AND PRIMARY DYSTHYMIA, EARLY ONSET |

462. SEASONAL RECURRENCE

Present, proceed to 463

Probable Major Depressive
Disorder Severe, Recurrent
Seasonal and Primary
Dysthymia, Early Onset

Absent, proceed to 464

Probable Major Depressive
Disorder Severe, Recurrent
and Primary Dysthymia, Early
Onset

463. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT SEASONAL
AND PRIMARY DYSTHYMIA,
EARLY ONSET

Absent, stop

464. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT AND
PRIMARY DYSTHYMIA, EARLY
ONSET

Absent, stop

465. FIRST EPISODE

Present, proceed to 466

Probable Major Depressive
Disorder Severe, Single and
Primary Dysthymia, Late
Onset

Absent, proceed to 467

Possible Major Depressive
Disorder Severe, Recurrent
and Dysthymia, Late Onset

466. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, SINGLE AND PRIMARY
DYSTHYMIA, LATE ONSET

Absent, stop

467. SEASONAL RECURRENCE

Present, proceed to 468

Probable Major Depressive
Disorder Severe, Recurrent
Seasonal and Primary
Dysthymia, Late Onset

Absent, proceed to 469

Probable Major Depressive
Disorder Severe, Recurrent
and Primary Dysthymia, Late
Onset468. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT SEASONAL
AND PRIMARY DYSTHYMIA,
LATE ONSET469. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT AND
PRIMARY DYSTHYMIA,
LATE ONSET

470. FIRST EPISODE

Present, proceed to 471

Probable Major Depressive
Disorder Severe, Single and
Secondary Dysthymia,
Early Onset

Absent, proceed to 472

Possible Major Depressive
Disorder Severe, Recurrent
and Secondary Dysthymia,
Early Onset471. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, SINGLE AND
SECONDARY DYSTHYMIA,

EARLY ONSET

472. SEASONAL RECURRENCE

Present, proceed to 473

Probable Major Depressive
Disorder Severe, Recurrent
Seasonal and Secondary
Dysthymia, Early Onset

Absent, proceed to 474

Probable Major Depressive
Disorder Severe, Recurrent
and Secondary Dysthymia,
Early Onset473. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT SEASONAL
AND SECONDARY DYSTHYMIA,
EARLY ONSET

Absent, stop

474. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT AND
SECONDARY DYSTHYMIA,
EARLY ONSET

Absent, stop

475. FIRST EPISODE

Present, proceed to 476

Probable Major Depressive
Disorder Severe, Single and
Secondary Dysthymia, Late
Onset

Absent, proceed to 477

Possible Major Depressive
Disorder Severe, Recurrent
and Secondary Dysthymia,
Late Onset476. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,

Absent, stop

SEVERE, SINGLE AND
SECONDARY DYSTHYMIA,
LATE ONSET

477. SEASONAL RECURRENCE

Present, proceed to 478

Probable Major Depressive
Disorder Severe, Recurrent
Seasonal and Secondary
Dysthymia, Late Onset

Absent, proceed to 479

Probable Major Depressive
Disorder Severe, Recurrent
and Secondary Dysthymia,
Late Onset

478. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT SEASONAL
AND SECONDARY DYSTHYMIA,
LATE ONSET

479. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, RECURRENT AND
SECONDARY DYSTHYMIA,
LATE ONSET

480. FIRST EPISODE

Present, proceed to 481

Probable Major Depressive
Disorder Severe, Chronic,
Single

Absent, proceed to 482

Possible, Major Depressive
Disorder, Severe,
Chronic, Recurrent

481. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,

SEVERE, CHRONIC, SINGLE

482. SEASONAL RECURRENCE

Present, proceed to 483

Probable Major Depressive
Disorder Severe, Chronic,
Recurrent, Seasonal

Absent, proceed to 484

Probable Major Depressive
Disorder Severe, Chronic,
Recurrent483. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

Absent, stop

MAJOR DEPRESSIVE DISORDER
SEVERE, CHRONIC, RECURRENT,
SEASONAL484. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

Absent, stop

MAJOR DEPRESSIVE DISORDER
SEVERE, CHRONIC, RECURRENT

485. FIRST EPISODE

Present, proceed to 486

Probable Major Depressive
Disorder, Severe,
Melancholic, Single

Absent, proceed to 487

Possible, Major Depressive
Disorder, Severe,
Melancholic, Recurrent,
Seasonal486. MANIA/
HYPOMANIA

Present, stop

PSYCHIATRIC DISORDER

Absent, stop

MAJOR DEPRESSIVE DISORDER,
SEVERE, MELANCHOLIC,
SINGLE

487. SEASONAL RECURRENCE

Present, proceed to 488

Probable Major Depressive

| | |
|--|--|
| Absent, proceed to 489 | Disorder Severe, Melancholic, Recurrent, Seasonal Probable Major Depressive Disorder Severe, Melancholic, Recurrent |
| 488. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, MELANCHOLIC, RECURRENT, SEASONAL |
| 489. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER SEVERE, MELANCHOLIC, RECURRENT |
| 490. FIRST EPISODE | |
| Present, proceed to 491 | Possible Major Depressive Disorder, Severe, Psychotic, Single |
| Absent, proceed to 513 | Possible Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Recurrent |
| 491. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS | |
| Present, proceed to 492 | Probable Major Depressive Disorder Severe, Psychotic, Mood Congruent, Single |
| Absent, proceed to 493 | Probable Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single |
| 492. MANIA/ HYPOMANIA | |
| Present, stop Absent, stop | PSYCHIATRIC DISORDER MAJOR DEPRESSIVE DISORDER, SEVERE, PSYCHOTIC, MOOD |

CONGRUENT, SINGLE

493. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, SINGLE

494. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 495

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Chronic,
Recurrent, Seasonal

Absent, proceed to 498

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent, Chronic,
Recurrent, Seasonal

495. SEASONAL RECURRENCE

Present, proceed to 496

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Chronic,
Recurrent, Seasonal

Absent, proceed to 497

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Chronic,
Recurrent

496. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, CHRONIC,
RECURRENT, SEASONAL

497. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD

CONGRUENT, CHRONIC,
RECURRENT

498. SEASONAL RECURRENCE

Present, proceed to 499

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Chronic,
Recurrent, Seasonal

Absent, proceed to 500

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Chronic,
Recurrent

499. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, CHRONIC,
RECURRENT, SEASONAL

500. MANIA/
HYPOMANIA

Present, stop

Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, CHRONIC,
RECURRENT

501. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 502

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Melancholic,
Recurrent, Seasonal

Absent, proceed to 505

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent,
Melancholic, Recurrent,
Seasonal

502. SEASONAL RECURRENCE

Present, proceed to 503

Probable Major Depressive

Absent, proceed to 504

Disorder Severe, Psychotic,
Mood Congruent, Melancholic
Recurrent, Seasonal
Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Melancholic
Recurrent

503. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC
RECURRENT, SEASONAL

504. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, MELANCHOLIC
RECURRENT

505. SEASONAL RECURRENCE

Present, proceed to 506

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent,
Seasonal

Absent, proceed to 507

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent,
Melancholic, Recurrent

506. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT, SEASONAL

507. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, MELANCHOLIC,
RECURRENT

508. FIRST EPISODE

Present, proceed to 509
Absent, proceed to 510

Probable Major Depressive
Disorder Severe, Single
Possible, Major Depressive
Disorder, Severe,
Recurrent

509. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, SINGLE

510. SEASONAL RECURRENCE

Present, proceed to 511
Absent, proceed to 512

Probable Major Depressive
Disorder Severe, Recurrent,
Seasonal
Probable Major Depressive
Disorder Severe, Recurrent

511. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, RECURRENT,
SEASONAL

512. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, RECURRENT

513. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Present, proceed to 514

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood congruent, Recurrent,
Seasonal

Absent, proceed to 517

Possible Major Depressive
Disorder, Severe, Psychotic,
Mood incongruent, Recurrent,
Seasonal

514. SEASONAL RECURRENCE

Present, proceed to 515

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent,
Seasonal

Absent, proceed to 516

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Congruent, Recurrent515. MANIA/
HYPOMANIAPresent, stop
Absent, stopPSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, RECURRENT,
SEASONAL516. MANIA/
HYPOMANIAPresent, stop
Absent, stopPSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
CONGRUENT, RECURRENT

517. SEASONAL RECURRENCE

Present, proceed to 518

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Recurrent,
Seasonal

Absent, proceed to 519

Probable Major Depressive
Disorder Severe, Psychotic,
Mood Incongruent, Recurrent

518. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER,
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, RECURRENT,
SEASONAL

519. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
SEVERE, PSYCHOTIC, MOOD
INCONGRUENT, RECURRENT

520. DEPRESSED MOOD

Present, proceed to 521
Absent, proceed to 541

Possible Dysthymia
Possible Major Depressive
Disorder in Remission

521. DECREASED APPETITE/
EXCESSIVE APPETITE/
WEIGHT GAIN/
WEIGHT LOSS

522. HYPERSOMNIA/
INSOMNIA

523. ASTHENIA/
LACK OF DRIVE

524. FEELING OF INADEQUACY/
SELF-INCRIMINATION

525. DISTURBANCE OF CONCENTRATION/
INDECISIVENESS

526. FEELING OF HOPELESSNESS

At least 2 of 6 present,
proceed to 527
Less than 2 present,
proceed to 541

Possible Dysthymia

Possible Major Depressive
Disorder in Remission

527. MEDICAL ILLNESS

528. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH MEDICAL
ILLNESS

| | |
|--|--|
| Less than 2 present, proceed to 529 | Possible Dysthymia |
| Both present, stop | PSYCHIATRIC DISORDER |
| 529. SUBSTANCE USE | |
| 530. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE | |
| Less than 2 present, proceed to 531 | Possible Dysthymia |
| Both present, stop | PSYCHIATRIC DISORDER |
| 531. NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| 532. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH NON-AFFECTIVE PSYCHOTIC PSYCHIATRIC ILLNESS | |
| Less than 2 present, proceed to 533 | Possible Primary Dysthymia |
| Both present, proceed to 537 | Possible Secondary Dysthymia |
| 533. PROLONGED DURATION | |
| Present, proceed to 534 | Possible Primary Dysthymia, Early Onset |
| Absent, stop | PSYCHIATRIC DISORDER |
| 534. EARLY ONSET | |
| Present, proceed to 535 | Probable Primary Dysthymia, Early Onset |
| Absent, proceed to 536 | Probable Primary Dysthymia, Late Onset |
| 535. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | PRIMARY DYSTHYMIA, EARLY ONSET |
| 536. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |

| | |
|--|---|
| Absent, stop | PRIMARY DYSTHYMIA, LATE ONSET |
| 537. PROLONGED DURATION | |
| Present, proceed to 538 | Possible Secondary Dysthymia, Early Onset |
| Absent, stop | PSYCHIATRIC DISORDER |
| 538. EARLY ONSET | |
| Present, proceed to 539 | Probable Secondary Dysthymia, Early Onset |
| Absent, proceed to 540 | Probable Secondary Dysthymia, Late Onset |
| 539. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | SECONDARY DYSTHYMIA, EARLY ONSET |
| 540. MANIA/ HYPOMANIA | |
| Present, stop | PSYCHIATRIC DISORDER |
| Absent, stop | SECONDARY DYSTHYMIA, LATE ONSET |
| 541. FIRST EPISODE | |
| Absent, proceed to 542 | Possible Major Depressive Disorder in Remission |
| Present, stop | PSYCHIATRIC DISORDER |
| 542. MEDICAL ILLNESS | |
| 543. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH MEDICAL ILLNESS | |
| Less than 2 present, proceed to 544 | Possible Major Depressive Disorder, in Remission |
| Both present, stop | PSYCHIATRIC DISORDER |
| 544. SUBSTANCE USE | |
| 545. DEPRESSIVE SYNDROME IN TEMPORAL | |

CONNECTION WITH SUBSTANCE USE

Less than 2 present,
proceed to 546
Both present, stop

Possible Major Depressive
Disorder, in Remission
PSYCHIATRIC DISORDER

546. NON-AFFECTIVE PSYCHOTIC
PSYCHIATRIC ILLNESS

547. DEPRESSIVE SYNDROME IN TEMPORAL
CONNECTION WITH NON-AFFECTIVE
PSYCHOTIC PSYCHIATRIC ILLNESS

Less than 2 present,
proceed to 548
Both present, stop

Possible Major Depressive
Disorder, in Full Remission
PSYCHIATRIC DISORDER

548. FULL RECOVERY IN PAST

Present, proceed to 549

Probable Major Depressive
Disorder in Full Remission

Absent, proceed to 550

Probable Major Depressive
Disorder in Partial
Remission

549. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
IN FULL REMISSION

550. MANIA/
HYPOMANIA

Present, stop
Absent, stop

PSYCHIATRIC DISORDER
MAJOR DEPRESSIVE DISORDER
IN PARTIAL REMISSION

It consists of a total number of 659 digits, based on 57 codes included in 550 variables organized into 425 decision clusters, yielding 186 diagnoses.

Depressed mood/
Loss of interest/
Loss of pleasure = DEPRESSED MOOD/
ANHEDONIA/
LACK OF INTEREST

The disturbance is not a normal reaction to the death of a loved one = LOSS OF LOVED ONE

Morbid preoccupation with worthlessness, suicidal ideation, marked functional impairment or psychomotor retardation, or prolonged duration = FEELING OF WORTHLESSNESS/
 HOME/ IMPAIRMENT OF ADAPTATION AT
 WORK/ IMPAIRMENT OF ADAPTATION AT
 ADAPTATION/ IMPAIRMENT OF SOCIAL
 MOTOR RETARDATION/
 PROLONGED DURATION/
 STUPOR/
 SUICIDAL IDEATION

MANIC/HYPOMANIC EPISODE IN PAST

Weight loss/
 Weight gain/
 Decrease in appetite/
 Increase in appetite = DECREASED APPETITE/
 EXCESSIVE APPETITE/
 WEIGHT GAIN
 WEIGHT LOSS

Insomnia/
 Hypersomnia = HYPERSOMNIA/
 INSOMNIA

Psychomotor agitation/
 Psychomotor retardation = MOTOR RETARDATION/
 MOTOR RESTLESSNESS

Fatigue/
 Loss of energy = ASTHENIA/
 LACK OF DRIVE

Feelings of worthlessness/
 Excessive or inappropriate guilt = FEELING OF GUILT/
 FEELING OF INADEQUACY/
 SELF-INCRIMINATION

Diminished ability to think or concentrate/
 Indecisiveness = DISTURBANCE OF CONCENTRATION/
 INDECISIVENESS/
 RETARDED THINKING

Recurrent thoughts of death/
 Recurrent suicidal ideation/
 Suicide attempt/
 Specific plan = LOSS OF DESIRE TO LIVE/
 RECURRENT THOUGHTS OF DEATH/
 SUICIDAL TENDENCIES

cannot be established an organic factor = MEDICAL ILLNESS
 DEPRESSIVE SYNDROME IN TEMPORAL
 CONNECTION WITH MEDICAL ILLNESS

May be due to substances as reserpine = MOOD DEPRESSANT MEDICATION
 DEPRESSIVE SYNDROME IN TEMPORAL
 CONNECTION WITH MOOD DEPRESSANT
 MEDICATION

Not superimposed over schizophrenia, schizophreniform disorder, delusional disorder or
 psychotic disorder NOS = NON-AFFECTIVE PSYCHOTIC ILLNESS/
 DEPRESSIVE SYNDROME IN TEMPORAL
 CONNECTION WITH NON-AFFECTIVE
 PSYCHOTIC ILLNESS

Delusions whose content does not involve the typical depressive themes of personal
 inadequacy, guilt, disease, death, nihilism or deserved punishment/
 Hallucinations/
 Persecutory delusions/
 Thought insertion/
 Thought broadcasting/
 Delusions of control = DELUSIONS/
 FEELING OF ALIEN INFLUENCES/
 HALLUCINATIONS/
 THOUGHT BROADCASTING/
 THOUGHT INSERTION

Loss of interest or pleasure = ANHEDONIA/
 LACK OF INTEREST

Lack of reactivity to usually pleasurable stimuli = ABSENCE OF REACTIVE MOOD
 CHANGES

Depression worse in the morning = WORSE IN THE MORNING

Early morning awakening = LATE INSOMNIA

Psychomotor retardation/
 Psychomotor agitation = AGITATION/

MOTOR RETARDATION/
MOTOR RESTLESSNESS

Anorexia/

Weight loss = DECREASED APPETITE/
WEIGHT LOSS

No significant personality disturbance before = NO IMPAIRMENT IN SOCIAL ADAPTATION IN PAST

FULL RECOVERY IN THE PAST = Previous episodes followed by a complete or nearly complete recovery

RESPONSIVENESS TO SOMATIC TREATMENT IN THE PAST = Previous good response to specific and adequate somatic antidepressant therapy e.g., tricyclics, ECT, MAOI, Lithium

PROLONGED DURATION = Chronic (The episode has lasted two consecutive years without a period of two months or longer during which there were no significant depressive symptoms)

HISTORY OF DYSTHYMIA

EARLY ONSET = Onset of the disturbance before the age of 21

FIRST EPISODE = A single episode

SEASONAL PATTERN = A temporal relationship between the episode and a particular 60-day period of the year/

Full remissions also occurred within a 60-day period of the year/

There has been at least 3 episodes in three separate years and at least 2 of the years were consecutive/

Seasonal episodes of mood disturbance, as described above, outnumbered nonseasonal episodes of such disturbance that may have occurred by more than three to one times

DECREASED APPETITE/

EXCESSIVE APPETITE = Poor appetite/
Overeating

SELF-INCRIMINATION/

FEELING OF INADEQUACY = Low self-esteem

FEELING OF HOPELESSNESS = Feelings of hopelessness

MOOD CONGRUENT PSYCHOTIC SYMPTOMS = Delusions or hallucinations whose content is entirely consistent with the typical themes of personal inadequacy, guilt, disease, death, nihilism or deserved punishment

AMERICAN PSYCHIATRIC ASSOCIATION (1987) DIAGNOSTIC AND STATISTICAL
 MANUAL OF MENTAL DISORDERS THIRD EDITION, REVISED.
 AMERICAN PSYCHIATRIC PRESS, WASHINGTON DC PP 213-233

Uncomplicated Bereavement

- Major Depressive Disorder, Mild, Melancholic, Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent, Seasonal and Primary Dysthymia,
 Early Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent and Primary Dysthymia, Early
 Onset
 Major Depressive Disorder, Mild, Melancholic, Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent, Seasonal and Primary Dysthymia,
 Late Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent and Primary
 Major Depressive Disorder, Mild, Melancholic, Single and Secondary Dysthymia, Early
 Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent, Seasonal and Secondary
 Dysthymia, Early Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent and Secondary Dysthymia, Early
 Onset
 Major Depressive Disorder, Mild, Melancholic, Single and Secondary Dysthymia, Late Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent, Seasonal and Secondary
 Dysthymia, Late Onset
 Major Depressive Disorder, Mild, Melancholic, Recurrent and Secondary Dysthymia, Late
 Onset
 Major Depressive Disorder, Mild, Melancholic, Chronic, Single
 Major Depressive Disorder, Mild, Melancholic, Chronic, Recurrent, Seasonal
 Major Depressive Disorder, Mild, Melancholic, Chronic, Recurrent
 Major Depressive Disorder, Mild Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Mild Recurrent Seasonal and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Mild Recurrent and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Mild Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder, Mild Recurrent Seasonal and Primary Dysthymia, Late Onset
 Major Depressive Disorder, Mild Recurrent and Primary Dysthymia, Late Onset
 Major Depressive Disorder, Mild Single and Secondary Dysthymia, Early Onset
 Major Depressive Disorder, Mild Recurrent Seasonal and Secondary Dysthymia, Early Onset
 Major Depressive Disorder, Mild Recurrent and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Mild Single and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Mild Recurrent and Secondary Dysthymia, Late Onset

Major Depressive Disorder Mild Recurrent and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Mild, Chronic, Single
 Major Depressive Disorder Mild, Chronic, Recurrent Seasonal
 Major Depressive Disorder Mild, Chronic, Recurrent
 Major Depressive Disorder Mild, Melancholic, Single
 Major Depressive Disorder Mild, Melancholic, Recurrent, Seasonal
 Major Depressive Disorder Mild, Melancholic, Recurrent
 Major Depressive Disorder Mild, Single
 Major Depressive Disorder Mild, Recurrent, Seasonal
 Major Depressive Disorder Mild, Recurrent
 Major Depressive Disorder Moderate, Melancholic Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent Seasonal and Primary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent and Primary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Melancholic Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent Seasonal and Primary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent and Primary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Melancholic Single and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent Seasonal and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Melancholic Single and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent Seasonal and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Melancholic Recurrent and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Melancholic, Chronic, Single
 Major Depressive Disorder Moderate, Melancholic, Chronic, Recurrent, Seasonal
 Major Depressive Disorder Moderate, Melancholic, Chronic, Recurrent
 Major Depressive Disorder Moderate, Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Recurrent Seasonal and Primary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Recurrent and Primary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Recurrent Seasonal and Primary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Recurrent and Primary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Single and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Recurrent Seasonal and Secondary Dysthymia, Early Onset

Major Depressive Disorder Moderate, Recurrent and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Moderate, Single and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Recurrent Seasonal and Secondary Dysthymia, Late Onset
 Major Depressive Disorder Moderate, Recurrent and Secondary Dysthymia, Late Onset
 Major Depressive Disorder, Moderate, Chronic, Single
 Major Depressive Disorder, Moderate, Chronic, Recurrent, Seasonal
 Major Depressive Disorder, Moderate, Chronic, Recurrent
 Major Depressive Disorder, Moderate, Melancholic, Single
 Major Depressive Disorder, Moderate, Melancholic, Recurrent, Seasonal
 Major Depressive Disorder, Moderate, Melancholic, Recurrent
 Major Depressive Disorder, Moderate, Single
 Major Depressive Disorder, Moderate, Recurrent, Seasonal
 Major Depressive Disorder, Moderate, Recurrent
 Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Melancholic, Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Melancholic, Recurrent, Seasonal and Primary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Recurrent and Primary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent, Seasonal and Primary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Primary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Recurrent, Seasonal and Primary Dysthymia, Late Onset
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Recurrent and Primary Dysthymia, Late Onset
 Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent, Seasonal and Primary Dysthymia, Late Onset
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Primary Dysthymia, Late Onset
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Single and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Single and Secondary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Melancholic, Recurrent, Seasonal and Secondary Dysthymia, Early Onset
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Recurrent and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent, Seasonal and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Secondary Dysthymia, Early Onset

Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Melancholic, Single and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Single and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Recurrent, Seasonal and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Recurrent and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent, Seasonal and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Chronic, Single

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Chronic, Single

Major Depressive Disorder Severe, Melancholic Single and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Melancholic Recurrent Seasonal and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Melancholic Recurrent and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Melancholic Single and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Melancholic Recurrent Seasonal and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Melancholic Recurrent and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Melancholic Single and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Melancholic Recurrent Seasonal and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Melancholic Recurrent and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Melancholic Single and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Melancholic Recurrent Seasonal and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Melancholic Recurrent and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Melancholic, Chronic, Single

Major Depressive Disorder Severe, Melancholic, Chronic, Recurrent, Seasonal

Major Depressive Disorder Severe, Melancholic, Chronic, Recurrent

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Single and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent, Seasonal and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent and Primary Dysthymia, Early Onset

Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent and Primary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Single and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent, Seasonal and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent and Primary Dysthymia, Late Onset

Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal and Primary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent and Primary Dysthymia, Late Onset

Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Single and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent, Seasonal and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent and Secondary Dysthymia, Early Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Single and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single and Secondary Dysthymia, Late Onset

Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Recurrent, Seasonal and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal and Secondary Dysthymia, Late Onset

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent and Secondary Dysthymia, Late Onset

Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Chronic, Single

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Chronic, Single

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Single

Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Single
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Chronic, Recurrent, Seasonal
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic, Chronic, Recurrent
 Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Melancholic, Chronic, Recurrent, Seasonal
 Major Depressive Disorder
 Severe, Psychotic, Mood Incongruent, Melancholic, Chronic, Recurrent
 Major Depressive Disorder, Severe, Single and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Recurrent seasonal And Primary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Recurrent and Primary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Single and Primary Dysthymia, Late Onset
 Major Depressive Disorder Severe, Recurrent seasonal And Primary Dysthymia, Late Onset
 Major Depressive Disorder, Severe, Recurrent and Primary Dysthymia, Late Onset
 Major Depressive Disorder, Severe, Single and Secondary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Recurrent Seasonal and Secondary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Recurrent and Secondary Dysthymia, Early Onset
 Major Depressive Disorder, Severe, Single and Secondary Dysthymia, Late Onset
 Major Depressive Disorder, Severe, Recurrent Seasonal and Secondary Dysthymia, Late Onset
 Major Depressive Disorder, Severe, Recurrent and Secondary Dysthymia, Late Onset
 Major Depressive Disorder, Severe, Chronic, Single
 Major Depressive Disorder Severe, Chronic, Recurrent, Seasonal
 Major Depressive Disorder Severe, Chronic, Recurrent
 Major Depressive Disorder, Severe, Melancholic, Single
 Major Depressive Disorder Severe, Melancholic, Recurrent, Seasonal
 Major Depressive Disorder Severe, Melancholic, Recurrent
 Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Single
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Single
 Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Chronic, Recurrent, Seasonal
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Chronic, Recurrent
 Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Chronic, Recurrent, Seasonal
 Depressive Disorder Severe, Psychotic, Mood Incongruent, Chronic, Recurrent
 Major Depressive Disorder, Severe, Psychotic, Mood Congruent, Melancholic Recurrent, Seasonal
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Melancholic Recurrent
 Major Depressive Disorder, Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent, Seasonal
 Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Melancholic, Recurrent
 Major Depressive Disorder Severe, Single
 Major Depressive Disorder Severe, Recurrent, Seasonal
 Major Depressive Disorder Severe, Recurrent
 Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent, Seasonal

Major Depressive Disorder Severe, Psychotic, Mood Congruent, Recurrent
Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent, Seasonal
Major Depressive Disorder Severe, Psychotic, Mood Incongruent, Recurrent
Primary Dysthymia, Early Onset
Primary Dysthymia, Late Onset
Secondary Dysthymia, Early Onset
Secondary Dysthymia, Late Onset Major Depressive Disorder in Full Remission
Major Depressive Disorder In Partial Remission