ICD-10 CLASSIFICATION OF DEPRESSIVE DISORDERS (CLINICAL)

1. DEPRESSED MOOD/ UNMOTIVATED DEPRESSED MOOD

2. ANHEDONIA/

LACK OF INTEREST

3. ASTHENIA/

LACK OF DRIVE/

FEELINGS OF LOSS OF VITALITY

2 of 3 present, proceed to 4 All 3 present, proceed to 8 1 of 3 present, proceed to 77

None present, stop

Possible Mild Depressive Episode Possible Severe Depressive Episode Possible Dysthymia

PSYCHIATRIC DISORDER

4. MEDICAL ILLNESS

5. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH MEDICAL **ILLNESS**

Less than 2 present, proceed to 6 Both present, stop

Possible Mild Depressive Episode PSYCHIATRIC DISORDER

6. SUBSTANCE USE

7. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE

Less than 2 present, proceed to 12 Both present, stop

Possible Mild Depressive Episode PSYCHIATRIC DISORDER

8. MEDICAL ILLNESS

9. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH MEDICAL ILLNESS

Less than 2 present, proceed 10 Both present, stop

Possible Severe Depressive Episode PSYCHIATRIC DISORDER

10. SUBSTANCE USE

11. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE

Less than 2 present, proceed to 13 At least 2 present, stop

Possible Severe Depressive Episode PSYCHIATRIC DISORDER

12. MINIMAL DURATION

Present, proceed to 14 Absent, proceed to 67

Possible Mild Depressive Episode Possible Recurrent Brief Depressive Disorder

13. MINIMAL DURATION

Present, proceed to 21 Absent, proceed to 74

Possible Severe Depressive Episode Possible Recurrent Brief Depressive Disorder

- 14. DISTURBANCE OF CONCENTRATION
- 15. FEELING OF INADEQUACY
- 16. FEELINGS OF GUILT/ FEELING OF WORTHLESSNESS
- 17. FEELING OF HOPELESSNESS PESSIMISTIC OUTLOOK
- 18. LOSS OF DESIRE TO LIVE/ RECURRENT THOUGHTS OF DEATH/ SUICIDAL TENDENCIES
- 19. HYPERSOMNIA/ INSOMNIA
- 20. DECREASED APPETITE

At least 2 but less than 4 of 7 present, proceed to 28 At least 4 of 7 present, proceed to 42 Less than 2 of 7 present, proceed to 77

Possible Mild Depressive Episode with Somatic Syndrome Possible Moderate Depressive Episode with Somatic Syndrome Possible Dysthymia

- 21. DISTURBANCE OF CONCENTRATION
- 22. FEELING OF INADEOUACY
- 23. FEELINGS OF GUILT/ FEELING OF WORTHLESSNESS
- 24. FEELING OF HOPELESSNESS/ PESSIMISTIC OUTLOOK
- 25. LOSS OF DESIRE TO LIVE/ RECURRENT THOUGHTS OF DEATH/ SUICIDAL TENDENCIES
- 26. HYPERSOMNIA/ INSOMNIA
- 27. DECREASED APPETITE

At least 1 but less than 3 of 7 present, proceed to 28 At least 3 but less than 5 of 7

Possible Mild Depressive Episode with Somatic Syndrome Possible Moderate present, proceed to 42

At least 5 of 7 present,

proceed to 56

Depressive Episode with

Somatic Syndrome

Possible Severe Depressive

Episode with Mood Congruent Psychotic

Symptoms

None present, proceed to 77 Possible Dysthymia

28. ANHEDONIA/

LACK OF INTEREST

29. ABSENCE OF REACTIVE MOOD CHANGES/

APATHETIC INDIFFERENCE

30. LATE INSOMNIA

31. WORSE IN THE MORNING

32. AGITATION/

MOTOR RESTLESSNESS/

MOTOR RETARDATION

33. DECREASED APPETITE

34. WEIGHT LOSS

proceed to 36

35. DECREASED SEX DRIVE

At least 4 of 8 present, Possible Recurrent Depressive

Disorder, Current Episode Mild With

Somatic Syndrome

Less than 4 of 8 present,

Possible Recurrent Depressive

proceed to 39 Disorder, Current Episode Mild Without Somatic Syndrome

36. FIRST EPISODE

Present, proceed to 37 Probable Mild Depressive Episode with

Somatic Syndrome

Absent, proceed to 38 Probable Recurrent Depressive Disorder,

Current Episode Mild with Somatic

Syndrome

37. MANIA/ HYPOMANIA

Present, stop PSYCHIATRIC DISORDER

Absent, stop MILD DEPRESSIVE EPISODE WITH

SOMATIC SYNDROME

38. MANIA/

HYPOMANIA

Present, stop PSYCHIATRIC DISORDER

Absent, stop RECURRENT.DEPRESSIVE

DISORDER, CURRENT EPISODE MILD WITH SOMATIC SYNDROME

39. FIRST EPISODE

Present, proceed to 40 Probable Mild Depressive

Episode without Somatic Syndrome
Absent, proceed to 41

Probable Recurrent Depressive Disorder,

Current Episode Mild Without Somatic

Syndrome

40. MANIA/ HYPOMANIA

Present, stop PSYCHIATRIC DISORDER
Absent, stop MILD DEPRESSIVE EPISODE

WITHOUT SOMATIC SYNDROME

41. MANIA/ HYPOMANIA

Present, stop PSYCHIATRIC DISORDER
Absent, stop RECURRENT DEPRESSIVE

DISORDER, CURRENT EPISODE

MILD WITHOUT SOMATIC

SYNDROME

42. ANHEDONIA/

LACK OF INTEREST

43. ABSENCE OF REACTIVE MOOD CHANGES/ APATHETIC INDIFFERENCE

44. LATE INSOMNIA

45. WORSE IN THE MORNING

46. AGITATION/

MOTOR RESTLESSNESS/ MOTOR RETARDATION

47. DECREASED APPETITE

48. WEIGHT LOSS

49. DECREASED SEX DRIVE

At least 4 of 8 present,

proceed to 50

Less than 4 of 8 present,

proceed to 53

Possible Recurrent Depressive

Disorder, Current Episode Moderate

With Somatic Syndrome

Possible Recurrent Depressive

Disorder, Current Episode Moderate

Without Somatic Syndrome

50. FIRST EPISODE

Present, proceed to 51 Probable Moderate Depressive Episode

with Somatic Syndrome

Probable Recurrent Depressive Disorder, Absent, proceed to 52

Current Episode Moderate with Somatic

Syndrome

51. MANIA/ **HYPOMANIA**

PSYCHIATRIC DISORDER Present, stop

Absent, stop MODERATE DEPRESSIVE EPISODE

WITH SOMATIC SYNDROME

52. MANIA/ **HYPOMANIA**

Present, stop PSYCHIATRIC DISORDER Absent, stop

RECURRENT.DEPRESSIVE

DISORDER, CURRENT EPISODE MODERATE WITH SOMATIC

SYNDROME

53. FIRST EPISODE

Probable Moderate Depressive Episode Present, proceed to 54

without Somatic Syndrome

Probable Recurrent Depressive Disorder, Absent, proceed to 55

Current Episode Moderate without

Somatic Syndrome

54. MANIA/ **HYPOMANIA**

PSYCHIATRIC DISORDER Present, stop

Absent, stop MODERATE DEPRESSIVE EPISODE

WITHOUT SOMATIC SYNDROME

55. MANIA/ **HYPOMANIA**

Present, stop PSYCHIATRIC DISORDER Absent, stop RECURRENT.DEPRESSIVE

DISORDER, CURRENT EPISODE

MODERATE WITHOUT SOMATIC **SYNDROME**

56. DELUSIONS/

HALLUCINATIONS/

STUPOR

Possible Severe Depressive Episode Absent, proceed to 57

Without Psychotic Symptoms

Possible Severe Present, proceed to 60

> Depressive Episode With Mood Congruent **Psychotic Symptoms**

57. FIRST EPISODE

Present, proceed to 58 Probable Severe Depressive

Episode without

Psychotic Symptoms Probable Recurrent Absent, proceed to 59

Depressive Disorder, Current Episode Severe without Psychotic

Symptoms

58. MANIA/ **HYPOMANIA**

PSYCHIATRIC DISORDER Present, stop Absent, stop SEVERE DEPRESSIVE

EPISODE WITHOUT

PSYCHOTIC SYMPTOMS

59. MANIA/ **HYPOMANIA**

PSYCHIATRIC DISORDER Present, stop Absent, stop

RECURRENT DEPRESSIVE

DISORDER, CURRENT **EPISODE SEVERE**

WITHOUT PSYCHOTIC

SYMPTOMS

60. MOOD-CONGRUENT PSYCHOTIC SYMPTOMS

Possible Severe Present, proceed to 61

Depressive Episode

With Mood Congruent

Psychotic Symptoms

Possible Severe

Depressive Episode With Mood Incongruent

Psychotic Symptoms

61. FIRST EPISODE

Absent, proceed to 64

Present, proceed to 62 Probable Severe Depressive

Episode with Mood Congruent Psychotic

Symptoms

Absent, proceed to 63 Probable Recurrent

Depressive Disorder, Current Episode Severe with Mood Congruent Psychotic Symptoms

62. MANIA/ HYPOMANIA

Present, stop PSYCHIATRIC DISORDER
Absent, stop SEVERE DEPRESSIVE

SEVERE DEPRESSIVE EPISODE WITH MOOD CONGRUENT PSYCHOTIC

SYMPTOMS

63. MANIA/ HYPOMANIA

Present, stop PSYCHIATRIC DISORDER
Absent, stop RECURRENT DEPRESSIVE

DISORDER, CURRENT EPISODE SEVERE WITH MOOD CONGRUENT PSYCHOTIC SYMPTOMS

64. FIRST EPISODE

Present, proceed to 65 Probable Severe Depressive

Episode with Mood Incongruent Psychotic

Symptoms

Absent, proceed to 66 Probable Recurrent

Depressive Disorder, Current Episode Severe

with Mood Incongruent Psychotic Symptoms

65. MANIA/ HYPOMANIA

Present, stop Absent, stop PSYCHIATRIC DISORDER SEVERE DEPRESSIVE EPISODE WITH MOOD INCONGRUENT PSYCHOTIC SYMPTOMS

66. MANIA/ HYPOMANIA

Present, stop Absent, stop PSYCHIATRIC DISORDER RECURRENT DEPRESSIVE DISORDER, CURRENT EPISODE SEVERE WITH MOOD INCONGRUENT PSYCHOTIC SYMPTOMS

- 67. FEELING OF INADEQUACY/ FEELING OF WORTHLESSNESS
- 68. FEELINGS OF GUILT/ SELF-INCRIMINATION
- 69. LOSS OF DESIRE TO LIVE/ RECURRENT THOUGHTS OF DEATH/ SUICIDAL TENDENCIES
- 70. DISTURBANCE OF CONCENTRATION/ INDECISIVENESS/ RETARDED THINKING
- 71. AGITATION/ MOTOR RESTLESSNESS/ MOTOR RETARDATION
- 72. HYPERSOMNIA/ INSOMNIA
- 73. DECREASED APPETITE/ EXCESSIVE APPETITE/ WEIGHT GAIN/ WEIGHT LOSS

At least 2 of 7 present, proceed to 75 Less than 2 of 7 present, stop Possible Recurrent Brief Depressive Disorder PSYCHIATRIC DISORDER 74. DISTURBANCE OF CONCENTRATION/

DECREASED APPETITE/

EXCESSIVE APPETITE/

FEELINGS OF GUILT/

FEELING OF HOPELESSNESS/

FEELING OF INADEQUACY/

FEELING OF WORTHLESSNESS/

HYPERSOMNIA/

INDECISIVENESS/

INSOMNIA/

LOSS OF DESIRE TO LIVE/

RETARDED THINKING/

SELF-INCRIMINATION/

SUICIDAL TENDENCIES

Present, proceed to 75 Possible Recurrent Brief

Depressive Disorder

Absent, stop PSYCHIATRIC DISORDER

75. FREQUENT RECURRENCE

Present, proceed to 76 Probable Recurrent Brief

Depressive Disorder

Absent, proceed to 96 Possible Brief Depressive

Reaction

76. MANIA/

HYPOMANIA

Present, stop PSYCHIATRIC DISORDER

Absent, stop RECURRENT BRIEF DEPRESSIVE

DISORDER

Possible Dysthymia

77. DEPRESSED MOOD/

UNMOTIVATED DEPRESSED MOOD

Present, proceed to 78 Possible Dysthymia

Absent, stop PSYCHIATRIC DISORDER

78. MEDICAL ILLNESS

79. DEPRESSIVE SYNDROME IN TEMPORAL

CONNECTION WITH MEDICAL ILLNESS

Less than 2 present, proceed to 81

Both present, stop PSYCHIATRIC DISORDER

80. SUBSTANCE USE

81. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH SUBSTANCE USE

Less than 2 present, proceed to 83 Possible Dysthymia

Both present, stop PSYCHIATRIC DISORDER

82. PROLONGED DURATION

Present, proceed to 84

Absent, proceed to 96

Possible Dysthymia

Possible Brief Depressve

Reaction

83. ASTHENIA/

FEELINGS OF LOSS OF VITALITY/ MOTOR RETARDATION

84. INSOMNIA

85. FEELING OF INADEQUACY/ FEELING OF WORTHLESSNESS

86. DISTURBANCE OF CONCENTRATION

87. TEARFUL

88. ANHEDONIA/

DECREASED SEX DRIVE

89. FEELING OF HOPELESSNESS

90. IMPAIRMENT OF ADAPTATION AT WORK/IMPAIRMENT OF SOCIAL ADAPTATION

91. PESSIMISTIC OUTLOOK/ RUMINATION

92. WITHDRAWAL

93. RETARDED THINKING (LESS TALKATIVE)

At least 3 of 11 present, Probable Dysthymia

proceed to 95

Less then 3 of 11 present, stop PSYCHIATRIC DISORDER

94. MANIA/

HYPOMANIA

Present, stop PSYCHIATRIC DISORDER

Absent, stop DYSTHYMIA

95. PRECIPITATING FACTOR

96. DEPRESSIVE SYNDROME IN TEMPORAL CONNECTION WITH PRECIPITATING FACTOR

Both present, proceed to 98

Possible Brief

Depressive Reaction

Less than 2 present, stop

PSYCHIATRIC DISORDER

97. DECREASED APPETITE/

DISTURBANCE OF CONCENTRATION/

EXCESSIVE APPETITE/ FEELINGS OF GUILT/

FEELING OF HOPELESSNESS/ FEELING OF INADEQUACY/

FEELING OF WORTHLESSNESS/

HYPERSOMNIA/INDECISIVENESS/

INSOMNIA/

LOSS OF DESIRE TO LIVE/ RETARDED THINKING/ SELF-INCRIMINATION/ SUICIDAL TENDENCIES

Present, proceed to 99 Possible Brief Depressive

Reaction

Absent, stop PSYCHIATRIC DISORDER

98. TRANSIENT DURATION

Present, proceed to 100 Probable Brief Depressive

Reaction

Absent, proceed to 101 Possible Prolonged

Depressive Reaction

99. MANIA/

HYPOMANIA

Present, stop PSYCHIATRIC DISORDER

Absent, stop BRIEF DEPRESSIVE REACTION

100. EXTENDED DURATION

Present, proceed to 102 Probable Prolonged

Depressive Reaction

Absent, stop PSYCHIATRIC DISORDER

102. MANIA/

HYPOMANIA

Present, stop PSYCHIATRIC DISORDER
Absent, stop PROLONGED DEPRESSIVE

REACTION

It consists of a total number of 188 digits, based on 56 codes, included in 102 variables and organised into 50 decision clusters, yielding 18 diagnoses.

It is based on The ICD-10 Classification of Mental and Behavioral Disorders Diagnostic Criteria for Research, in which depressive disorders are divided into mild, moderate and severe depressive episodes (first episode) and disorders (recurrent episode), recurrent brief depressive disorder, brief and prolonged depressive reaction and dysthymia; mild and moderate depressive episodes and disorders are subdivided into episodes and disorders with or without somatic symptoms; and severe depressive disorders are subdivided into episodes and disorders with or without mood-congruent or mood-incongruent psychotic symptoms. In revised CODE-DD depressive disorders are characterized by depressed mood (unmotivated depressed mood), anhedonia (lack of interest), asthenia (lack of drive, or feeling of loss of vitality) with disturbance of concentration (indecisiveness or retarded thinking), feeling of inadequacy, feeling of guilt (feeling of worthlessness or self-incrimination), feeling of hopelessness, loss of desire to live (suicidal tendencies), hypersomnia (insomnia) and decreased appetite (excessive appetite) with a minimal duration; recurrent brief depressive disorder by frequent recurrence; dysthymia by asthenia (lack of drive or feeling loss of vitality), insomnia, feeling of inadequacy, disturbance of concentration, tearfulness, anhedonia (lack of interest), feeling of hopelessness, feelings of helplessness, displeasure (rumination), impairment of adaptation at work (impairment of social adaptation) and retarded thinking with prolonged duration; and brief depressive reaction by depressed mood (unmotivated depressed mood, anhedonia, lack of interest, asthenia, lack of drive or feeling of loss of vitality) with decreased appetite (disturbance of concentration, excessive appetite, feeling of guilt, feeling of hopelessness, feeling of inadequacy, feeling of worthlessness, hypersomnia, indecisiveness, insomnia, loss of desire to live, retarded thinking, self-incrimination, suicidal tendencies) in temporal connection with precipitating factor.

WORLD HEALTH ORGANISATION (1993) The ICD-10 CLASSIFICATION OF MENTAL AND BEHAVIOURAL DISORDERS. DIAGNOSTIC CRITERIA FOR RESEARCH> GENEVA, WORLD HEALTH ORGANISATION, pp 77-90

ICD-10 Classification of Mental and Behavioural Disorders. Clinical descriptions and diagnostic guidelines. Geneva, World Health Organization, pp. 119-149