## GALEN'S CLASSIFICATION OF MELANCHOLIA

#### 1. UNMOTIVATED DEPRESSED MOOD

Present, proceed to 2 Absent, proceed to 9 Possible General Melancholia Possible Constitutional Melancholia

2. AGITATION/ MOTOR RETARDATION/ MOTOR RESTLESSNESS/ STUPOR

Present, proceed to 3 Absent, proceed to 4 Probable General Melancholia Possible Brain Melancholia

3. MANIA/ HYPOMANIA

Present, stop Absent, stop

4. RESTRICTED THINKING/ DISTURBANCE OF CONCENTRATION/ RETARDED THINKING

Present, proceed to 5 Absent, proceed to 6 PSYCHIATRIC DISORDER GENERAL MELANCHOLIA

Probable Brain Melancholia Possible Hypochondriacal Melancholia

5. MANIA/ HYPOMANIA

Present, stop Absent, stop

### 6. HYPOCHONDRIASIS

Present, proceed to 7 Absent, proceed to 8

7. MANIA/ HYPOMANIA

Present, stop Absent, stop

## PSYCHIATRIC DISORDER BRAIN MELANCHOLIA

Probable Hypochondriacal Melancholia Possible Constitutional Melancholia

PSYCHIATRIC DISORDER HYPOCHONDRIACAL MELANCHOLIA 8. FEELING OF HELPLESSNESS/ FEELING OF HOPELESSNESS/ PESSIMISTIC OUTLOOK

Present, proceed to 13 Absent, stop

9. DEPRESSED MOOD10. FEELING OF HELPLESSNESS11. FEELING OF HOPELESSNESS12. PESSIMISTIC OUTLOOK

At least 2 of 4 present, proceed to 13 Less than 2 of 4 present, stop Probable Constitutional Melancholia PSYCHIATRIC DISORDER

Probable Constitutional Melancholia PSYCHIATRIC DISORDER

13. MANIA/ HYPOMANIA

Present, stop Absent, stop

#### PSYCHIATRIC DISORDER CONSTITUTIONAL MELANCHOLIA

It consists of a total number of 24 digits, based on 15 codes included in 13 variables and organized into 10 decision clusters, yielding to 4 diagnoses.

It is based on Galen's treatise *On Melancholy*, written in the 2<sup>nd</sup> century, in which constitutional melancholia (melancholic temperament) is separated from melancholic illness, and melancholic illness is divided into general melancholia, brain melancholia and hypochondriacal melancholia. In revised CODE-DD general melancholia is characterized by unmotivated depressed mood with agitation (motor retardation, motor restlessness, or stupor); brain melancholia by unmotivated depressed mood with constricted thinking (disturbance of concentration, or retarded thinking); hypochondriacal melancholia by unmotivated depressed mood with Hypochondriasis; and constitutional melancholia by depressed mood with feeling of helplessness, feeling of hopelessness and pessimistic outlook.

DAREMBERG CH. (1854-1856) OEVRES ANATOMIQUES, PHYSIOLOGIQUES ET MEDICALES DE GALIEN. FRENCH TRANSLATION (1854). 2 VOL. J.B. BAILLIERE: PARIS. pp. 564-571.

SPIEGEL RUDOLPH E. (1973) GALEN ON PSYCHOLOGY, PSYCHOPATHOLOGY, AND FUNCTION AND DISEASES OF THE NERVOUS SYSTEM. AN ANALYSIS OF HIS DOCTRINES, OBSERVATIONES AND EXPERIMENTS. S. KARGER, BASEL. PP. 189-199.

GALEN'S CLASSIFICATION OF MELANCHOLIA

GENERAL MELANCHOLIA

# BRAIN MELANCHOLIA HYPOCHONDRIACAL MELANCHOLIA CONSTITUTIONAL MELANCHOLIA