

Profiles

September 3 2015

Toshi A. Furukawa, MD, PhD

LIST OF PUBLICATIONS

Original articles in English

1. Furukawa, T. (1991). Periodic psychosis associated with pseudo-pseudohypoparathyroidism. Journal of Nervous and Mental Disease 179, 637-638.
2. Furukawa, T. (1992). Perceived parental rearing, personality and mental status in Japanese adolescents. Journal of Adolescence 15, 317-322.
3. Furukawa, T. & Sumita, Y. (1992). A cluster-analytically derived subtyping of chronic affective disorders. Acta Psychiatrica Scandinavica 85, 177-182.
4. Furukawa, T. (1993). From nurture to network. American Journal of Psychiatry 150, 1129-1130.
5. Furukawa, T. & Shibayama, T. (1993). Predicting maladjustment of exchange students in different cultures: a prospective study. Social Psychiatry and Psychiatric Epidemiology 28, 142-146.
6. Furukawa, T., Nakazato, H. & Sumita, Y. (1993). Characteristics of chronic outpatients with unipolar depression. Acta Psychiatrica Scandinavica 88, 273-277.
7. Furukawa, T. & Shibayama, T. (1994). Factors influencing adjustment of high school students in an international exchange program. Journal of Nervous and Mental Disease 182, 709-714.
8. Furukawa, T. (1994). Weight changes and eating attitudes of Japanese adolescents under acculturative stresses: a prospective study. International Journal of Eating Disorders 15, 71-79.
9. Furukawa, T. (1995). Factor structure of social support and its relationships to minor psychiatric disorders among Japanese adolescents. International Journal of Social Psychiatry 41, 88-102.
10. Furukawa, T., Awaji, R., Nakazato, H. & Sumita, Y. (1995). Persistence of chronic mood disorders: a 2 year follow-up. Psychiatry and Clinical Neurosciences 49, 19-24.
11. Furukawa, T., Awaji, R., Nakazato, H. & Sumita, Y. (1995). Predictive validity of subtypes of chronic affective disorders derived by cluster analysis. Acta Psychiatrica Scandinavica 91, 379-385.
12. Furukawa, T., Takahashi, K., Kitamura, T., Okawa, M., Miyaoka, H., Hirai, T., Ueda, H., Sakamoto, K., Miki, K., Fujita, K., Anraku, K., Yokouchi, T., Mizukawa, R., Hirano, M.,

- Iida, S., Yoshimura, R., Kamei, K., Tsuboi, K., Yoneda, H. & Ban, T. A. (1995). The Comprehensive Assessment List for Affective Disorders (COALA): a polydiagnostic, comprehensive, and serial semistructured interview system for affective and related disorders. *Acta Psychiatrica Scandinavica Supplementum* 387, 1-36.
13. Furukawa, T. (1997). Sojourner re-adjustment: mental health of international students after one year's foreign sojourn and its psychosocial correlates. *Journal of Nervous and Mental Disease* 185, 263-268.
 14. Furukawa, T., Anraku, K., Hiroe, T., Takahashi, K., Kitamura, T., Hirai, T., Takahashi, K., Iida, M. (1997). Screening for depression among first-visit psychiatric patients: comparison of different scoring methods for the Center for Epidemiologic Studies Depression Scale (CES-D) using receiver operating characteristic (ROC) analyses. *Psychiatry and Clinical Neurosciences* 51, 71-78.
 15. Furukawa, T. (1997). Cultural distance and its relationship to psychological adjustment of international exchange students. *Psychiatry and Clinical Neurosciences* 51, 87-91.
 16. Furukawa, T. (1997). Depressive symptoms among international exchange students and their predictors. *Acta Psychiatrica Scandinavica* 96, 242-246.
 17. Furukawa, T. & Shibayama, T. (1997). Intra-individual vs. extra-individual components of social support. *Psychological Medicine* 27, 1183-1191.
 18. Furukawa, T., Nakanishi, M. & Hamanaka, T. (1997). Typus melancholicus is not the premorbid personality trait of unipolar (endogenous) depression. *Psychiatry and Clinical Neurosciences* 51, 197-202.
 19. Furukawa, T., Hirai, T., Kitamura, T. & Takahashi, K. (1997). Application of the Center for Epidemiologic Studies Depression Scale among first-visit psychiatric patients: a new approach to improve its performance. *Journal of Affective Disorders* 46, 1-13.
 20. Nakamura, H., Nakanishi, M., Hamanaka, T., Nakaaki, S., Furukawa, T. & Masui, T. (1997). Dissociations between reading responses and semantic priming effects in a dyslexic patient. *Cortex* 33, 753-761.
 21. Furukawa, T., Sarason, I.W. & Sarason, B.R. (1998). Social support and adjustment to a novel social environment. *International Journal of Social Psychiatry* 44, 56-70.
 22. Furukawa, T., Hori, S., Yoshida, S., Tsuji, M., Nakanishi, M. & Hamanaka, T. (1998). Premorbid personality traits of patients with organic (ICD-10 F0), schizophrenic (F2), mood (F3), and neurotic (F4) disorders according to the five-factor model of personality. *Psychiatry Research* 78, 179-187
 23. Aoki, K., Furukawa, T., Ogasawara, M., Hori, S. & Kitamura, T. (1998). Psychosocial factors in recurrent miscarriages. *Acta Obstetrica et Gynaecologica Scandinavica* 77, 572-573

24. Furukawa, T., Yamada, A., Tabuse, H., Kawai, K., Takahashi, K., Nakanishi, M. & Hamanaka, T. (1998). Typus melancholicus in light of the five-factor model of personality. *European Archives of Psychiatry and Clinical Neuroscience* 248, 64-69.
25. Furukawa, T., Harai, T., Hirai, T., Fujihara, S., Kitamura, T. & Takahashi, K. (1998). Childhood parental loss and alcohol dependence among Japanese men: a case-control study. *Acta Psychiatrica Scandinavica* 97, 403-407.
26. Furukawa, T., Takeuchi, H., Hirai, T., Fujihara, S., Kitamura, T., Takahashi, K. (1998) A possible association between paternal longevity and major depression among elderly men. *Psychiatry and Clinical Neurosciences* 52, 577-579
27. Furukawa, T., Mizukawa, R., Hirai, T., Fujihara, S., Kitamura, T., Takahashi, K. (1998) Childhood parental loss and schizophrenia: evidence against pathogenetic but for some pathoplastic effects. *Psychiatry Research* 81, 353-362
28. Furukawa, T., Goldberg, D.P. (1999) Cultural invariance of likelihood ratios for the General Health Questionnaire. *Lancet* 353, 561-562
29. Furukawa, T.A., Ogura, A., Hirai, T., Fujihara, S., Kitamura, T. & Takahashi, K. (1999). Early parental separation experiences among patients with bipolar disorder and major depression: a case-control study. *Journal of Affective Disorders* 52, 85-91
30. Furukawa, T., Yokouchi, T., Hirai, T., Kitamura, T., Takahashi, K., (1999) Parental loss in childhood and social support in adulthood among psychiatric patients. *Journal of Psychiatric Research* 33, 165-169
31. Furukawa, T., Anraku, T., Hiroe, T., Takahashi, K., Yoshimura, R., Hirai, T., Kitamura, T., Takahashi, K. (1999) A polydiagnostic study of depressive disorders according to DSM-IV and 23 classical diagnostic systems. *Psychiatry and Clinical Neurosciences* 53, 387-396
32. Furukawa, T., Harai, H., Hirai, T., Kitamura, T. & Takahashi, K. (1999) Social Support Questionnaire among psychiatric patients and normal controls. *Social Psychiatry and Psychiatric Epidemiology* 34, 216-222
33. Furukawa, T.A. (1999) From effect size into number needed to treat. *Lancet* 353, 1680
34. Nakamura, H., Nakanishi, M., Furukawa, T. A., Hamanaka, T. & Tokudome, S. (2000). Validity of brief intelligence tests for patients with Alzheimer's disease. *Psychiatry and Clinical Neurosciences* 54, 435-439.
35. Ikawa, M., Nakanishi, M., Furukawa, T., Nakaaki, S., Hori, S. & Yoshida, S. (2000). Relationship between EEG dimensional complexity and neuropsychological findings in Alzheimer's disease. *Psychiatry and Clinical Neurosciences* 54, 537-541.
36. Furukawa, T. A., Kitamura, T. & Takahashi, K. (2000). Treatment received by depressed patients in Japan and its determinants: naturalistic observation from a multi-center collaborative follow-up study. *Journal of Affective Disorders* 60, 173-179.

37. Furukawa, T. A., Kitamura, T. & Takahashi, K. (2000). Time to recovery of an inception cohort of hitherto untreated unipolar major depressive episodes. *British Journal of Psychiatry* 177, 331-335.
38. Furukawa, T. A., Konno, W., Morinobu, S., Harai, H., Kitamura, T. & Takahashi, K. (2000). Course and outcome of depressive episodes: comparison between bipolar, unipolar and subthreshold depression. *Psychiatry Research* 96, 211-220
39. Furukawa, T., Streiner, D. L. & Young, L. T. (2000). Antidepressant plus benzodiazepine for major depression. In *The Cochrane Library* (Update Software: Oxford.)
40. Hori, S., Nakano, Y., Furukawa, T. A., Ogasawara, M., Katano, K., Aoki, K. & Kitamura, T. (2000). Psychosocial factors regulating natural-killer cell activity in recurrent spontaneous abortions. *American Journal of Reproductive Immunology* 44, 299-302
41. Furukawa, T. A., Streiner, D. L. & Hori, S. (2000). Discrepancies among megatrials. *Journal of Clinical Epidemiology* 53, 1193-1199.
42. Furukawa, T. A., Goldberg, D. P., Rabe-Hesketh, S. & Ustun, T. B. (2001). Stratum-specific likelihood ratios of two versions of the General Health Questionnaire. *Psychological Medicine* 31, 519-529.
43. Furukawa, T. A., Takeuchi, H., Hiroe, T., Mashiko, H., Kamei, K., Kitamura, T. & Takahashi, K. (2001). Symptomatic recovery and social functioning in major depression. *Acta Psychiatrica Scandinavica* 103: 257-261.
44. Furukawa, T. A., Streiner, D. L. & Young, L. T. (2001). Is antidepressant-benzodiazepine combination therapy clinically more useful? A meta-analytic study. *Journal of Affective Disorders* 65: 173-177.
45. Furukawa, T. A., Guyatt, G. H. & Griffith, L. E. (2002). Can we individualize the Number Needed to Treat (NNT)? An empirical study of summary effect measures in meta-analyses. *International Journal of Epidemiology* 31: 72-76.
46. Furukawa, T. A., Inada, T., Adams, C. E., McGuire, H., Inagaki, T. & Nozaki, S. (2002). Are the Cochrane group registers comprehensive? A case study of Japanese psychiatry trials. *BMC Medical Research Methodology* 2: 6.
47. Furukawa, T. A., Hori, S., Azuma, H., Nakano, Y., Oshima, M., Kitamura, T., Sugiura, M. & Aoki, K. (2002). Parents, personality or partner? Correlates of marital relationships. *Social Psychiatry and Psychiatric Epidemiology* 37, 164-168.
48. Nakaaki, S., Nakanishi, M., Fujiwara, N., Hamajima, H., Nakamura, H., Yoshida, S., Sato, J., Tatsumi, H., Furuhashi, K., Furukawa, T., Connor, L. T., Lindfield, K. C. & Albert, M. L. (2002). Cognitive patterns of good and poor namers in old age. *Psychogeriatrics* 2, 35-39.
49. Nakaaki, S., Sato, J., Nakamura, H., Yoshida, S., Furuhashi, K. F. T. & Takabayashi, I. (2002). Exploring the role of the right temporal lobe in person-specific knowledge: a case

- study of semantic dementia associated with right temporal atrophy. *Psychogeriatrics* 2, 54-61.
50. Ueno, S., Ito, J., Nagayasu, Y., Furukawa, T. & Yokoyama, S. (2002). An acidic fibroblast growth factor-like factor secreted into the brain cell culture medium upregulates apoE synthesis, HDL secretion and cholesterol metabolism in rat astrocytes. *Biochimica et Biophysica Acta* 1589, 261-72.
 51. Nakaaki, S., Watanabe, H., Nakamura, H., Yoshida, S., Matsui, T., Kinoshita, Y. & Furukawa, T. (2002). The influence of the Stroop interference effect on an event-based prospective memory task in Alzheimer's disease patients. *Psychogeriatrics* 2, 120-126.
 52. Kojima, M., Furukawa, T. A., Takahashi, H., Kawai, M., Nagaya, T. & Tokudome, S. (2002). Cross-cultural validation of the Beck Depression Inventory-II in Japan. *Psychiatry Research* 110, 291-299.
 53. Furukawa, T. A. (2002). Review: placebo is better than no treatment for subjective continuous outcomes and for treatment of pain. *Evidence-Based Medicine* 7, 11.
 54. Nakano, Y., Sugiura-Ogasawara, M., Aoki, K., Hori, S., Oshima, M., Kitamura, T. & Furukawa, T. A. (2002). Quality of Relationship Inventory: measure of individual-specific social support in the Japanese context. *Psychiatry and Clinical Neurosciences* 56, 527-532.
 55. Ueki, H., Hlzapfel, C., Washino, K., Inoue, M., Ogawa, N. & Furukawa, T. (2002). Concordance between self- and observer-ratings on Kasahara's Inventory for the Melancholic Type Personality. *Psychiatry and Clinical Neurosciences* 56, 569-574.
 56. Hori, S., Nakano, Y., Yamada, A., Azuma, H., Noda, Y., Sugiura, M., Aoki, K., Kitamura, T. & Furukawa, T. A. (2002). Personality, social support, coping and emotional distress after repeated spontaneous abortions. *Journal of Psychosomatic Obstetrics and Gynecology* 23, 133-140.
 57. Sugiura-Ogasawara, M., Furukawa, T. A., Nakano, Y., Hori, S., Aoki, K. & Kitamura, T. (2002). Depression as a potential causal factor in subsequent miscarriage in recurrent spontaneous aborters. *Human Reproduction* 17, 2580-2584.
 58. Furukawa, T. A., McGuire, H. & Barbui, C. (2002). Meta-analysis of effects and side effects of low dosage tricyclic antidepressants in depression: systematic review. *BMJ* 325, 991-995.
 59. Geddes, J. R., Carney, S. M., Davies, C., Furukawa, T. A., Kupfer, D. J., Frank, E. & Goodwin, G. M. (2003). Relapse prevention with antidepressant drug treatment in depressive disorders. *Lancet* 361, 653-661.
 60. Furukawa, T. A., Kessler, R., Andrews, G. & Slade, T. (2003). The performance of the K6 and K10 screening scales for psychological distress in the Australian National Survey of Mental Health and Well-Being. *Psychological Medicine* 33, 357-362.

61. Takeuchi, H., Hiroe, T., Kanai, T., Morinobu, S., Kitamura, T., Takahashi, K. & Furukawa, T. A. (2003). Childhood parental separation experiences and depressive symptomatology in acute major depression. *Psychiatry and Clinical Neurosciences* 57, 215-219.
62. Kanai, T., Takeuchi, T., Furukawa, T. A., Yoshimura, R., Imaizumi, T., Kitamura, T. & Takahashi, K. (2003). Time to recurrence after recovery from major depressive episodes and its predictors. *Psychological Medicine* 33, 838-845.
63. Suzuki, Y., Sakurai, A., Yasuda, T., Harai, H., Kitamura, T., Takahashi, K. & Furukawa, T. A. (2003). Reliability, validity and standardization of the Japanese version of the Social Adjustment Scale-Self Report. *Psychiatry and Clinical Neurosciences* 57, 441-446.
64. Furukawa, T., McGuire, H. & Barbui, C. (2003). Low dosage tricyclic antidepressants for depression (Cochrane review). In The Cochrane Library (Update Software: Oxford.)
65. Inada, T., Nozaki, S., Inagaki, A. & Furukawa, T. A. (2003). Efficacy of diazepam as an anti-anxiety agent: meta-analysis of the double-blind randomized controlled trials in Japan. *Hum Psychopharmacol Clin Exp* 18, 483-487.
66. Azuma, H., Hori, S., Nakanishi, M., Fujimoto, S., Ichikawa, N. & Furukawa, T. A. (2003). An intervention to improve the interrater reliability of clinical EEG interpretations. *Psychiatry and Clinical Neurosciences* 57, 485-489.
67. Kojima, M., Senda, Y., Nagaya, T., Tokudome, S. & Furukawa, T. A. (2003). Alexithymia, depression and social support among Japanese workers. *Psychotherapy and Psychosomatics* 72, 307-314.
68. Yamada, K., Nagayama, H., Tsuchiyama, K., Kitamura, T. & Furukawa, T. (2003). Coping behavior in depressed patients: a longitudinal study. *Psychiatry Research* 121, 169-177.
69. Nakano, Y., Oshima, M., Sugiura-Ogasawara, M., Aoki, K., Kitamura, T. & Furukawa, T. A. (2004). Psychosocial predictors of successful delivery after unexplained recurrent spontaneous abortions: a cohort study. *Acta Psychiatrica Scandinavica* 109, 440-446.
70. Yamamoto, I., Nakano, Y., Watanabe, N., Noda, Y., Furukawa, T. A., Kanai, T., Takashio, O., Koda, R., Otsubo, T. & Kamijima, K. (2004). Cross-cultural evaluation of the Panic Disorder Severity Scale in Japan. *Depression & Anxiety* 20, 17-22.
71. Furukawa, T. A., Cipriani, A., Barbui, C., Brambilla, P. & Watanabe, N. (2005) Imputing response rates from means and standard deviations in meta-analysis. *International Clinical Psychopharmacology* 20, 49-52.
72. Nishiyama, T., Ikeda, M., Iwata, N., Suzuki, T., Kitajima, T., Yamanouchi, Y., Sekine, Y., Iyo, M., Harano, M., Komiyama, T., Yamada, M., Sora, I., Ujike, H., Inada, T., Furukawa, T. & Ozaki, N. (2005) Haplotype association between GABA(A) receptor gamma2 subunit gene (GABRG2) and methamphetamine use disorder. *Pharmacogenomics Journal*, 5, 89-95.

73. Hiroe, T., Kojima, M., Yamamoto, I., Nojima, S., Kinoshita, Y., Hashimoto, N., Watanabe, N., Maeda, T. & Furukawa, T. A. (2005) Gradations of clinical severity and sensitivity to change assessed with the Beck Depression Inventory-II in Japanese patients with depression. *Psychiatry Research*, 135, 229-235.
74. Sakurai, A., Nagata, T., Harai, H., Yamada, H., Mohri, I., Nakano, Y., Noda, Y., Ogawa, S., Lee, K. & Furukawa, T. A. (2005) Is "relationship fear" unique to Japan? Symptom factors and patient clusters of social anxiety disorder among the Japanese clinical population. *Journal of Affective Disorders*, 87, 131-137.
75. Kawakami, N., Takeshima, T., Ono, Y., Uda, H., Hata, Y., Nakane, Y., Nakane, H., Iwata, N., Furukawa, T. A. & Kikkawa, T. (2005) Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: preliminary finding from the World Mental Health Japan Survey 2002-2003. *Psychiatry and Clinical Neurosciences*, 59, 441-452.
76. Eguchi, M., Noda, Y., Nakano, Y., Kanai, T., Yamamoto, I., Watanabe, N., Lee, K., Ogawa, S., Itsugu, T., Sasaki, M., Chen, J. & Furukawa, T. A. (2005) Quality of life and social role functioning in Japanese patients with panic disorder. *Journal of Nervous and Mental Disease*, 193, 686-689.
77. Furukawa, T. A., Streiner, D. L., Azuma, H., Higuchi, T., Kamijima, K., Kanba, S., Ozaki, N., Aoba, A., Murasaki, M. & Miura, S. (2005) Cross-cultural equivalence in depression assessment: Japan-Europe-North American study. *Acta Psychiatrica Scandinavica*, 112, 279-285.
78. Cipriani, A., Brambilla, P., Furukawa, T., Geddes, J., Gregis, M., Hotopf, M., Malvini, L. & Barbui, C. (2005) Fluoxetine versus other types of pharmacotherapy for depression. *Cochrane Database Syst Rev*, 4, CD004185.
79. Furukawa, T. A., Barbui, C., Cipriani, A., Brambilla, P. & Watanabe, N. (2006) Imputing missing standard deviations in meta-analyses can provide accurate results. *Journal of Clinical Epidemiology*, 59, 7-10.
80. Matsui, T., Nakaaki, S., Murata, Y., Sato, J., Shinagawa, Y., Tatsumi, H. & Furukawa, T. A. (2006) Determinants of the quality of life in Alzheimer's disease patients as assessed by the Japanese version of the Quality of LIfe-Alzheimer's Disease (QOL-AD) Scale. *Dementia and Geriatric Cognitive Disorders*, 21, 182-191.
81. Furukawa, T. A., Watanabe, N. & Churchill, R. (2006) Psychotherapy plus antidepressant for panic disorder with or without agoraphobia: systematic review. *British Journal of Psychiatry*, 188, 305-312.
82. Naganuma, Y., Tachimori, H., Kawakami, N., Takeshima, T., Ono, Y., Uda, H., Hata, Y., Nakane, Y., Nakane, H., Iwata, N., Furukawa, T. A. & Kikkawa, T. (2006) Twelve-month

- use of mental health services in four areas in Japan: a preliminary finding from the World Mental Health Japan 2002-2003. Psychiatry and Clinical Neurosciences, 60, 240-248.
83. Kitamura, T., Yoshida, K., Okano, T., Kinoshita, K., Hayashi, M., Toyoda, N., Ito, M., Kudo, N., Tada, K., Kanazawa, K., Sakumoto, K., Satoh, S., Furukawa, T. & Nakano, H. (2006) Multicentre prospective study of perinatal depression in Japan: incidence and correlates of antenatal and postnatal depression. Archives of Women's Mental Health, 9, 121-130.
 84. Okumura, K. & Furukawa, T. A. (2006) Remission rates of milnacipran 100 mg/day and 150 mg/day in the long-term treatment of major depression. Clinical Drug Investigation, 26, 135-142.
 85. Akechi, T., Okuyama, T., Akizuki, N., Azuma, H., Sagawa, R., Furukawa, T. A. & Uchitomi, Y. (2006) Course of psychological distress and its predictors in advanced non-small cell lung cancer patients. Psycho-Oncology, 15, 463-473.
 86. Akechi, T., Okuyama, T., Sugawara, Y., Shima, Y., Furukawa, T. A. & Uchitomi, Y. (2006) Screening for depression in terminally ill cancer patients in Japan. Journal of Pain and Symptom Management, 31, 5-12.
 87. Fujita, A., Nakaaki, S., Segawa, K., Azuma, H., Sato, K., Arahata, K., Otsuki, K., Hori, M., Mochida, Y., Uchida, M., Yamada, T., Nakamura, C., Akechi, T. & Furukawa, T. A. (2006) Memory, attention, and executive functions before and after sine and pulse wave electroconvulsive therapies for treatment-resistant major depression. Journal of ECT, 22, 107-112.
 88. Cipriani, A., Barbui, C., Brambilla, P., Furukawa, T., Hotopf, M. & Geddes, J. (2006) Are all antidepressants really the same? The case of fluoxetine: a systematic review. Journal of Clinical Psychiatry, 67, 850-864.
 89. Lee, K., Noda, Y., Nakano, Y., Ogawa, S., Kinoshita, K., Funayama, T. & Furukawa, T. A. (2006) Interoceptive hypersensitivity and interoceptive exposure in patients with panic disorder: specificity and effectiveness. BMC Psychiatry, 6, 32.
 90. Segawa, K., Azuma, H., Sato, K., Yasuda, T., Arahata, K., Otsuki, K., Tohyama, J., Soma, T., Iidaka, T., Nakaaki, S. & Furukawa, T. A. (2006) Regional cerebral blood flow changes in depression after electroconvulsive therapy. Psychiatry Research Neuroimaging, 147, 135-143.
 91. Honjo, K., Kawakami, N., Takeshima, T., Tachimori, H., Ono, Y., Uda, H., Hata, Y., Nakane, Y., Nakane, H., Iwata, N., Furukawa, T. A., Watanabe, M., Nakamura, Y. & Kikkawa, T. (2006) Social class inequalities in self-rated health and their gender and age group differences in Japan. Journal of Epidemiology, 16, 223-232.
 92. Okuyama, T., Nakane, Y., Endo, C., Seto, T., Kato, M., Seki, N., Akechi, T., Furukawa, T.

- A., Eguchi, K. & Hosaka, T. (2006) Mental health literacy in Japanese cancer patients: ability to recognize depression and preferences of treatments-comparison with Japanese lay public. *Psycho-Oncology*.
93. Akechi, T., Okuyama, T., Akizuki, N., Shimizu, K., Inagaki, M., Fujimori, M., Shima, Y., Furukawa, T. A. & Uchitomi, Y. (2007) Associated and predictive factors of sleep disturbance in advanced cancer patients. *Psycho-Oncology* 16, 888-894.
 94. Furukawa, T., Watanabe, N. & Churchill, R. (2007) Combined psychotherapy plus antidepressants for panic disorder with or without agoraphobia. *Cochrane Database Syst Rev*, CD004364.
 95. Nakaaki, S., Murata, Y., Sato, J., Shinagawa, Y., Matsui, T., Tatsumi, H. & Furukawa, T. A. (2007) Reliability and validity of the Japanese version of the Frontal Assessment Battery in patients with the frontal variant of frontotemporal dementia. *Psychiatry and Clinical Neurosciences*, 61, 78-83.
 96. Furukawa, T. A., Watanabe, N., Omori, I. M., Montori, V. M. & Guyatt, G. H. (2007) Association between unreported outcomes and effect size estimates in Cochrane meta-analyses. *JAMA*, 297, 468-470.
 97. Azuma, H., Fujita, A., Sato, K., Arahata, K., Otsuki, K., Hori, M., Mochida, Y., Uchida, M., Yamada, T., Akechi, T. & Furukawa, T. A. (2007) Postictal suppression correlates with therapeutic efficacy for depression in bilateral sine and pulse wave electroconvulsive therapy. *Psychiatry and Clinical Neurosciences*, 61, 168-173.
 98. Nakaaki, S., Murata, Y., Sato, J., Shinagawa, Y., Tatsumi, H., Hirono, N. & Furukawa, T. A. (2007) Greater Impairment of Ability in the Divided Attention Task Is Seen in Alzheimer's Disease Patients with Depression than in Those without Depression. *Dementia and Geriatric Cognitive Disorders*, 23, 231-240.
 99. Watanabe, N., Churchill, R. & Furukawa, T. A. (2007) Combination of psychotherapy and benzodiazepines versus either therapy alone for panic disorder: a systematic review. *BMC Psychiatry*, 7, 18.
 100. Azuma, H., Fujita, A., Sato, K., Arahata, K., Otsuki, K., Hori, M., Mochida, Y., Uchida, M., Yamada, T., Akechi, T. & Furukawa, T. A. (2007) Postictal cardiovascular response predicts therapeutic efficacy of electroconvulsive therapy for depression. *Psychiatry and Clinical Neurosciences*, 61, 290-294.
 101. Cipriani, A., Malvini, L., Furukawa, T. A. & Barbui, C. (2007) Relationship Between Quality of Reports of Antidepressant Randomized Controlled Trials and Treatment Estimates: Systematic Review, Meta-Analysis, and Meta-Regression Analysis. *Journal of Clinical Psychopharmacology*, 27, 352-356.
 102. Watanabe, N., Hunot, V., Omori, I. M., Churchill, R. & Furukawa, T. A. (2007)

- Psychotherapy for depression among children and adolescents: a systematic review. *Acta Psychiatrica Scandinavica*, 116, 84-95.
103. Akechi, T., Taniguchi, K., Suzuki, S., Okamura, M., Minami, H., Okuyama, T., Furukawa, T. A. & Uchitomi, Y. (2007) Multifaceted psychosocial intervention program for breast cancer patients after first recurrence: feasibility study. *Psycho-Oncology*, 16, 517-524.
 104. Tabuse, H., Kalali, A., Azuma, H., Ozaki, N., Iwata, N., Naitoh, H., Higuchi, T., Kanba, S., Shioe, K., Akechi, T. & Furukawa, T. A. (2007) The new GRID Hamilton Rating Scale for Depression demonstrates excellent inter-rater reliability for inexperienced and experienced raters before and after training. *Psychiatry Research*.
 105. Omori, I. M., Murata, Y., Yamanishi, T., Nakaaki, S., Akechi, T., Mikuni, M. & Furukawa, T. A. (2007) The differential impact of executive attention dysfunction on episodic memory in obsessive-compulsive disorder patients with checking symptoms vs. those with washing symptoms. *Journal of Psychiatric Research*, 41, 776-784.
 106. Nakaaki, S., Murata, Y., Sato, J., Shinagawa, Y., Hongo, J., Tatsumi, H., Mimura, M. & Furukawa, T. A. (2007) Impairment of Decision-making Cognition in a Case of Frontotemporal Lobar Degeneration (FTLD) Presenting With Pathologic Gambling and Hoarding as the Initial Symptoms. *Cogn Behav Neurol*, 20, 121-125.
 107. Martin, J. L., Sainz-Pardo, M., Furukawa, T. A., Martin-Sanchez, E., Seoane, T. & Galan, C. (2007) Review: Benzodiazepines in generalized anxiety disorder: heterogeneity of outcomes based on a systematic review and meta-analysis of clinical trials. *Journal of Psychopharmacology*, 21, 774-782.
 108. Azuma, H., Fujita, A., Otsuki, K., Nakano, Y., Kamao, T., Nakamura, C., Fujioi, J., Otake, H., Nishigaki, M., Suzuki, M., Kataoka, M., Matsuzawa, T., Sonoda, M., Nakaaki, S., Murata, Y., Akechi, T. & Furukawa, T. A. (2007) Ictal electroencephalographic correlates of posttreatment neuropsychological changes in electroconvulsive therapy: a hypothesis-generation study. *Journal of ECT*, 23, 163-168.
 109. Furukawa, T. A., Akechi, T., Azuma, H., Okuyama, T. & Higuchi, T. (2007) Evidence-based guidelines for interpretation of the Hamilton Rating Scale for Depression. *Journal of Clinical Psychopharmacology*, 27, 531-534.
 110. Shinagawa, Y., Nakaaki, S., Hongo, J., Murata, Y., Sato, J., Matsui, T., Tatsumi, H., Akechi, T. & Furukawa, T. A. (2007) Reliability and validity of the Japanese version of the Dysexecutive Questionnaire (DEX) in Alzheimer's disease: validation of a behavioral rating scale to assess dysexecutive symptoms in Japanese patients with Alzheimer's disease. *International Journal of Geriatric Psychiatry*, 22, 951-956.
 111. Kojima, M., Hayano, J., Tokudome, S., Suzuki, S., Ibuki, K., Tomizawa, H., Nakata, A., Seno, H., Toriyama, T., Kawahara, H. & Furukawa, T. A. (2007) Independent associations

- of alexithymia and social support with depression in hemodialysis patients. *Journal of Psychosomatic Research*, 63, 349-356.
112. Ietsugu, T., Sukigara, M. & Furukawa, T. A. (2007) Evaluation of diagnostic criteria for panic attack using item response theory: Findings from the National Comorbidity Survey in USA. *Journal of Affective Disorders*, 104, 197-201.
 113. Noda, Y., Nakano, Y., Lee, K., Ogawa, S., Kinoshita, Y., Funayama, T., Watanabe, N., Chen, J., Noguchi, Y., Kataoka, M., Suzuki, M. & Furukawa, T. A. (2007) Sensitization of catastrophic cognition in cognitive-behavioral therapy for panic disorder. *BMC Psychiatry*, 7, 70.
 114. Nakaaki, S., Murata, Y., Shinagawa, Y., Hongo, J., Furukawa, T. A., Sato, J. & Tatsumi, H. (2007) A case of late-onset obsessive compulsive disorder developing frontotemporal lobar degeneration. *Journal of Neuropsychiatry and Clinical Neurosciences*, 19, 487-488.
 115. Sato, J., Nakaaki, S., Murata, Y., Shinagawa, Y., Matsui, T., Hongo, J., Tatsumi, H., Akechi, T. & Furukawa, T. A. (2007) Two dimensions of anosognosia in patients with Alzheimer's disease: reliability and validity of the Japanese version of the Anosognosia Questionnaire for Dementia (AQ-D). *Psychiatry and Clinical Neurosciences*, 61, 672-677.
 116. Yamada, A., Suzuki, M., Kato, M., Tanaka, S., Shindo, T., Taketani, K., Akechi, T. & Furukawa, T. A. (2007) Emotional distress and its correlates among parents of children with pervasive developmental disorders. *Psychiatry and Clinical Neurosciences*, 61, 651-657.
 117. Furukawa, T. A., Watanabe, N., Omori, I. M. & Churchill, R. (2007) Can pill placebo augment cognitive-behavior therapy for panic disorder? *BMC Psychiatry*, 7, 73.
 118. Nakaaki, S., Murata, Y., Shinagawa, Y., Hongo, J., Furukawa, T. A., Sato, J. & Tatsumi, H. (2007) A case of frontotemporal lobar degeneration (FTLD) with panic attack as the first symptom. *Journal of Neuropsychiatry and Clinical Neurosciences*, 19, 485-487.
 119. Chen, J., Nakano, Y., Ietzugu, T., Ogawa, S., Funayama, T., Watanabe, N., Noda, Y. & Furukawa, T. A. (2007) Group cognitive behavior therapy for Japanese patients with social anxiety disorder: preliminary outcomes and their predictors. *BMC Psychiatry*, 7, 69.
 120. Azuma H, Negi A, Hattori M, Masayasu T, Akechi T & Furukawa TA (2007) Neuroleptic malignant syndrome-like state in an epileptic patient with organic brain comorbidity treated with zonisamide and carbamazepine. *Epilepsia*, 48, 1999-2001.
 121. Sartorius, N., Baghai, T. C., Baldwin, D. S., Barrett, B., Brand, U., Fleischhacker, W., Goodwin, G., Grunze, H., Knapp, M., Leonard, B. E., Lieberman, J., Nakane, Y., Pinder, R. M., Schatzberg, A. F., Svestka, J., Baumann, P., Ghalib, K., Markowitz, J. C., Padberg, F., Fink, M., Furukawa, T., Fountoulakis, K. N., Jensen, P., Kanba, S. & Riecher-Rossler, A. (2007) Antidepressant medications and other treatments of depressive disorders: a CINP

- Task Force report based on a review of evidence. International Journal of Neuropsychopharmacology, 10 Suppl 1, S1-207.
122. Furukawa, T. A., Fujita, A., Harai, H., Yoshimura, R., Kitamura, T. & Takahashi, K. (2008) Definitions of recovery and outcomes of major depression: results from a 10-year follow-up. Acta Psychiatrica Scandinavica, 117, 35-40.
123. Nakaaki S, Murata Y, Sato J, Shinagawa Y, Hongo J, Tatsumi H, Hirono N, Mimura M & Furukawa TA (2008) Association between apathy/depression and executive function in patients with Alzheimer's disease. International Psychogeriatrics, 20, 964-975.
124. Barbui, C., Furukawa, T. A. & Cipriani, A. (2008) Effectiveness of paroxetine in the acute phase treatment of adults with major depression: a systematic re-examination of published and unpublished randomised data. Canadian Medical Association Journal, 178, 296-305.
125. Fujita, A., Azuma, H., Kitamura, T., Takahasi, K., Akechi, T. & Furukawa, T. A. (2008) Adequacy of continuation and maintenance treatments for major depression in Japan. Journal of Psychopharmacology, 22, 153-156.
126. Okuyama, T., Akechi, T., Shima, Y., Sugahara, Y., Okamura, H., Hosaka, T., Furukawa, T. A. & Uchitomi, Y. (2008) Factors correlated with fatigue in terminally ill cancer patients: a longitudinal study. Journal of Pain and Symptom Management, 35, 515-523.
127. Nakaaki S, Murata Y, Sato J, Shinagawa Y, Hongo J, Tatsumi H, Hirono N, Mimura M & Furukawa TA (2008) Impact of depression on insight into memory capacity in patients with Alzheimer disease. Alzheimer Disease and Associated Disorders, 22, 369-374.
128. Kojima, M., Hayano, J., Fukuta, H., Sakata, S., Mukai, S., Ohte, N., Seno, H., Toriyama, T., Kawahara, H., Furukawa, T. A. & Tokudome, S. (2008) Loss of fractal heart rate dynamics in depressive hemodialysis patients. Psychosomatic Medicine, 70, 177-185.
129. Kinoshita, Y., Chen, J., Rapee, R. M., Bogels, S., Schneier, F. R., Choy, Y., Kwon, J. H., Liu, X., Schramm, E., Chavira, D. A., Nakano, Y., Watanabe, N., Ietzugu, T., Ogawa, S., Emmelkamp, P., Zhang, J., Kingdon, D., Nagata, T. & Furukawa, T. A. (2008) Cross-cultural study of conviction subtype Taijin Kyofu: proposal and reliability of Nagoya-Osaka diagnostic criteria for social anxiety disorder. Journal of Nervous and Mental Disease, 196, 307-313.
130. Nakano, Y., Lee, K., Noda, Y., Ogawa, S., Kinoshita, Y., Funayama, T., Watanabe, N., Chen, J., Noguchi, Y. & Furukawa, T. A. (2008) Cognitive-behavior therapy for Japanese patients with panic disorder: acute phase and one-year follow-up results. Psychiatry and Clinical Neurosciences, 62, 313-321.
131. Nakagawa, A., Watanabe, N., Omori, I. M., Barbui, C., Cipriani, A., McGuire, H., Churchill, R. & Furukawa, T. A. (2008) Efficacy and Tolerability of Milnacipran in the Treatment of Major Depression in Comparison with Other Antidepressants : A Systematic

- Review and Meta-Analysis. CNS Drugs, 22, 587-602.
132. Furukawa, T. A., Kawakami, N., Saitoh, M., Ono, Y., Nakane, Y., Nakamura, Y., Tachimori, H., Iwata, N., Uda, H., Nakane, H., Watanabe, M., Naganuma, Y., Hata, Y., Kobayashi, M., Miyake, Y., Takeshima, T. & Kikkawa, T. (2008) The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan. International Journal of Methods in Psychiatric Research, 17, 152-158.
133. Nakaaki, S., Murata, Y. & Furukawa, T. A. (2008) Efficacy of olanzapine augmentation of paroxetine therapy in patients with severe body dysmorphic disorder. Psychiatry and Clinical Neurosciences, 62, 370.
134. Watanabe, N., Omori, I. M., Nakagawa, A., Cipriani, A., Barbui, C., McGuire, H., Churchill, R. & Furukawa, T. A. (2008) Mirtazapine versus other antidepressants in the acute-phase treatment of adults with major depression: Systematic review and meta-analysis. Journal of Clinical Psychiatry, 69, 1404-1415.
135. Watanabe, N., Stewart, R., Jenkins, R., Bhugra, D. K. & Furukawa, T. A. (2008) The epidemiology of chronic fatigue, physical illness, and symptoms of common mental disorders: A cross-sectional survey from the second British National Survey of Psychiatric Morbidity. Journal of Psychosomatic Research, 64, 357-362.
136. Azuma, H., Akechi, T. & Furukawa, T. A. (2008) Absence status associated with focal activity and polydipsia-induced hyponatremia. Neuropsychiatric Disease and Treatment, 4, 495-498.
137. Takasaki, Y., Kawakami, N., Tsuchiya, M., Ono, Y., Nakane, Y., Nakamura, Y., Tachimori, H., Iwata, N., Uda, H., Nakane, H., Watanabe, M., Naganuma, Y., Furukawa, T., Hata, Y., Kobayashi, M., Miyake, Y., Takeshima, T. & Kikkawa, T. (2008) Heart disease, other circulatory diseases, and onset of major depression among community residents in Japan: results of the World Mental Health Survey Japan 2002-2004. Acta Medica Okayama, 62, 241-249.
138. Cipriani, A., Furukawa, T. A., Geddes, J. R., Malvini, L., Signoretti, A., McGuire, H., Churchill, R., Nakagawa, A. & Barbui, C. (2008) Does randomized evidence support sertraline as first-line antidepressant for adults with acute major depression? A systematic review and meta-analysis. Journal of Clinical Psychiatry, 69, 1732-1742.
139. Ono, Y., Kawakami, N., Nakane, Y., Nakamura, Y., Tachimori, H., Iwata, N., Uda, H., Nakane, H., Watanabe, M., Naganuma, Y., Furukawa, T. A., Hata, Y., Kobayashi, M., Miyake, Y., Tajima, M., Takeshima, T. & Kikkawa, T. (2008) Prevalence of and risk factors for suicide-related outcomes in the World Health Organization World Mental Health Surveys Japan. Psychiatry and Clinical Neurosciences, 62, 442-449.
140. Akechi, T., Hirai, K., Motooka, H., Shiozaki, M., Chen, J., Momino, K., Okuyama, T. &

- Furukawa, T. A. (2008) Problem-solving therapy for psychological distress in Japanese cancer patients: preliminary clinical experience from psychiatric consultations. *Japanese Journal of Clinical Oncology*, 38, 867-870.
141. Endo, C., Akechi, T., Okuyama, T., Seto, T., Kato, M., Seki, N., Eguchi, K., Hosaka, T. & Furukawa, T. A. (2008) Patient-perceived barriers to the psychological care of Japanese patients with lung cancer. *Japanese Journal of Clinical Oncology*, 38, 653-660.
142. Akechi, T., Okuyama, T., Onishi, J., Morita, T. & Furukawa, T. A. (2008) Psychotherapy for depression among incurable cancer patients. Cochrane Database of Systematic Reviews, CD005537.
143. Hongo, J., Nakaaki, S., Shinagawa, Y., Murata, Y., Sato, J., Tatsumi, H., Tohyama, J., Soma, T., Iidaka, T., Fukui, T., Mimura, M. & Furukawa, T. A. (2008) SPECT-identified neuroanatomical predictor of the cognitive effects of donepezil treatment in patients with Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders*, 26, 556-566.
144. Chen, J., Tsuchiya, M., Kawakami, N. & Furukawa, T. A. (2009) Non-fearful vs fearful panic attacks: A general population study from the National Comorbidity Survey. *Journal of Affective Disorders*, 112, 273-278.
145. Akechi, T., Okamura, H., Okuyama, T., Furukawa, T. A., Nishiwaki, Y. & Uchitomi, Y. (2009) Psychosocial factors and survival after diagnosis of inoperable non-small cell lung cancer. *Psycho-Oncology*, 18, 23-29.
146. Watanabe, N., Churchill, R. & Furukawa, T. A. (2009) Combined psychotherapy plus benzodiazepines for panic disorder. *Cochrane Database of Systematic Reviews*, CD005335.
147. Kinoshita, Y., Tsuchiya, M., Kawakami, N., Furukawa, T. A. & Kingdon, D. (2009) Hallucinations in visually impaired individuals: An analysis of the National Comorbidity Survey Replication. *Social Psychiatry and Psychiatric Epidemiology*, 44, 104-108.
148. Furukawa, T. A., Chen, J., Watanabe, N., Nakano, Y., Itsugu, T., Ogawa, S., Funayama, T. & Noda, Y. (2009) Videotaped experiments to drop safety behaviors and self-focused attention for patients with social anxiety disorder: Do they change subjective and objective evaluations of anxiety and performance? *Journal of Behavior Therapy and Experimental Psychiatry*, 40, 202-210.
149. Elamin, M. B., Flynn, D. N., Bassler, D., Briel, M., Alonso-Coello, P., Karanicolas, P. J., Guyatt, G. H., Malaga, G., Furukawa, T. A., Kunz, R., Schunemann, H., Murad, M. H., Barbui, C., Cipriani, A. & Montori, V. M. (2009) Choice of data extraction tools for systematic reviews depends on resources and review complexity. *Journal of Clinical Epidemiology*, 62, 506-510.
150. Furukawa, T. A., Yoshimura, R., Harai, H., Imaizumi, T., Takeuchi, H., Kitamura, T. & Takahashi, K. (2009) How many well vs. unwell days can you expect over 10 years, once

- you become depressed? *Acta Psychiatrica Scandinavica*, 119, 290-297.
151. Sagawa, R., Akechi, T., Okuyama, T., Uchida, M. & Furukawa, T. A. (2009) Etiologies of delirium and their relationship to reversibility and motor subtype in cancer patients. *Japanese Journal of Clinical Oncology*, 39, 175-182.
 152. Martin-Sanchez E, Furukawa TA, Taylor J & Martin JL (2009) Systematic review and meta-analysis of cannabis treatment for chronic pain. *Pain Medicine*, 10, 1353-1368.
 153. Cipriani, A., Furukawa, T. A., Salanti, G., Geddes, J. R., Higgins, J. P., Churchill, R., Watanabe, N., Nakagawa, A., Omori, I. M., McGuire, H., Tansella, M. & Barbui, C. (2009) Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. *Lancet*, 373, 746-758.
 154. Cipriani, A., La Ferla, T., Furukawa, T. A., Signoretti, A., Nakagawa, A., Churchill, R., McGuire, H. & Barbui, C. (2009) Sertraline versus other antidepressive agents for depression. *Cochrane Database of Systematic Reviews*, CD006117.
 155. Cipriani, A., Santilli, C., Furukawa, T. A., Signoretti, A., Nakagawa, A., McGuire, H., Churchill, R. & Barbui, C. (2009) Escitalopram versus other antidepressive agents for depression. *Cochrane Database of Systematic Reviews*, CD006532.
 156. Akechi, T., Itsugu, T., Sukigara, M., Okamura, H., Nakano, T., Akizuki, N., Okamura, M., Shimizu, K., Okuyama, T., Furukawa, T. A. & Uchitomi, Y. (2009) Symptom indicator of severity of depression in cancer patients: a comparison of the DSM-IV criteria with alternative diagnostic criteria. *General Hospital Psychiatry*, 31, 225-232.
 157. Yamanishi, T., Nakaaki, S., Omori, I. M., Hashimoto, N., Shinagawa, Y., Hongo, J., Horikoshi, M., Tohyama, J., Akechi, T., Soma, T., Iidaka, T. & Furukawa, T. A. (2009) Changes after behavior therapy among responsive and nonresponsive patients with obsessive-compulsive disorder. *Psychiatry Research*, 172, 242-250.
 158. Okuyama T, Endo C, Seto T, Kato M, Seki N, Akechi T, Furukawa TA, Eguchi K & Hosaka T (2009) Cancer patients' reluctance to discuss psychological distress with their physicians was not associated with underrecognition of depression by physicians: a preliminary study. *Palliative and Supportive Care*, 7, 229-233.
 159. Nakagawa A, Watanabe N, Omori IM, Barbui C, Cipriani A, McGuire H, Churchill R & Furukawa TA (2009) Milnacipran versus other antidepressive agents for depression. *Cochrane Database Syst Rev*, CD006529.
 160. Tatsumi H, Nakaaki S, Torii K, Shinagawa Y, Watanabe N, Murata Y, Sato J, Mimura M & Furukawa TA (2009) Neuropsychiatric symptoms predict change in quality of life of Alzheimer disease patients: a two-year follow-up study. *Psychiatry and Clinical Neurosciences*, 63, 374-384.
 161. Chen J, Furukawa TA, Nakano Y, Itsugu T, Ogawa S, Funayama T, Watanabe N, Noda Y

- & Rapee RM (2009) Video feedback with peer ratings in naturalistic anxiety-provoking situations for social anxiety disorder: preliminary report. *Journal of Behavior Therapy and Experimental Psychiatry*.
162. Azuma H, Segawa K, Nakaaki S, Murata Y, Kawakami K, Tohyama J, Iidaka T, Shinagawa Y, Nakano Y, Yamada A, Watanabe N, Hongo J, Akechi T & Furukawa TA (2009) Neural correlates of memory in depression measured by brain perfusion SPECT at rest. *Psychiatry and Clinical Neurosciences*, 63, 685-692.
163. Furukawa TA, Katherine Shear M, Barlow DH, Gorman JM, Woods SW, Money R, Etschel E, Engel RR & Leucht S (2009) Evidence-based guidelines for interpretation of the Panic Disorder Severity Scale. *Depression and Anxiety*, 26, 922-929.
164. Omori IM, Watanabe N, Nakagawa A, Akechi T, Cipriani A, Barbui C, McGuire H, Churchill R & Furukawa TA (2009) Efficacy, tolerability and side-effect profile of fluvoxamine for major depression: meta-analysis. *Journal of Psychopharmacology*, 23, 539-550.
165. Tsuchiya M, Kawakami N, Ono Y, Nakane Y, Nakamura Y, Tachimori H, Iwata N, Uda H, Nakane H, Watanabe M, Naganuma Y, Furukawa TA, Hata Y, Kobayashi M, Miyake Y, Takeshima T, Kikkawa T & Kessler RC (2009) Lifetime comorbidities between phobic disorders and major depression in Japan: results from the World Mental Health Japan 2002-2004 Survey. *Depression and Anxiety*, 26, 949-955.
166. Kojima M, Kojima T, Ishiguro N, Oguchi T, Oba M, Tsuchiya H, Sugiura F, Furukawa TA, Suzuki S & Tokudome S (2009) Psychosocial factors, disease status, and quality of life in patients with rheumatoid arthritis. *Journal of Psychosomatic Research*, 67, 425-431.
167. Tominaga M, Kawakami N, Ono Y, Nakane Y, Nakamura Y, Tachimori H, Iwata N, Uda H, Nakane H, Watanabe M, Naganuma Y, Furukawa TA, Hata Y, Kobayashi M, Miyake Y, Takeshima T & Kikkawa T (2009) Prevalence and correlates of illicit and non-medical use of psychotropic drugs in Japan : Findings from the World Mental Health Japan Survey 2002-2004. *Social Psychiatry and Psychiatric Epidemiology*, 44, 777-783.
168. Okuyama T, Akechi T, Yamashita H, Toyama T, Endo C, Sagawa R, Uchida M & Furukawa TA (2009) Reliability and validity of the Japanese version of the Short-form Supportive Care Needs Survey questionnaire (SCNS-SF34-J). *Psycho-Oncology*, 18, 1003-1010.
169. Watanabe N, Omori IM, Nakagawa A, Cipriani A, Barbui C, McGuire H, Churchill R & Furukawa TA (2010) Safety reporting and adverse-event profile of mirtazapine described in randomized controlled trials in comparison with other classes of antidepressants in the acute-phase treatment of adults with depression: systematic review and meta-analysis. *CNS Drugs*, 24, 35-53.
170. Akechi T, Okamura H, Nakano T, Akizuki N, Okamura M, Shimizu K, Okuyama T,

- Furukawa TA & Uchitomi Y (2010) Gender differences in factors associated with suicidal ideation in major depression among cancer patients. *Psycho-Oncology*, 19, 384-389.
171. Akechi T, Ishiguro C, Okuyama T, Endo C, Sagawa R, Uchida M & Furukawa TA (2010) Delirium training program for nurses. *Psychosomatics*, 51, 106-111.
172. Kessler RC, Green JG, Gruber MJ, Sampson NA, Bromet E, Cuitan M, Furukawa TA, Gureje O, Hinkov H, Hu CY, Lara C, Lee S, Mneimneh Z, Myer L, Oakley-Browne M, Posada-Villa J, Sagar R, Viana MC & Zaslavsky AM (2010) Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. *International Journal of Methods in Psychiatric Research*, 19, 4-22.
173. Yamamoto N, Inada T, Shimodera S, Morokuma I & Furukawa TA (2010) Brief PANSS (bPANSS) to assess and monitor the overall severity of schizophrenia. *Psychiatry and Clinical Neurosciences*, 64, 262-267.
174. Akazawa T, Akechi T, Morita T, Miyashita M, Sato K, Tsuneto S, Shima Y & Furukawa TA (2010) Self-perceived burden in terminally ill cancer patients: A categorization of care strategies based on bereaved family members' perspective. *Journal of Pain and Symptom Management*, 40, 224-234.
175. Suzuki Y, Furukawa TA, Kawakami N, Horiguchi I, Ishimaru K & Kim Y (2010) Predictors for psychological distress after the Niigata-Chuetsu earthquake in Japan using pre-disaster physical health indicators. *Journal of Mental Health (Seishin-Hoken-Kenkyu)*, 56, 89-97.
176. Okuyama, T., Endo, C., Seto, T., Kato, M., Seki, N., Akechi, T. & Furukawa, T. A. (in press) Cancer patients' reluctance to disclose their emotional distress to their physicians: a study in Japanese patients with lung cancer. *Psycho-Oncology*.
177. Saito M, Iwata N, Kawakami N, Matsuyama Y, Ono Y, Nakane Y, Nakamura Y, Tachimori H, Uda H, Nakane H, Watanabe M, Naganuma Y, Furukawa TA, Hata Y, Kobayashi M, Miyake Y, Takeshima T & Kikkawa T (2010) Evaluation of the DSM-IV and ICD-10 criteria for depressive disorders in a community population in Japan using item response theory. *Int J Methods Psychiatr Res*, 19, 211-222.
178. Azuma H, Ichikawa U, Katsumata R, Akechi T & Furukawa TA (2010) Paroxysmal nonkinetic dyskinesia with depression treated by bilateral electroconvulsive therapy. *Journal of Neuropsychiatry and Clinical Neurosciences*, 22, 352d e356-352 e356.
179. Ogawa S, Furukawa TA, Nakano Y, Funayama T, Watanabe N, Noguchi Y & Sasaki M (2010) Interoceptive hypersensitivity as prognostic factor among patients with panic disorder who have received cognitive behavioral therapy. *Journal of Behavior Therapy and Experimental Psychiatry*, 41, 325-329.
180. Katsumata R, Sagawa R, Akechi T, Shinagawa Y, Nakaaki S, Inagaki A, Okuyama T,

- Akazawa T & Furukawa TA (2010) A case with Hodgkin lymphoma and fronto-temporal lobular degeneration (FTLD)-like dementia facilitated by chemotherapy. *Japanese Journal of Clinical Oncology*, 40, 365-368.
181. Kojima M, Hayano J, Suzuki S, Seno H, Kasuga H, Takahashi H, Toriyama T, Kawahara H & Furukawa TA (2010) Depression, Alexithymia and Long-Term Mortality in Chronic Hemodialysis Patients. *Psychotherapy and Psychosomatics*, 79, 303-311.
182. Omori IM, Watanabe N, Nakagawa A, Cipriani A, Barbui C, McGuire H, Churchill R & Furukawa TA (2010) Fluvoxamine versus other anti-depressive agents for depression. *Cochrane Database of Systematic Reviews*, 3, CD006114.
183. Akechi T, Okuyama T, Endo C, Sagawa R, Uchida M, Nakaguchi T, Sakamoto M, Komatsu H, Ueda R, Wada M & Furukawa TA (2010) Anticipatory nausea among ambulatory cancer patients undergoing chemotherapy: Prevalence, associated factors, and impact on quality of life. *Cancer Science*, 101, 2596-2600.
184. Watanabe N, Furukawa TA, Chen J, Kinoshita Y, Nakano Y, Ogawa S, Funayama T, Ietsugu T & Noda Y (2010) Change in quality of life and their predictors in the long-term follow-up after group cognitive behavioral therapy for social anxiety disorder: a prospective cohort study. *BMC Psychiatry*, 10, 81.
185. Akechi T, Okuyama T, Sagawa R, Uchida M, Nakaguchi T, Ito Y & Furukawa TA (2011) Social anxiety disorder as a hidden psychiatric comorbidity among cancer patients. *Palliative and Supportive Care*, 9, 103-105.
186. Azuma H, Yamada A, Shinagawa Y, Nakano Y, Watanabe N, Akechi T & Furukawa TA (2011) Ictal physiological characteristics of remitters during bilateral electroconvulsive therapy. *Psychiatry Research*, 185, 462-464.
187. Furukawa TA, Akechi T, Wagenpfeil S & Leucht S (2011) Relative indices of treatment effect may be constant across different definitions of response in schizophrenia trials. *Schizophrenia Research*, 126, 212-219.
188. Kinoshita Y, Shimodera S, Nishida A, Kinoshita K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA & Okazaki Y (2011) Psychotic-like experiences are associated with violent behavior in adolescents. *Schizophrenia Research*, 126, 245-251.
189. Ono Y, Furukawa TA, Shimizu E, Okamoto Y, Nakagawa A, Fujisawa D, Ishii T & Nakajima S (2011) Current status of research on cognitive therapy/cognitive behavior therapy in Japan. *Psychiatry and Clinical Neurosciences*, 65, 121-129.
190. Katsuki F, Takeuchi H, Konishi M, Sasaki M, Murase Y, Naito A, Toyoda H, Suzuki M, Shiraishi N, Kubota Y, Yoshimatsu Y & Furukawa TA (2011) Pre-post changes in psychosocial functioning among relatives of patients with depressive disorders after Brief Multifamily Psychoeducation: A pilot study. *BMC Psychiatry*, 11, 56.

191. Furukawa TA & Leucht S (2011) How to obtain NNT from Cohen's d: comparison of two methods. *PLoS ONE*, 6, e19070.
192. Hashimoto N, Nakaaki S, Omori IM, Fujioi J, Noguchi Y, Murata Y, Sato J, Tatsumi H, Torii K, Mimura M & Furukawa TA (2011) Distinct neuropsychological profiles of three major symptom dimensions in obsessive-compulsive disorder *Psychiatry Research*, 187, 166-173.
193. Sagawa R, Yoshida A, Funayama T, Okuyama T, Akechi T & Furukawa TA (2011) Case of intrathecal baclofen-induced psychotic symptoms. *Psychiatry and Clinical Neurosciences*, 65, 300-301.
194. Furukawa TA, Akechi T, Shimodera S, Yamada M, Miki K, Watanabe N, Inagaki M & Yonemoto N (2011) Strategic use of new generation antidepressants for depression: SUN(^_~)D study protocol. *Trials*, 12, 116.
195. Shimazu K, Shimodera S, Mino Y, Nishida A, Kamimura N, Sawada K, Fujita H, Furukawa TA & Inoue S (2011) Family psychoeducation for major depression: randomised controlled trial. *British Journal of Psychiatry*, 198, 385-390.
196. Watanabe N, Furukawa TA, Shimodera S, Morokuma I, Katsuki F, Fujita H, Sasaki M, Kawamura C & Perlis ML (2011) Brief behavioral therapy for refractory insomnia in residual depression: an assessor-blind, randomized controlled trial. The *Journal of Clinical Psychiatry*, 72, 1651-1658.
197. Watanabe N, Omori IM, Nakagawa A, Cipriani A, Barbui C, Churchill R & Furukawa TA (2011) Mirtazapine versus other antidepressive agents for depression. *Cochrane Database of Systematic Reviews*, 12, CD006528.
198. Akechi T, Okuyama T, Endo C, Sagawa R, Uchida M, Nakaguchi T, Akazawa T, Yamashita H, Toyama T & Furukawa TA (2011) Patient's perceived need and psychological distress and/or quality of life in ambulatory breast cancer patients in Japan. *Psycho-Oncology*, 20, 497-505.
199. Torii K, Nakaaki S, Banno K, Murata Y, Sato J, Tatsumi H, Yamanaka K, Narumoto J, Mimura M, Akechi T & Furukawa TA (2011) Reliability and validity of the Japanese version of the Agitated Behaviour in Dementia Scale in Alzheimer's disease: three dimensions of agitated behaviour in dementia. *Psychogeriatrics : the official journal of the Japanese Psychogeriatric Society*, 11, 212-220.
200. Okuyama T, Akechi T, Yamashita H, Toyama T, Nakaguchi T, Uchida M & Furukawa TA (2011) Oncologists' recognition of supportive care needs and symptoms of their patients in a breast cancer outpatient consultation. *Japanese Journal of Clinical Oncology*, 41, 1251-1258.
201. Uchida M, Akechi T, Okuyama T, Sagawa R, Nakaguchi T, Endo C, Yamashita H, Toyama

- T & Furukawa TA (2011) Patients' supportive care needs and psychological distress in advanced breast cancer patients in Japan. *Japanese Journal of Clinical Oncology*, 41, 530-536.
202. Furukawa TA, Azuma H, Takeuchi H, Kitamura T & Takahashi K (2011) 10-year course of social adjustment in major depression. *International Journal of Social Psychiatry*, 57, 501-508.
203. Kinoshita Y, Kingdon D, Kinoshita K, Saka K, Arisue Y, Dayson D, Nakaaki S, Fukuda K, Yoshida K, Harris S & Furukawa TA (2011) Fear of negative evaluation is associated with delusional ideation in non-clinical population and patients with schizophrenia. *Social Psychiatry and Psychiatric Epidemiology*, 46, 703-710.
204. Thorlund K, Walter SD, Johnston BC, Furukawa TA & Guyatt GH (2011) Pooling continuous outcomes in meta-analysis: a tutorial and review of 12 methods for enhancing interpretability. *Research Synthesis Methods*, 2, 188-203.
205. Johnston BC, Thorlund K, da Costa BR, Furukawa TA & Guyatt GH (2012) New methods can extend the use of minimal important difference units in meta-analyses of continuous outcome measures. *Journal of Clinical Epidemiology*, 65, 817-826.
206. Kinoshita K, Kinoshita Y, Shimodera S, Nishida A, Inoue K, Watanabe N, Oshima N, Akechi T, Sasaki T, Inoue S, Furukawa TA & Okazaki Y (2012) Not only body weight perception but also body mass index is relevant to suicidal ideation and self-harming behavior in Japanese adolescents. *Journal of Nervous and Mental Disease*, 200, 305-309.
207. Kinoshita Y, Kingdon D, Kinoshita K, Sarafudheen S, Umadi D, Dayson D, Hansen L, Rathod S, Ibbotson RB, Turkington D & Furukawa TA (2012) A semi-structured clinical interview for psychosis sub-groups (SCIPS): development and psychometric properties. *Social Psychiatry and Psychiatric Epidemiology*, 47, 563-580.
208. Shimodera S, Imai Y, Kamimura N, Morokuma I, Fujita H, Inoue S & Furukawa TA (2012) Mapping hypofrontality during letter fluency task in schizophrenia: a multi-channel near-infrared spectroscopy study. *Schizophrenia Research*, 136, 63-69.
209. Furukawa TA, Horikoshi M, Kawakami N, Kadota M, Sasaki M, Sekiya Y, Hosogoshi H, Kashimura M, Asano K, Terashima H, Iwasa K, Nagasaku M, Grothaus LC & on behalf of the GENKI Project (2012) Telephone cognitive-behavioral therapy for subthreshold depression and presenteeism in workplace: a randomized controlled trial. *PLoS ONE*, 7, e35330.
210. Shimodera S, Furukawa TA, Mino Y, Shimazu K, Nishida A & Inoue S (2012) Cost-effectiveness of family psychoeducation to prevent relapse in major depression: Results from a randomized controlled trial. *BMC Psychiatry*, 12, 40.
211. Umeda M & Kawakami N (2012) Association of childhood family environments with the

- risk of social withdrawal ('hikikomori') in the community population in Japan. *Psychiatry and Clinical Neurosciences*, 66, 121-129.
212. Shimodera S, Kato T, Sato H, Miki K, Shinagawa Y, Kondo M, Fujita H, Morokuma I, Ikeda Y, Akechi T, Watanabe N, Yamada M, Inagaki M, Yonemoto N, Furukawa TA & For the SUN(^_~)D Investigators (2012) The first 100 patients in the SUN(^_~)D trial (Strategic Use of New generation antidepressants for Depression): Examination of feasibility and adherence during the pilot phase. *Trials*, 13, 80.
 213. Cipriani A, Purgato M, Furukawa TA, Trespudi C, Imperadore G, Signoretti A, Churchill R, Watanabe N & Barbui C (2012) Citalopram versus other anti-depressive agents for depression. *Cochrane Database of Systematic Reviews*, 7, CD006534.
 214. Watanabe N, Nishida A, Shimodera S, Inoue K, Oshima N, Sasaki T, Inoue S, Akechi T, Furukawa TA & Okazaki Y (2012) Help seeking behaviors among adolescents with self harm: Representative self-report survey of 18104 students. *Neuropsychiatric Disease and Treatment*, 8, 561-569.
 215. Tsuchiya M, Kawakami N, Ono Y, Nakane Y, Nakamura Y, Fukao A, Tachimori H, Iwata N, Uda H, Nakane H, Watanabe M, Oorui M, Naganuma Y, Furukawa TA, Kobayashi M, Ahiko T, Takeshima T & Kikkawa T (2012) Impact of mental disorders on work performance in a community sample of workers in Japan: the World Mental Health Japan Survey 2002-2005. *Psychiatry Research*, 198, 140-145.
 216. Shimodera S, Imai Y, Kamimura N, Morokuma I, Fujita H, Inoue S & Furukawa TA (2012) Near-infrared spectroscopy (NIRS) of bipolar disorder may be distinct from that of unipolar depression and of healthy controls. *Asia-Pacific Psychiatry*, 4, 258-265.
 217. Yamada A, Kato M, Suzuki M, Watanabe N, Akechi T & Furukawa TA (2012) Quality of life of parents raising children with pervasive developmental disorders. *BMC Psychiatry*, 12, 119.
 218. Shimodera S, Kawamura A & Furukawa TA (2012) Physical pain associated with depression: results of a survey in Japanese patients and physicians. *Comprehensive Psychiatry*, 53, 843-849.
 219. Shimodera S, Yonekura Y, Yamaguchi S, Kawamura A, Mizuno M, Inoue S, Furukawa TA & Mino Y (2012) Bipolar I disorder and expressed emotion of families: A cohort study in Japan. *Open Journal of Psychiatry*, 2, 258-261.
 220. Qin L, Shimodera S, Fujita H, Morokuma I, Nishida A, Kamimura N, Mizuno M, Furukawa TA & Inoue S (2012) Duration of untreated psychosis in a rural/suburban region of Japan. *Early Intervention in Psychiatry*, 6, 239-246.
 221. Watanabe N, Nishida A, Shimodera S, Inoue K, Oshima N, Sasaki T, Inoue S, Akechi T, Furukawa TA & Okazaki Y (2012) Deliberate self-harm in adolescents aged 12 to 18: A

- cross-sectional survey of 18104 students. Suicide and Life-Threatening Behavior, 42, 550-560.
222. Cipriani A, Koesters M, Furukawa TA, Nose M, Purgato M, Omori IM, Trespidi C & Barbui C (2012) Duloxetine versus other anti-depressive agents for depression. Cochrane Database of Systematic Reviews, 10, CD006533.
223. Guyatt GH, Thorlund K, Oxman AD, Walter SD, Patrick D, Furukawa TA, Johnston BC, Karanicolas P, Akl EA, Vist G, Kunz R, Brozek J, Kupper LL, Martin SL, Meerpohl JJ, Alonso-Coello P, Christensen R & Schunemann HJ (2013) GRADE guidelines: 13. Preparing Summary of Findings tables and evidence profiles-continuous outcomes. Journal of Clinical Epidemiology, 66, 173-183.
224. Nakaaki S, Sato J, Torii K, Oka M, Negi A, Nakamae T, Narumoto J, Miyata J, Furukawa TA & Mimura M (2013) Neuroanatomical abnormalities before the onset of delusions in patients with Alzheimer's disease: A voxel-based morphometry study. Neuropsychiatric Disease and Treatment, 9, 1-8.
225. Sato J, Nakaaki S, Torii K, Oka M, Negi A, Tatsumi H, Narumoto J, Furukawa TA & Mimura M (2013) Behavior management approach for agitated behavior in Japanese patients with dementia: A pilot study. Neuropsychiatric Disease and Treatment, 9, 9-14.
226. Nakaaki S, Sato J, Torii K, Oka M, Negi A, Nakamae T, Narumoto J, Miyata J, Furukawa TA & Mimura M (2013) Diffusion white matter integrity before the onset of delusions in patients with Alzheimer's disease: Diffusion tensor imaging. Neuropsychiatric Disease and Treatment, 9, 25-29.
227. Honda M, Kuriyama A, Noma H, Nunobe S & Furukawa TA (2013) Hand-Sewn Versus Mechanical Esophagogastric Anastomosis After Esophagectomy: A Systematic Review and Meta-Analysis. Annals of Surgery, 257, 238-248.
228. Kawaguchi A, Watanabe N, Nakano Y, Ogawa S, Suzuki M, Kondo M, Furukawa TA & Akechi T (2013) Group cognitive behavioral therapy for patients with generalized social anxiety disorder in Japan: outcomes at 1-year follow up and outcome predictors. Neuropsychiatric Disease and Treatment, 9, 1-9.
229. Furukawa TA & Leucht S (2013) Can we inflate effect size and thus increase chances of producing "positive" results if we raise the baseline threshold in schizophrenia trials? Schizophrenia Research, 144, 105-108.
230. Sugiura-Ogasawara M, Nakano Y, Ozaki Y & Furukawa T (2013) Possible involvement of depression after systematic examination and explanation of live birth rates among women with recurrent miscarriage. Journal of Obstetrics and Gynaecology, 33, 171-174.
231. Furukawa TA, Nakano Y, Funayama T, Ogawa S, Ietsugu T, Noda Y, Chen J, Watanabe N & Akechi T (2013) Cognitive-behavioral therapy modifies the naturalistic course of social

- anxiety disorder: Findings from an ABA design study in routine clinical practices. *Psychiatry and Clinical Neurosciences*, 67, 139-147.
232. Kido Y, Kawakami N & WHO World Mental Health Japan Survey Group (2013) Sociodemographic determinants of attitudinal barriers in the use of mental health services in Japan: Findings from the World Mental Health Japan Survey 2002–2006. *Psychiatry and Clinical Neurosciences*, 67, 101-109.
233. So M, Yamaguchi S, Hashimoto S, Sado M, Furukawa TA & McCrone P (2013) Is computerised CBT really helpful for adult depression?-A meta-analytic re-evaluation of CCBT for adult depression in terms of clinical implementation and methodological validity. *BMC Psychiatry*, 13, 113.
234. Inagaki M, Ohtsuki T, Yonemoto N, Oikawa Y, Kurosawa M, Muramatsu K, Furukawa TA & Yamada M (2013) Prevalence of depression among outpatients visiting a general internal medicine polyclinic in rural Japan. *General Hospital Psychiatry*, 35, 286-290.
235. Inagaki M, Ohtsuki T, Yonemoto N, Kawashima Y, Saitoh A, Oikawa Y, Kurosawa M, Muramatsu K, Furukawa TA & Yamada M (2013) Validity of the Patient Health Questionnaire (PHQ)-9 and PHQ-2 in general internal medicine primary care at a Japanese rural hospital: a cross-sectional study. *General Hospital Psychiatry*, 35, 592-597.
236. Ando S, Yamasaki S, Shimodera S, Sasaki T, Oshima N, Furukawa TA, Asukai N, Kasai K, Mino Y, Inoue S, Okazaki Y & Nishida A (2013) A greater number of somatic pain sites is associated with poor mental health in adolescents: a cross-sectional study. *BMC Psychiatry*, 13, 30.
237. Imai H, Furukawa TA, Okumiya K, Wada T, Fukutomi E, Sakamoto R, Fujisawa M, Ishimoto Y, Kimura Y, Chen WL, Tanaka M & Matsubayashi K (2013) The postcard intervention against depression among community-dwelling older adults: study protocol for a randomized controlled trial. *Trials*, 14, 202.
238. Nakano Y, Akechi T, Furukawa TA & Sugiura-Ogasawara M (2013) Cognitive behavior therapy for psychological distress in patients with recurrent miscarriage. *Psychology Research and Behavior Management*, 6, 37-43.
239. Funayama T, Furukawa TA, Nakano Y, Noda Y, Ogawa S, Watanabe N, Chen J & Noguchi Y (2013) In-situation safety behaviors among patients with panic disorder: descriptive and correlational study. *Psychiatry and Clinical Neurosciences*, 67, 332-339.
240. Onishi Y, Hinotsu S, Furukawa TA & Kawakami K (2013) Psychotropic prescription patterns among patients diagnosed with depressive disorder based on claims database in Japan. *Clinical drug investigation*, 33, 597-605.
241. Furukawa TA, Onishi Y, Hinotsu S, Tajika A, Takeshima N, Shinohara K, Ogawa Y, Hayasaka Y & Kawakami K (2013) Prescription patterns following first-line new

- generation antidepressants for depression in Japan: a naturalistic cohort study based on a large claims database. *Journal of Affective Disorders*, 150, 916-922.
242. Magni LR, Purgato M, Gastaldon C, Papola D, Furukawa TA, Cipriani A & Barbui C (2013) Fluoxetine versus other types of pharmacotherapy for depression. *Cochrane Database of Systematic Reviews*, 7, CD004185.
243. Shinohara K, Honyashiki M, Imai H, Hunot V, Caldwell D, Davies P, Moore TH, Furukawa TA & Churchill R (2013) Behavioural therapies versus other psychological therapies for depression. *Cochrane Database of Systematic Reviews*, 10, CD008696.
244. Churchill R, Moore TH, Furukawa TA, Caldwell DM, Davies P, Jones H, Shinohara K, Imai H, Lewis G & Hunot V (2013) 'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. *Cochrane Database of Systematic Reviews*, 10, CD008705.
245. Hunot V, Moore TH, Caldwell DM, Furukawa TA, Davies P, Jones H, Honyashiki M, Chen P, Lewis G & Churchill R (2013) 'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. *Cochrane Database of Systematic Reviews*, 10, CD008704.
246. Watanabe N, Furukawa TA, Shimodera S, Katsuki F, Fujita H, Sasaki M, Suga Y, Kakeda K & Perlis ML (2013) Can assessors in a trial of psychotherapy be successfully blinded? Analysis of a randomized controlled trial on psychotherapy for refractory insomnia in residual depression. *Psychotherapy and Psychosomatics*, 82, 401-403.
247. Kinoshita Y, Furukawa TA, Kinoshita K, Honyashiki M, Omori IM, Marshall M, Bond GR, Huxley P, Amano N & Kingdon D (2013) Supported employment for adults with severe mental illness. *Cochrane Database of Systematic Reviews*, 9, CD008297.
248. Samara MT, Spineli LM, Furukawa TA, Engel RR, Davis JM, Salanti G & Leucht S (2013) Imputation of response rates from means and standard deviations in schizophrenia. *Schizophrenia Research*, 151, 209-214.
249. Morokuma I, Shimodera S, Fujita H, Hashizume H, Kamimura N, Kawamura A, Nishida A, Furukawa TA & Inoue S (2013) Psychoeducation for major depressive disorders: a randomised controlled trial. *Psychiatry Research*, 210, 134-139.
250. Banno K, Nakaaki S, Sato J, Torii K, Oka M, Negi A, Narumoto J, Miyata J, Hirono N, Furukawa TA, Mimura M & Akechi T (2014) Neural basis of three dimensions of agitated behaviors in patients with Alzheimer disease. *Neuropsychiatric Disease and Treatment*, 10, 339-348.
251. Chen P, Furukawa TA, Shinohara K, Honyashiki M, Imai H, Ichikawa K, Caldwell DM, Hunot V & Churchill R (2014) Quantity and quality of psychotherapy trials for depression in the past five decades. *Journal of Affective Disorders*, 165, 190-195.

252. Furukawa TA, Noma H, Caldwell DM, Honyashiki M, Shinohara K, Imai H, Chen P, Hunot V & Churchill R (2014) Waiting list may be a nocebo condition in psychotherapy trials: a contribution from network meta-analysis. *Acta Psychiatrica Scandinavica*, 130, 181-192.
253. Furukawa TA, Watanabe N, Kinoshita Y, Kinoshita K, Sasaki T, Nishida A, Okazaki Y & Shimodera S (2014) Public speaking fears and their correlates among 17,615 Japanese adolescents. *Asia-Pacific Psychiatry*, 6, 99-104.
254. Hashimoto N, Nakaaki S, Kawaguchi A, Sato J, Kasai H, Nakamae T, Narumoto J, Miyata J, Furukawa TA & Mimura M (2014) Brain structural abnormalities in behavior therapy-resistant obsessive-compulsive disorder revealed by voxel-based morphometry. *Neuropsychiatric Disease and Treatment*, 10, 1987-1996.
255. Honyashiki M, Furukawa TA, Noma H, Tanaka S, Chen P, Ichikawa K, Ono M, Churchill R, Hunot V & Caldwell DM (2014) Specificity of CBT for depression: a contribution from multiple treatments meta-analyses. *Cognitive Therapy and Research*, 38, 249-260.
256. Imai H, Furukawa TA, Kasahara Y, Ishimoto Y, Kimura Y, Fukutomi E, Chen WL, Tanaka M, Sakamoto R, Wada T, Fujisawa M, Okumiya K & Matsubayashi K (2014) The ipsative imputation for a 15-item Geriatric Depression Scale in community-dwelling elderly people. *Psychogeriatrics*, 14, 182-187.
257. Imai H, Tajika A, Chen P, Pompili A, Guaiana G, Castellazzi M, Bighelli I, Girlanda F, Barbui C, Koesters M, Cipriani A & Furukawa TA (2014) Azapirone versus placebo for panic disorder in adults. *Cochrane Database of Systematic Reviews*, CD010828.
258. Imamura K, Kawakami N, Furukawa TA, Matsuyama Y, Shimazu A, Umanodan R, Kawakami S & Kasai K (2014) Effects of an internet-based cognitive behavioral therapy (iCBT) program in Manga format on improving subthreshold depressive symptoms among healthy workers: A randomized controlled trial. *PLoS ONE*, 9, e97167.
259. Miura T, Noma H, Furukawa TA, Mitsuyasu H, Tanaka S, Stockton S, Salanti G, Motomura K, Shimano-Katsuki S, Leucht S, Cipriani A, Geddes JR & Kanba S (2014) Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: A network meta-analysis. *Lancet Psychiatry*, 1, 351-359.
260. Ogawa Y, Tajika A, Takeshima N, Hayasaka Y & Furukawa TA (2014) Mood stabilizers and antipsychotics for acute mania: a systematic review and meta-analysis of combination/augmentation therapy versus monotherapy. *CNS Drugs*, 28, 989-1003.
261. Onishi A & Furukawa TA (2014) Publication bias is underreported in systematic reviews published in high-impact-factor journals: metaepidemiologic study. *Journal of Clinical Epidemiology*, 67, 1320-1326.
262. Purgato M, Papola D, Gastaldon C, Trespidi C, Magni LR, Rizzo C, Furukawa TA,

- Watanabe N, Cipriani A & Barbui C (2014) Paroxetine versus other anti-depressive agents for depression. *Cochrane Database of Systematic Reviews*, CD006531.
263. Shimodera S, Watanabe N, Furukawa TA, Katsuki F, Fujita H, Sasaki M & Perlis ML (2014) Change in quality of life after brief behavioural therapy for insomnia in concurrent depression: Analysis of the effects of a randomized controlled trial. *Journal of Clinical Sleep Medicine*, 10, 433-439.
264. Shiraishi N, Nishida A, Shimodera S, Sasaki T, Oshima N, Watanabe N, Akechi T, Furukawa TA & Okazaki Y (2014) Relationship between Violent Behavior and Repeated Weight-Loss Dieting among Female Adolescents in Japan. *PLoS ONE*, 9, e107744.
265. Shiraishi N, Watanabe N, Kinoshita Y, Kaneko A, Yoshida S, Furukawa TA & Akechi T (2014) Brief psychoeducation for schizophrenia primarily intended to change the cognition of auditory hallucinations: an exploratory study. *Journal of Nervous and Mental Disease*, 202, 35-39.
266. Suzuki M, Yamada A, Watanabe N, Akechi T, Katsuki F, Nishiyama T, Imaeda M, Miyachi T, Otaki K, Mitsuda Y, Ota A & Furukawa TA (2014) A failure to confirm the effectiveness of a brief group psychoeducational program for mothers of children with high-functioning pervasive developmental disorders: A randomized controlled pilot trial. *Neuropsychiatric Disease and Treatment*, 10, 1141-1153.
267. Takeshima N, Sozu T, Tajika A, Ogawa Y, Hayasaka Y & Furukawa TA (2014) Which is more generalizable, powerful and interpretable in meta-analyses, mean difference or standardized mean difference? *BMC Medical Research Methodology*, 14, 30.
268. Tomitaka S & Furukawa TA (2014) Mathematical model for the distribution of major depressive episode durations. *BMC Research Notes*, 7, 636.
269. Furukawa TA, Levine SZ, Tanaka S, Goldberg Y, Samara M, Davis JM, Cipriani A & Leucht S (2015) Initial severity of schizophrenia and efficacy of antipsychotics: Participant-level meta-analysis of 6 placebo-controlled studies. *JAMA Psychiatry*, 72, 14-21.
270. Tomitaka S, Kawasaki Y & Furukawa TA (2015) Right tail of the distribution of depressive symptoms is stable and follows an exponential curve during middle adulthood. *PLoS ONE*, 10, e0114624.
271. Watanabe N, Furukawa TA, Horikoshi M, Katsuki F, Narisawa T, Kumachi M, Oe Y, Shinmei I, Noguchi H, Hamazaki K & Matsuoka Y (2015) A mindfulness-based stress management program and treatment with omega-3 fatty acids to maintain a healthy mental state in hospital nurses - Happy Nurse Project: study protocol for a randomized controlled trial. *Trials*, 16, 36.
272. Imamura K, Kawakami N, Furukawa TA, Matsuyama Y, Shimazu A, Umanodan R,

- Kawakami S & Kasai K (2015) Effects of an internet-based cognitive behavioral therapy intervention on improving work engagement and other work-related outcomes: An analysis of secondary outcomes of a randomized controlled trial. *Journal of Occupational and Environmental Medicine*.
273. Imamura K, Kawakami N, Furukawa TA, Matsuyama Y, Shimazu A, Umanodan R, Kawakami S & Kasai K (2015) Effects of an internet-based cognitive behavioral therapy (iCBT) intervention on preventing major depressive episode among workers: A protocol for a randomized controlled trial. *BMJ Open*, 5, e007590.
274. Hayasaka Y, Purgato M, Magni LR, Ogawa Y, Takeshima N, Cipriani A, Barbui C, Leucht S & Furukawa TA (2015) Dose equivalents of antidepressants: Evidence-based recommendations from randomized controlled trials. *Journal of Affective Disorders*, 180, 179-184.
275. Watanabe N, Furukawa TA, Shimodera S, Katsuki F, Fujita H, Sasaki M, Sado M & Perlis ML (in press) Cost-effectiveness of brief behavioral therapy for insomnia comorbid with depression: Analysis of a randomized controlled trial. *Psychiatry and Clinical Neurosciences*.
276. Tajika A, Ogawa Y, Takeshima N, Hayasaka Y & Furukawa TA (in press) Replication and contradiction of highly cited research papers in psychiatry: 10-year follow-up. *British Journal of Psychiatry*.
277. Imamura K, Kawakami N, Furukawa TA, Matsuyama Y, Shimazu A, Umanodan R, Kawakami S & Kasai K (in press) Does internet-based cognitive behavioral therapy (iCBT) prevent major depressive episode for workers? A 12-month follow-up of a randomised controlled trial. *Psychological Medicine*.
278. Zhang Y, Zhang S, Thabane L, Furukawa TA, Johnston BC & Guyatt GH (in press) Though not consistently superior, the absolute approach to framing the minimally important difference has advantages over the relative approach. *Journal of Clinical Epidemiology*.
279. Foote CJ, Chaudhry H, Bhandari M, Thabane L, Furukawa TA, Petrisor B & Guyatt G (in press) Network meta-analysis: Users' guide for surgeons. Part I - Credibility. *Clinical Orthopaedics and Related Research*.
280. Chaudhry H, Foote CJ, Guyatt G, Thabane L, Furukawa TA, Petrisor B & Bhandari M (in press) Network meta-analysis: Users' guide for surgeons. Part II - Certainty. *Clinical Orthopaedics and Related Research*.
281. Leucht S, Samara M, Heres S, Patel MX, Furukawa TA, Cipriani A, Geddes J & Davis JM (in press) Dose equivalents for second generation antipsychotic drugs. *Schizophrenia Bulletin*.
282. Watanabe K, Yokoyama K & Furukawa TA (in press) Reliability and validity of the

Japanese version of the Coping Inventory for Adults for Stressful Situations in healthy people. Psychological Reports.

283. Imai H, Furukawa TA, Okumiya K, Wada T, Fukutomi E, Sakamoto R, Fujisawa M, Ishimoto Y, Kimura Y, Chen WL, Tanaka M & Matsubayashi K (in press) Postcard intervention for depression in community-dwelling older adults: A randomised controlled trial. Psychiatry Research.

Books and book chapters in English

1. Furukawa, T. (2002). Overview of recent research on premorbid personality of mood disorders in Japan. In Recent Advances in the Research of Affective Disorders in Japan (Eds. Okuma, T, Kanba, S, Inoue, Y), Elsevier: Amsterdam, 23-35.
2. Furukawa, T. A., Jaeschke, R., Cook, D. & Guyatt, G. (2008) Measurement of Patients' Experience. In Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice (2nd edn). (eds G. Guyatt, R. Drummond, M. O. Meade, et al), pp. 249-271. New York: The McGraw-Hill Companies, Inc.
3. Furukawa, T. A., Strauss, S., Bucher, H. C. & Guyatt, G. (2008) Diagnostic Tests. In Users' Guides to the Medical Literature: A Manual for Evidence-Based Practice (2nd edn). (eds G. Guyatt, R. Drummond, M. O. Meade, et al), pp. 419-438. New York: The McGraw-Hill Companies, Inc.
4. Guyatt, G. & Furukawa, T. A. (2008) An illustration of bias and random error. In Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice. (eds G. Guyatt, D. Rennie, M. O. Meade, et al), pp. 109-112. New York: The McGraw-Hill Companies, Inc.
5. Furukawa, T. A., Strauss, S., Bucher, H. C. & Guyatt, G. (2008) Diagnostic Tests. In Users' Guides to the Medical Literature: Essentials of Evidence-Based Practice (2nd edn). (eds G. Guyatt, R. Drummond, M. O. Meade, et al), pp. 195-222. New York: The McGraw-Hill Companies, Inc.
6. Kawakami, N., Ono, Y., Nakane, Y., Nakamura, Y., Tachimori, H., Iwata, N., Uda, H., Nakane, H., Watanabe, M., Naganuma, Y., Furukawa, T. A., Hata, Y., Kobayashi, M., Miyake, Y., Takeshima, T. & Kikkawa, T. (2008) Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: The World Mental Health Japan 2002-2004 Survey. In World Mental Health Survey: Global Perspectives on the Epidemiology of Mental Disorders. (eds R. C. Kessler & T. B. Ustun), pp. 474-485. New York: Cambridge University Press.
7. Faravelli, C., Furukawa, T. A. & Truglia, E. (2009) Panic disorder. In Stress-Induced and Fear Circuitry Disorders: Refining the Research Agenda for DSM-V. (eds G. Andrews, D. S.

- Charney, P. J. Sirovatka & D. A. Regier), pp. 31-58. Arlington, VA: American Psychiatric Association.
8. Furukawa TA, Watanabe N & Omori IM (2010) What (no) differences in response to three classes of psychotropics can teach us about distinctions between GAD and MDD. In Diagnostic Issues in Depression and Generalized Anxiety Disorder: Refining the Research Agenda for DSM-V. (eds Goldberg D, Kendler KS, Sirovatka P & Regier DA), pp. 71-104. Arlington, VA: American Psychiatric Association.
 9. Furukawa TA (2014) Case study in psychiatry. In Network Meta-Analysis: Evidence Synthesis with Mixed Treatment Comparison. (ed Biondi-Zocca G). Hauppauge, NY: Nova Science Publishers.
 10. Furukawa TA (2014) Anxiety disorders in non-Western cultures. In The Whiley Handbook of Anxiety Disorders. (eds Emmelkamp P & Ehring T), pp. 612-621. Chichester, UK: John Wiley & Sons, Ltd.
 11. Furukawa TA & Guyatt G (2014) An illustration of bias and random error. In Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice (3rd edn). (eds Guyatt G, Rennie D, Meade MO & Cook DJ), pp. 103-106. New York: The McGraw-Hill Companies, Inc.
 12. Furukawa TA, Scott I & Guyatt G (2014) Measuring patients' experience. In Users' Guides to the Medical Literature: A Manual for Evidence-Based Clinical Practice (3rd edn). (eds Guyatt G, Drummond R, Meade MO & Cook DJ), pp. 219-234. New York: The McGraw-Hill Companies, Inc.
 13. Furukawa TA, Strauss S, Bucher HC, Agoritsas T & Guyatt G (2014) Diagnostic tests. In Users' Guides to the Medical Literature: A Manual for Evidence-Based Practice (3rd edn). (eds Guyatt G, Drummond R, Meade MO & Cook DJ), pp. 345-358. New York: The McGraw-Hill Companies, Inc.

Reviews and others in English

1. Furukawa, T. (1993). Diagnostic agreement in psychiatry [letter]. [British Journal of Psychiatry](#) 163, 550.
2. Furukawa, T. (1996). Alternative diagnostic procedures [letter]. [American Journal of Psychiatry](#) 153, 449-450.
3. Furukawa, T. (1996). Antidepressant-induced manic switches [letter]. [American Journal of Psychiatry](#) 153, 1370
4. Furukawa, T.A. (1999) Antidepressant-benzodiazepine combination therapy [letter]. [American Journal of Psychiatry](#) 156, 1840
5. Furukawa, T. (1999) Toolbox for evidence-based psychiatry: APA Practice Guideline,

- AHCPR Clinical Practice Guideline, Cochrane Library, Evidence-Based Mental Health, etc.
International Clinical Psychopharmacology 14, 43-44
6. Furukawa, T. (2000). Commentary on "Review: benzodiazepines increase sleep duration but also lead to adverse effects in adults with insomnia." Evidence-Based Mental Health 2000 Aug; 3:81. Comment on : Holbrook AM, Crowther, R. Lotter A, et al. Meta-analysis of benzodiazepine use in the treatment of insomnia. CMAJ 2000 Jan 25;162:225-33. Evidence-Based Mental Health 3, 81.
 7. Ito, S., Takeuchi, H. & Furukawa, T. A. (2001). Cognitive therapy brings about more than "modest" improvement in social functions of chronic depressives [letter]. British Journal of Psychiatry 178, 477.
 8. Furukawa, T.A. (2001). Prognosis of depression and generalized anxiety in primary care [letter]. British Journal of Psychiatry 179, 177-178.
 9. Furukawa, T.A. (2001) The psychosocial treatment of schizophrenia [letter]. American Journal of Psychiatry 158, 2092-2093.
 10. Furukawa, T. (2001) Beyond nature and nurture. Psychiatry and Clinical Neurosciences 55, S18.
 11. Furukawa, T. A. (2002). Commentary on "Review: placebo is better than no treatment for subjective continuous outcomes and for treatment of pain." Evidence-Based Mental Health 2002 Feb; 5:15. Comment on : Hrobjartsson A, Goezsche PC. Is the placebo powerless? An analysis of clinical trials comparing placebo with no treatment. N Engl J Med 2001 May 24; 344:1594-602. Evidence-Based Mental Health 5, 15.
 12. Furukawa, T. A. (2002). Antigap between research and practice: Do clinicians know better than researchers? Journal of Affective Disorders 68, 83-84.
 13. Furukawa, T. A. (2002). Review: placebo is better than no treatment for subjective continuous outcomes and for treatment of pain. ACP Journal Club 136, 20.
 14. Furukawa, T. A., Andrews, G. & Goldberg, D. P. (2002). Stratum-specific likelihood ratios of the General Health Questionnaire in the community: help seeking and physical comorbidity affect the test characteristics. Psychological Medicine 32, 743-748.
 15. Furukawa, T. A. (2002). Re: low dose tricyclics are not justified by the evidence. bmj.com 10 November 2002.
 16. Furukawa, T. A., McGuire, H. & Barbui, C. (2002). Re: low dose tricyclics: making the best use of the available evidence. bmj.com 21 December 2002.
 17. Furukawa, T. A. (2003). Effectiveness: the treatment of panic disorder in the real world. Current Opinion in Psychiatry 16, 45-48.
 18. Furukawa TA, Barbui C, McGuire H. (2003) Low dosage tricyclic antidepressant in depression: Author's reply. BMJ 326;326:499.

19. Furukawa, T. (2004). Low dosage TCA for depression: What have psychopharmacologists been doing for 50 years? *Journal of Affective Disorders* 78 Supplement 1, S30.
20. Furukawa, T. (2004) Meta-analyses and megatrials: neither is the infallible, universal standard. *Evidence-Based Mental Health*, 7, 34-35.
21. Furukawa, T., Watanabe, N. & Churchill, R. (2004). Psychotherapy plus antidepressant for panic disorder: A Cochrane systematic review. *Journal of Affective Disorders* 78 Supplement 1, S109-S110.
22. Segawa, K., Kanai, T., Takeuchi, H., Sato, K., Azuma, H., Matsui, T., Nakaaki, S. & Furukawa, T. (2004). Regional cerebral blood flow before and after ECT: comparison between responders and non-responders. *Journal of Affective Disorders* 78 Supplement 1, S110.
23. Furukawa, T. A. (2004). No more secrets. Rapid response to Lenzer J (2004) Secret US report surfaces on antidepressants in children. BMJ 329: 307. [bmj.com](http://bmj.bmjjournals.com/cgi/eletters/329/7461/307#70499) 10 August. (<http://bmj.bmjjournals.com/cgi/eletters/329/7461/307#70499>)
24. Furukawa, T. A. (2004). All clinical trials must be reported in detail and made publicly available. *BMJ* 329, 626.
25. Furukawa, T. A. & Guyatt, G. (2006) Sources of bias in studies of diagnostic tests and the diagnostic process. *Canadian Medical Association Journal*. 171, 481-482.
26. Cipriani, A., Furukawa, T. A., Churchill, R. & Barbui, C. (2007) Validity of indirect comparisons in meta-analysis. *Lancet*, 369, 270-271; author reply 271.
27. Furukawa, T. A., Cipriani, A., Barbui, C. & Geddes, J. R. (2007) Long-term treatment of depression with antidepressants: A systematic narrative review. *Canadian Journal of Psychiatry. Revue Canadienne de Psychiatrie*, 52, 545-552.
28. Geddes, J. R., Furukawa, T. A., Cipriani, A. & Barbui, C. (2007) Depressive disorder needs an evidence base commensurate with its public health importance. *Canadian Journal of Psychiatry. Revue Canadienne de Psychiatrie*, 52, 543-544.
29. Cipriani, A., Geddes, J. R., Furukawa, T. A. & Barbui, C. (2007) Metareview on short-term effectiveness and safety of antidepressants for depression: an evidence-based approach to inform clinical practice. *Canadian Journal of Psychiatry. Revue Canadienne de Psychiatrie*, 52, 553-562.
30. Barbui, C., Furukawa, T. A. & Cipriani, A. (2008) Effectiveness of serotonin reuptake inhibitors. *Canadian Medical Association Journal*, 178, 1185-1186.
31. Cipriani, A., Geddes, J. R., Furukawa, T. A., Salanti, G. & Barbui, C. (2009) Ranking antidepressants -- Authors' reply. *Lancet*, 373, 1761-1762.
32. Furukawa TA (2009) A stepped-care prevention programme decreased depression and anxiety disorders in elderly patients. *Evidence-Based Mental Health*, 14, 146.

33. Barbui C, Cipriani A, Furukawa TA, Salanti G, Higgins JP, Churchill R, Watanabe N, Nakagawa A, Omori IM & Geddes JR (2009) Making the best use of available evidence: the case of new generation antidepressants. A response to: Are all antidepressants equal? *Evidence-Based Mental Health*, 12, 101-104.
34. Furukawa TA (2010) Assessment of mood: guides for clinicians. *Journal of Psychosomatic Research*, 68, 581-589.
35. Kojima M, Kojima T, Ishiguro N & Furukawa TA (2010) Exploring the link between depression and rheumatoid arthritis: prospects for optimal therapeutic success. *International Journal of Clinical Rheumatology*, 5, 273-275.
36. Furukawa TA (2011) Rapid discontinuation of antidepressants reduces time to recurrence of depression and panic. *Evidence-Based Mental Health*, 14, 13.
37. Furukawa TA (2011) Editorial: Drug treatment for generalised anxiety disorder. *BMJ*, 342, d1216.
38. Cipriani A, Furukawa TA & Barbui C (2011) What is a Cochrane review? *Epidemiology and Psychiatric Sciences*, 20, 231-233.
39. Yonemoto N, Akechi T, Shimodera S, Yamada M, Miki K, Watanabe N, Inagaki M & Furukawa TA (2011) Strategic use of new generation antidepressants for depression, SUN(^_^_D: study design and rationale. *Trials*, 12, A106.
40. Yamamoto K, Honda M & Furukawa TA (in press) Video-assisted thoracoscopic surgery lobectomy or open lobectomy for non-small-cell lung cancer? Minimizing selection bias in observational studies. *European Journal of Cardio-Thoracic Surgery*.
41. Honda M, Kuriyama A, Noma H, Nunobe S & Furukawa TA (2013) Reply to Letter: "Hand-Sewn Versus Mechanical Esophagogastric Anastomosis After Esophagectomy: A Systematic Review and Meta-Analysis". *Annals of Surgery*.
42. Yamamoto K, Honda M & Furukawa TA (2014) Video-assisted thoracoscopic surgery lobectomy or open lobectomy for non-small-cell lung cancer? Minimizing selection bias in observational studies. *European Journal of Cardio-Thoracic Surgery*, 46, 150.
43. Miura T, Furukawa TA, Cipriani A, Motomura K, Mitsuyasu H, Tanaka S, Leucht S, Shimano-Katsuki S, Salanti G, Noma H, Stockton S, Geddes JR & Kanba S (2014) Bipolar treatment efficacy - Author's replay. *Lancet Psychiatry*, 1, 418-419.
44. Honda M, Yamamoto K & Furukawa TA (2014) Retrospective propensity score matching and the selection of surgical procedures: how precise can a propensity estimate be? *Journal of Clinical Oncology*, 32, 3200-3201.
45. Honda M, Kuriyama A, Noma H, Nunobe S & Furukawa TA (2014) Reply to Letter: "The Meta-analyses With Transparency Are Needed". *Annals of Surgery*.
46. Honda M, Kuriyama A & Furukawa TA (2014) Comments on "Omentum-preserving

- gastrectomy for advanced gastric cancer: a propensity-matched retrospective cohort study". Gastric Cancer, 17, 757-758.
47. Cipriani A & Furukawa TA (2014) Advancing evidence-based practice to improve patient care. Evidence-Based Mental Health, 17, 1-2.
 48. Furukawa TA (2014) Evidence-Based Case Conference (1) Antidepressants during ECT. Evidence-Based Mental Health, 17, 25-26.
 49. Furukawa TA (2014) Evidence-Based Case Conference (2) Diagnostic test for dementias. Evidence-Based Mental Health, 17, 45-46.
 50. Furukawa TA (2014) Evidence-Based Case Conference (3) Prognosis of a brief psychotic episode. Evidence-Based Mental Health, 17, 81-82.
 51. Furukawa TA (2014) Evidence-Based Case Conference (4) Adverse effects of antidepressants during pregnancy. Evidence-Based Mental Health, 17, 103-104.
 52. Furukawa TA (2014) How can we make the results of trials and their meta-analyses using continuous outcomes clinically interpretable? Acta Psychiatrica Scandinavica, 130, 321-323.
 53. Imai H, Tajika A, Chen L, Pompili A & Furukawa TA (2014) Psychological therapies versus pharmacological interventions for panic disorder [Protocol]. Cochrane Database of Systematic Reviews, CD011170.
 54. Pompili A, Furukawa TA, Imai H, Tajika A, Efthimiou O & Salanti G (2014) Psychological therapies for panic disorder with or without agoraphobia in adults [Protocol]. Cochrane Database of Systematic Reviews, CD011004.
 55. Takeshima N, Furukawa TA, Hayasaka Y, Ogawa Y & Tajika A (2014) Ramelteon for primary insomnia [Protocol]. Cochrane Database of Systematic Reviews, CD011049.
 56. Onishi A, Sato A, Iwasaku M & Furukawa TA (in press) Human parathyroid hormone for treating glucocorticoid-induced osteoporosis [Protocol]. Cochrane Database of Systematic Reviews.
 57. Katsura M, Kuriyama A, Takeshima T, Fukuhara S & Furukawa TA (in press) Preoperative inspiratory muscle training for postoperative pulmonary complications in adult patients undergoing cardiac and major abdominal surgery [Protocol]. Cochrane Database of Systematic Reviews.
 58. Kimachi M, Furukawa TA, Kimachi K, Goto Y & Fukuhara S (in press) New oral anticoagulants versus warfarin for preventing stroke and systemic embolic events among atrial fibrillation patients with chronic kidney disease [Protocol]. Cochrane Database of Systematic Reviews.
 59. Sakai K, Fujita K, Sozu T, Nakayama T & Furukawa TA (2015) Eradication of helicobacter pylori for iron metabolism [Protocol]. Cochrane Database of Systematic Reviews,

CD011480.

60. Akechi T & Furukawa TA (2015) Depressed with cancer can respond to antidepressants, but further research is needed to confirm and expand on these findings. Evidence-Based Mental Health, 18, 28.
61. Furukawa TA (2015) Helping people with schizophrenia to quit smoking. Evidence-Based Mental Health, 18, 14-15.
62. Furukawa TA (2015) The relationship between depression and violent crime [Invited commentary]. Lancet Psychiatry, 2, 193-194.

Toshi A. Furukawa

September 3, 2015