

Profiles  
January 28, 2016

**ELLIOT S. GERSHON, M.D.  
LIST OF PUBLICATIONS**

1. Gershon E.S., Cromer M. and Klerman G.L. (1968) Hostility and depression. Psychiatry 31: 224-235.
2. Gershon E.S. and Shader R.I. (1969) Screening for aminoacidurias in psychiatric inpatients. Arch. Gen. Psychiatry 21: 82-88.
3. Shapiro D., Tursky B., Gershon E.S. and Stern M. (1969) Effects of feedback and reinforcement on the control of human systolic blood pressure. Science 163: 588-590.
4. Klerman G.L. and Gershon E.S. (1970) Imipramine effects upon hostility in depression. J. Nerv. Ment. Dis. 150: 127-132.
5. Gershon E.S., Dunner D.L. and Goodwin F.K. (1971) Toward a biology of affective disorders: Genetic contributions (overview). Arch. Gen. Psychiatry 25: 1-15.
6. Dunner D.L., Cohn C.K., Gershon E.S. and Goodwin F.K. (1971) Differential catechol-O-methyltransferase activity in unipolar and bipolar affective illness. Arch. Gen. Psychiatry 25: 348-353.
7. Gershon E.S., Bunney W.E. Jr., Goodwin F.K., Murphy D.L., Dunner D.L. and Henry G.M. (1971) Catecholamines and affective illness: Studies with L-DOPA and alpha-methyl-para-tyrosine. In: Ho B.T. and McIsaac W.M. (eds) Advances in Behavioral Biology - Brain Chemistry and Mental Disease, Plenum Press, New York, pp. 135-161.
8. Schildkraut J.J., Draskoczy P.R., Gershon E.S., Reich P. and Grab E.L. (1971) Effects of tricyclic antidepressants on norepinephrine metabolism: Basic and clinical studies. In: Ho B.T. and McIsaac W.M. (eds) Advances in Behavioral Biology - Brain Chemistry and Mental Disease, Plenum Press, New York, pp. 215-236.

9. Goodwin F.K., Dunner D.L. and Gershon E.S. (1971) Effect of L-DOPA treatment on brain serotonin metabolism in depressed patients. *Life Sci.* 10: 751-759.
10. Schildkraut J.J. and Gershon E.S. (1971) Antidepressants and related drugs. In: Lajtha A. (ed) *Handbook of Neurochemistry - Alterations of Chemical Equilibrium in the Nervous System*, Volume 6, Plenum Press, New York, pp. 357-386.
11. Schildkraut J.J., Draskoczy P.R., Gershon E.S., Reich P. and Grab E.L. (1972) Catecholamine metabolism in affective disorders: IV. Preliminary studies of norepinephrine metabolism in depressed patients treated with amitriptyline. *J. Psychiatry. Res.* 9: 173-185.
12. Bunney W.E. Jr., Gershon E.S., Murphy D.L. and Goodwin F.K. (1972) Psychobiological and pharmacological studies of manic-depressive illness. *J. Psychiatry. Res.* 9: 207-226.
13. Dunner D.L., Goodwin F.K., Gershon E.S., Murphy D.L. and Bunney W.E. Jr. (1972) Excretion of 17-OHCS in unipolar and bipolar depressed patients. *Arch. Gen. Psychiatry* 26: 360-366.
14. Gershon E.S., Dunner D.L., Sturt L. and Goodwin F.K. (1973) Assortative mating in the affective disorders. *Biol. Psychiatry* 7: 63-74.
15. Jonas W.Z. and Gershon E.S. (1974) A method for determination of catechol-O-methyltransferase activity in red blood cells. *Clin. Chim. Acta* 54: 391-394.
16. Ablon S.L., Davenport Y.B., Gershon E.S. and Adland M.L. (1975) The married manic. *Am. J. Orthopsychiatry* 45: 854-866.
17. Baron M., Gershon E.S., Rudy V., Jonas W.Z. and Buchsbaum M. (1975) Lithium carbonate response in depression: Prediction by unipolar/bipolar illness, average-evoked response, catechol-O-methyl transferase, and family history. *Arch. Gen. Psychiatry* 32: 1107-1111.

18. Gershon E.S. and Jonas W.Z. (1975) Erythrocyte soluble catechol-O-methyl transferase activity in primary affective disorder. A clinical and genetic study. *Arch. Gen. Psychiatry* 32: 1351-1356.
19. Gershon E.S. and Liebowitz J.H. (1975) Sociocultural and demographic correlates of affective disorders in Jerusalem. *J. Psychiatry. Res.* 12: 37-50.
20. Gershon E.S., Mark A., Cohen N., Belizn N., Baron M. and Knobe K.E. (1975) Transmitted factors in the morbid risk of affective disorders: A controlled study. *J. Psychiatry. Res.* 12: 283-299.
21. Gershon E.S., Baron M. and Leckman J.F. (1975) Genetic models of the transmission of affective disorders. *J. Psychiatry. Res.* 12: 301-317.
22. Bunney W.E. Jr., Gershon E.S. and Winokur G. (1976) X-linkage in manic-depressive psychosis. *Neurosci. Res. Prog. Bull.* 14: 46-55.
23. Dunner D.L., Gershon E.S. and Goodwin F.K. (1976) Heritable factors in the severity of affective illness. *Biol. Psychiatry* 11: 31-42.
24. Gershon E.S. and Jonas W.Z. (1976) Inherited differences of brain and erythrocyte soluble catechol-O-methyltransferase activity in two mouse strains. *Biol. Psychiatry* 11: 641-645.
25. Gershon E.S., Bunney W.E. Jr., Leckman J.F., Van Eerdewegh M. and DeBauche B.A. (1976) The inheritance of affective disorders: A review of data hypotheses. *Behav. Genet.* 6: 227-261.
26. Leckman J.F. and Gershon E.S. (1976) A genetic model of narcolepsy. *Br. J. Psychiatry* 128: 276-279.
27. Liebowitz J.H., Rudy V., Gershon E.S. and Gillis A. (1976) A pharmacogenetic case report: Lithium-responsive postpsychotic antisocial behavior. *Compr. Psychiatry* 17: 655-660.

28. Gershon E.S. (1976) Genetic and biologic studies of affective illness. In: Gershon E.S., Belmaker R.H., Kety S.S. and Rosenbaum M. (eds) *The Impact of Biology on Modern Psychiatry*, Plenum Publishing Corporation, New York, pp. 207-228.
29. Gershon E.S. and Bunney W.E. Jr. (1976) The question of X-linkage in bipolar manic-depressive illness. *J. Psychiatry. Res.* 13: 99-117.
30. Leckman J.F., Gershon E.S., Nichols A.S. and Murphy D.L. (1977) Reduced MAO activity in first-degree relatives of individuals with bipolar affective disorders: A preliminary report. *Arch. Gen. Psychiatry* 34: 601-606.
31. Gershon E.S., Belmaker R.H., Ebstein R. and Jonas W.Z. (1977) Plasma MAO activity unrelated to genetic vulnerability to primary affective illness. *Arch. Gen. Psychiatry* 34: 731-734.
32. Gershon E.S. and Buchsbaum M.S. (1977) A genetic study of average evoked response augmentation/reduction in affective disorders. In: Shagass C., Gershon S. and Friedhoff A.J. (eds) *Psychopathology and Brain Dysfunction*, Raven Press, New York, pp. 279-290.
33. Gershon E.S., Kessler L.R. and Bunney W.E. Jr. (1977) Monoamine enzymes and inhibitors in affective illness. In: Usdin E, Weiner N. and Youdim M.B.H. (eds) *Structure and Function of Monoamine Enzymes*, Marcel Dekkar, New York, pp. 905-939.
34. Gershon E.S. and Matthysse S. (1977) X-linkage: Ascertainment through doubly ill probands. *J. Psychiatry. Res.* 13: 161-168.
35. Leckman J.F. and Gershon E.S. (1977) Autosomal models of sex effect in bipolar-related major affective illness. *J. Psychiatry. Res.* 13: 237-246.
36. Gershon E.S., Targum S.D., Kessler L.R., Mazure C.M. and Bunney W.E. Jr. (1977) Genetic studies and biologic strategies in the affective disorders. In: Steinberg A.G., Bearn A.G., Motulsky A.G. and Childs B. (eds) *Progress in Medical*

Genetics, New Series, Volume II, W.B. Saunders Company, Philadelphia, pp. 101-164.

37. Gershon E.S. (1978) The search for genetic markers in affective disorders. In: Lipton M.A., DiMascio A. and Killam K.F. (eds) Psychopharmacology: A Generation of Progress, Raven Press, New York, pp. 1197-1212.
38. Rieder R.O. and Gershon E.S. (1978) Genetic strategies in biological psychiatry. Arch. Gen. Psychiatry 35: 866-873.
39. Gershon E.S., Lake C.R. and Leckman J.F. (1978) Reduced erythrocyte COMT and plasma DBH activities not associated with affective disorders in patients and relatives. In: Usdin E., Kopin I.J. and Barchas J. (eds) Catecholamines: Basic and Clinical Frontiers (Proceedings of the Fourth International Catecholamine Symposium, September 17-22, 1978), Volume 2, Pergamon Press, New York, pp. 1934-1936.
40. Gershon E.S. (1979) Genetics of the affective disorders. Hosp. Pract. 14: 117-122.
41. Gershon E.S., Goldstein R.E., Moss A.J. and van Kammen D.P. (1979) Psychosis with ordinary doses of propranolol. Ann. Intern. Med. 90: 938-939.
42. Gershon E.S. and Hamovit J.R. (1979) Genetic methods and preventive psychiatry. Prog. Neuro-Psychopharmacol. 3: 565-573.
43. Gershon E.S. and Liebowitz J.H. (1979) Affective illness. In: Goodman R.M. and Motulsky A.G. (eds) Genetic Diseases Among Ashkenazi Jews, Raven Press, New York, pp. 343-352.
44. Gershon E.S., Nurnberger J.I. Jr., Sitaram N. and Gillin J.C. (1979) Pharmacogenetics and the pharmacologic challenge strategy in clinical research: Studies of D-amphetamine and arecoline. In: Saletu B., Berner P. and Hollister L. (eds) Neuro-Psychopharmacology, Pergamon Press, New York, pp. 75-83.

45. Gershon E.S., Targum S.D., Leckman J.F., Guroff J.J. and Murphy D.L. (1979) Platelet monoamine oxidase (MAO) activity and genetic vulnerability to bipolar (BP) affective illness. *Psychopharmacol. Bull.* 15: 27-30.
46. Mazure C. and Gershon E.S. (1979) Blindness and reliability in lifetime psychiatric diagnosis. *Arch. Gen. Psychiatry* 36: 521-525.
47. Gershon E.S., Targum S.D., Matthysse S. and Bunney W.E. Jr. (1979) Color blindness not closely linked to bipolar illness: Report of a new pedigree series. *Arch. Gen. Psychiatry* 36: 1423-1430.
48. Leckman J.F., Gershon E.S., McGinniss M.H., Targum S.D. and Dibble E.D. (1979) New data do not suggest linkage between the Xg blood group and bipolar illness. *Arch. Gen. Psychiatry* 36: 1435-1441.
49. Major L.F., Murphy D.L., Gershon E.S. and Brown G.L. (1979) The role of plasma amine oxidase, platelet monoamine oxidase, and red cell catechol-O-methyl transferase in severe behavioral reactions to disulfiram. *Am. J. Psychiatry* 136: 679-684.
50. McKnew D.H. Jr., Cytryn L., Efron A.M., Gershon E.S. and Bunney W.E. Jr. (1979) Offspring of patients with affective disorders. *Br. J. Psychiatry* 134: 148-152.
51. Nurnberger J.I. Jr., Gershon E.S., Murphy D.L., Buchsbaum M.S., Goodwin F.K., Post R.M., Lake C.R., Guroff J.J. and McGinnis M.H. (1979) Biological and clinical predictors of lithium response in depression. In: Cooper T.B., Gershon S., Kline N.S. and Schou M. (eds) *Lithium: Controversies and Unresolved Issues* (Proceedings of the International Lithium Conference, New York, June 5-9, 1978), Excerpta Medica, Amsterdam, pp. 241-256.
52. Sparkes R.S., Targum S., Gershon E.S., Sensabaugh G.F., Sparkes M.C. and Crist M. (1979) Evidence for a null allele at the Esterase D (EC 3.1.1.1) locus. *Hum. Genet.* 46: 319-323.
53. Targum S.D., Gershon E.S., Van Eerdewegh M. and Rogentine N. (1979) Human leukocyte antigen system not closely linked to or associated with bipolar manic-depressive illness. *Biol. Psychiatry* 14: 615-636.

54. Targum S.D., Gershon E.S., Shen R-S and Abell C.W. (1979) Screening for PKU heterozygosity in bipolar affectively ill patients (brief report). *Biol. Psychiatry* 14: 651-655.
55. Breakefield X.O., Giller E.L. Jr., Nurnberger J.I. Jr., Castiglione C.M., Buchsbaum M.S. and Gershon E.S. (1980) Monoamine oxidase type A in fibroblasts from patients with bipolar depressive illness. *Psychiatry Res.* 2: 307-314.
56. Buchsbaum M.S. and Gershon E.S. (1980) Genetic factors in EEG, sleep, and evoked potentials. In: Davidson R.J. and Davidson J.M. (eds) *The Psychobiology of Consciousness*, Plenum Publishing Corporation, New York, pp. 147-168.
57. Gershon E.S. (1980) Nonreplication of linkage to X chromosome markers in bipolar illness (letter to the editor). *Arch. Gen. Psychiatry* 37: 1200.
58. Gershon E.S. (1980) Genetic factors from a clinical perspective. In: Mendels J. and Amsterdam J.D. (eds) *The Psychobiology of Affective Disorders*, S. Karger, Basel, pp. 25-39.
59. Gershon E.S. (1980) Genetic studies of manic-depressive illness. *Pharmakopsychiat.* 13: 55-61.
60. Gershon E.S., Goldin L.R., Lake C.R., Murphy D.L. and Guroff J.J. (1980) Genetics of plasma dopamine- $\beta$ -hydroxylase (DBH), erythrocyte catechol-O-methyltransferase (COMT), and platelet monoamine oxidase (MAO) in pedigrees of patients with affective disorders. In: Usdin E., Sourkes T.L. and Youdim M.B.H. (eds) *Enzymes and Neurotransmitters in Mental Disease*, John Wiley and Sons, London, pp. 281-299.
61. Gershon E.S., Mendlewicz J., Gastpar M., Bech P., Goldin L.R., Kielholz P., Rafaelsen O.J., Vartanian F. and Bunney W.E. Jr. (1980) A collaborative study of genetic linkage of bipolar manic-depressive illness and red/green colorblindness: A project of the biological psychiatry collaborative program of the World Health Organization. *Acta Psychiatry Scand.* 61: 319-338.

62. Gershon E.S. and Rieder R.O. (1980) Are mania and schizophrenia genetically distinct? In: Belmaker R.H. and van Praag H.M. (eds) *Mania: An Evolving Concept*, Spectrum Publications, New York, pp. 97-109.
63. Targum S.D. and Gershon E.S. (1980) Genetic counseling for affective illness. In: Belmaker R.H. and van Praag H.M. (eds) *Mania: An Evolving Concept*, Spectrum Publications, New York, pp. 119-126.
64. Gillin J.C., Sitaram N., Duncan W.C., Gershon E.S., Nurnberger J.I. Jr., Post R.M., Murphy D.L., Wehr T., Goodwin F.K. and Bunney W.E. Jr. (1980) Sleep disturbance in depression: Diagnostic potential and pathophysiology. *Psychopharmacol. Bull.* 16: 40-42.
65. Sitaram N., Nurnberger J.I. Jr., Gershon E.S. and Gillin J.C. (1980) Faster cholinergic REM sleep induction in euthymic patients with primary affective illness. *Science* 208: 200-202.
66. Van Eerdewegh M.M., Gershon E.S. and Van Eerdewegh P.M. (1980) X-chromosome threshold models of bipolar manic-depressive illness. *J. Psychiatr. Res.* 15: 215-238.
67. Berrettini W.H., Umberkoman-Wiita B., Nurnberger J.I. Jr., Vogel W.H., Gershon E.S. and Post R.M. (1980) Platelet GABA-transaminase in affective illness. *Psychiatry Res.* 7: 255-260.
68. Buchsbaum M.S., Coppola R., Gershon E.S., Van Kammen D.P. and Nurnberger J.I. Jr. (1981) Evoked potential measures of attention and psychopathology. In: Mendlewicz J. and van Praag H.M. (eds) *Advances in Biological Psychiatry*, S. Karger, Basel, pp. 186-194.
69. Cohen M.R., Nurnberger J.I. Jr., Pickar D., Gershon E.S. and Bunney W.E. Jr. (1981) Dextroamphetamine infusions in normals result in correlated increases of plasma  $\beta$ -endorphin and cortisol immunoreactivity. *Life Sci.* 29: 1243-1247.
70. Frank E., Targum S.D., Gershon E.S., Anderson C., Stewart B.D., Davenport Y., Ketchum K.L. and Kupfer D.J. (1981) A comparison of nonpatient and bipolar patient-well spouse couples. *Am. J. Psychiatry* 138: 764-768.

71. Gershon E.S. (1981) Genetic vulnerability in psychiatric epidemiology. In: Regier D.A. and Allen G. (eds) Risk Factor Research in the Major Mental Disorders, National Institute of Mental Health, DHHS Pub. No. (ADM)81-1068, U.S. Government Printing Office, Washington, D.C., pp. 145-162.
72. Gershon E.S. (1981) The historical context of Franz Kallmann and psychiatric genetics. *Arch. Psychiatr. Nervenkr.* 229: 273-276.
73. Gershon E.S. (1981) The uses of genetic variation in psychobiology (overview). In: Gershon E.S., Matthysse S., Breakefield X.O. and Ciaranello R.D. (eds) *Psychobiology and Psychopathology: Volume 1 - Genetic Research Strategies for Psychobiology and Psychiatry*, The Boxwood Press, Pacific Grove, pp. 1-14.
74. Nurnberger J.I. Jr., Gershon E.S., Jimerson D.C., Buchsbaum M.S., Gold P., Brown G. and Ebert, M. (1981) Pharmacogenetics of d-amphetamine response in man. In: Gershon E.S., Matthysse S., Breakefield X.O. and Ciaranello R.D. (eds) *Psychobiology and Psychopathology: Volume 1 - Genetic Research Strategies for Psychobiology and Psychiatry*, The Boxwood Press, Pacific Grove, pp. 257-268.
75. Goldin L.R., Kidd K.K., Matthysse S. and Gershon E.S. (1981) The power of pedigree segregation analysis for traits with incomplete penetrance. In: Gershon E.S., Matthysse S., Breakefield X.O. and Ciaranello R.D. (eds) *Psychobiology and Psychopathology: Volume 1 - Genetic Research Strategies for Psychobiology and Psychiatry*, The Boxwood Press, Pacific Grove, pp. 305-317.
76. Gershon E.S. (1981) New approaches in clinical studies. In: Gershon E.S., Matthysse S., Breakefield X.O. and Ciaranello R.D. (eds) *Psychobiology and Psychopathology: Volume 1 - Genetic Research Strategies for Psychobiology and Psychiatry*, The Boxwood Press, Pacific Grove, pp. 385-388.
77. Gershon E.S., Goldin L.R., Weissman M.M. and Nurnberger J.I. Jr. (1981) Family and genetic studies of affective disorders in the Eastern United States: A provisional summary. In: Perris C., Struwe G. and Jansson B. (eds) *Biological Psychiatry 1981*, Elsevier/North-Holland Biomedical Press, Amsterdam, pp. 157-162.
78. Gillin J.C., Sitaram N., Mendelson W.B., Duncan W.C., Nurnberger J.I. Jr. and Gershon E.S. (1981) Sleep disturbances in depression: Clues to pathophysiology.

In: Perris C., Struwe G. and Jansson B. (eds) Biological Psychiatry 1981, Elsevier/North-Holland Biomedical Press, Amsterdam, pp. 298-301.

79. Gershon E.S., Nurnberger J.I. Jr. and Jimerson D.C. (1981) Sex, plasma prolactin and plasma 3-methoxy-4-hydroxyphenylglycol (MHPG) predict heritable D-amphetamine excitation in man. In: Angrist B., Burrows G.D., Lader M., Lingjaerde O., Sedvall G. and Wheatley D. (eds) Advances in the Biosciences: Recent Advances in Neuropsychopharmacology, Volume 31, Pergamon Press, New York, pp. 83-91.
80. Targum S.D., Dibble E.D., Davenport Y.B. and Gershon E.S. (1981) The family attitudes questionnaire: Patients' and spouses' views of bipolar illness. Arch. Gen. Psychiatry 38: 562-568.
81. Jimerson D.C., Nurnberger J.I. Jr., Post R.M., Gershon E.S. and Kopin I.J. (1981) Plasma MHPG in rapid cyclers and healthy twins. Arch. Gen. Psychiatry 38: 1287-1290.
82. McKnew D.H., Cytryn L., Buchsbaum M.S., Hamovit J., Lamour M., Rapoport J.L. and Gershon E.S. (1981) Lithium in children of lithium-responding parents. Psychiatry Res. 4: 171-180.
83. Nurnberger J.I. Jr. and Gershon E.S. (1981) Genetic considerations in the epidemiology of psychoactive drug use. In: Tognoni G., Bellantuono C. and Lader M. (eds) Epidemiological Impact of Psychotropic Drugs, Elsevier/North-Holland Biomedical Press, Amsterdam, pp. 19-31.
84. Nurnberger J.I. Jr., Gershon E.S., Sitaram N., Gillin J.C., Brown G., Ebert M., Gold P., Jimerson D. and Kessler L. (1981) Dextroamphetamine and arecoline as pharmacogenetic probes in normals and remitted bipolar patients. Psychopharmacol. Bull. 17: 80-82.
85. Ryan J.M., Ostrow D.G., Breakefield X.O., Gershon E.S. and Upchurch L. (1981) A comparison of the proliferative and replicative life span kinetics of cell cultures derived from monozygotic twins. In Vivo 17: 20-27.
86. Sitaram N., Moore A.M., Vanskiver C., Blendy J., Nurnberger J.I. Jr., Gershon E.S. and Gillin J.C. (1981) Hypersensitive cholinergic functioning in primary

- affective illness. In: Pepeu G. and Ladinsky H. (eds) Cholinergic Mechanisms, Volume 25, Plenum Press, New York, pp. 947-962.
87. Targum S.D. and Gershon E.S. (1981) Pregnancy, genetic counseling, and the major psychiatric disorders. In: Schulman J. and Simpson J.L. (eds) Genetic Diseases in Pregnancy - Maternal Effects and Fetal Outcome, Academic Press, New York, pp. 413-438.
88. Berrettini W.H., Nurnberger J.I. Jr., Hare T., Gershon E.S. and Post R.M. (1982) Plasma and CSF GABA in affective illness. Br. J. Psychiatry 141: 483-487.
89. Goldin L.R., Clerget-Darpoux F. and Gershon E.S. (1982) Relationship of HLA to major affective disorder not supported. Psychiatry Res. 7: 29-45.
90. Berrettini W.H., Nurnberger J.I. Jr., Worthington E.K., Simmons-Alling S. and Gershon E.S. (1982) Platelet vasopressin receptors in bipolar affective illness. Psychiatry Res. 7 83-86.
91. Berrettini W.H., Nurnberger J.I. Jr., Post R.M. and Gershon E.S. (1982) Platelet 3H-imipramine binding to euthymic bipolar patients. Psychiatry Res. 7: 215-219.
92. Berrettini W.H., Umberkoman-Wiita B., Nurnberger J.I. Jr., Vogel W.H., Gershon E.S. and Post R.M. (1982) Platelet GABA-transaminase in affective illness. Psychiatry Res. 7: 255-260.
93. Cohen M.R., Pickar D., Dubois M., Nurnberger J.I. Jr., Roth Y., Cohen R.M., Gershon E.S. and Bunney W.E. Jr. (1982) Clinical and experimental studies of stress and the endogenous opioid system. Ann. N.Y. Acad. Sci. 398: 424-432.
94. Gershon E.S. (1982) Genetic studies of affective disorders and schizophrenia. In: Bonné-Tamir B., Cohen T. and Goodman R.M. (eds) Human Genetics, Part A: The Unfolding Genome, Alan R. Liss, New York, pp. 417-432.
95. Gershon E.S., Hamovit J., Guroff J.J., Dibble E., Leckman J.F., Sceery W., Targum S.D., Nurnberger J.I. Jr., Goldin L.R. and Bunney W.E. Jr. (1982) A family

- study of schizoaffective, bipolar I, bipolar II, unipolar, and normal control probands. *Arch. Gen. Psychiatry* 39: 1157-1167.
96. Gershon E.S. and Nurnberger J.I. Jr. (1982) Inheritance of major psychiatric disorders. *Trends Neurosci.* 5: 241-242.
97. Goldin L.R., Gershon E.S., Lake C.R., Murphy D.L., McGinniss M. and Sparkes R.S. (1982) Segregation and linkage studies of plasma dopamine-beta-hydroxylase (DBH), erythrocyte catechol-O-methyltransferase (COMT), and platelet monoamine oxidase (MAO): Possible linkage between the ABO locus and a gene controlling DBH activity. *Am. J. Hum. Genet.* 34: 250-262.
98. Nurnberger J.I. Jr. and Gershon E.S. (1982) Genetics of affective disorders. In: Paykel E.S. (ed) *Handbook of Affective Disorders*, Churchill Livingston, London, pp. 126-145. [Revised versions in: Friedman E. (ed) *Depression and Antidepressants: Implications for Cause and Treatment*, Raven Press, New York; and in: Post R. and Ballenger J. (eds) *Neurobiology of Mood Disorders*, Williams and Wilkins Company, Baltimore, pp. 76-101 (1984)].
99. Nurnberger J.I. Jr., Gershon E.S., Simmons S., Ebert M., Kessler L.R., Dibble E.D., Jimerson S.S., Brown G.M., Gold P., Jimerson D.C., Guroff J.J. and Storch F.I. (1982) Behavioral, biochemical and neuroendocrine responses to amphetamine in normal twins and "well-state" bipolar patients. *Psychoneuroendocrinology* 7: 163-176.
100. Selinger D., Hailer A.W., Nurnberger J.I. Jr., Simmons S. and Gershon E.S. (1982) A new method for the use of salivary lithium concentrations as an indicator of plasma lithium levels. *Biol. Psychiatry* 17: 99-102.
101. Nurnberger J.I. Jr., Jimerson D.C., Allen J.R., Simmons S. and Gershon E.S. (1982) Red cell ouabain-sensitive Na<sup>+</sup>-K<sup>+</sup>-adenosine triphosphatase: A state marker in affective disorder inversely related to plasma cortisol. *Biol. Psychiatry* 17: 981-992.
102. Selinger D., Simmons S., Hailer A.W., Nurnberger J.I. Jr. and Gershon E.S. (1982) An effective method for measuring salivary lithium in patients on anticholinergic drugs. *Biol. Psychiatry* 17: 1145-1155.

103. Schulz P.M., Schulz S.C., Dibble E., Targum S.D., van Kammen D.P. and Gershon E.S. (1982) Patient and family attitudes about schizophrenia: Implications for genetic counseling. *Schizophr. Bull.* 8: 504-513.
104. Sitaram N., Kaye W.H., Nurnberger J.I. Jr., Ebert M., Gershon E.S. and Gillin J.C. (1982) Cholinergic REM sleep induction - A trait marker of affective illness. In: Usdin E. and Handin I. (eds) *Biological Markers in Psychiatry and Neurology*, Pergamon Press, New York, pp. 397-404.
105. Sitaram N., Nurnberger J.I. Jr., Gershon E.S. and Gillin J.C. (1982) Cholinergic regulation of mood and REM sleep: Potential model and marker of vulnerability to affective disorder. *Am. J. Psychiatry* 139: 571-576.
106. Berrettini W.H., Nadi N.S. and Gershon E.S. (1983) Absence of specific binding of several putative neuro-transmitter to human fibroblasts. *J. Receptor Res.* 3: 409-421.
107. Berrettini W.H., Nurnberger J.I. Jr., Hare T.A., Simmons-Alling S., Gershon E.S. and Post R.M. (1983) Reduced plasma and CSF  $\gamma$ -aminobutyric acid in affective illness: Effect of lithium carbonate. *Biol. Psychiatry* 18: 185-194.
108. Nurnberger J.I. Jr., Sitaram N., Gershon E.S. and Gillin J.C. (1983) A twin study of cholinergic REM induction. *Biol. Psychiatry* 18: 1161-1173.
109. Clerget-Darpoux F., Goldin L.R. and Gershon E.S. (1983) A new methodology for analysis of HLA-associated diseases? (letter to the editor). *Am. J. Hum. Genet.* 35: 127-130.
110. Goldin L.R., Gershon E.S., Targum S.D., Sparkes R.S. and McGinniss M. (1983) Segregation and linkage analyses in families of patients with bipolar, unipolar and schizoaffective mood disorders. *Am. J. Hum. Genet.* 35: 274-287.
111. Gershon E.S. (1983) The genetics of affective disorders. In: Grinspoon L. (ed) Part V: *Psychiatry Update, Volume II*, American Psychiatric Press, Washington, D.C., pp. 434-457.

112. Gershon E.S. (1983) Genetics of the major psychoses. In: Kety S.S., Rowland L.P., Sidman R.L. and Matthysse S.W. (eds) *Genetics of Neurological and Psychiatric Disorders - Research Publications: Association for Research in Nervous and Mental Disease*, Volume 60, Raven Press, New York, pp. 121-144.
113. Gershon E.S. (1983) Should science be stopped? The case of recombinant DNA research. *The Public Interest* 71: 3-16.
114. Gershon E.S., Hamovit J.R., Schreiber J.L., Dibble E.D., Kaye W., Nurnberger J.I. Jr., Andersen A. and Ebert M. (1983) Anorexia nervosa and major affective disorders associated in families: A preliminary report. In: Guze S.B., Earls F.J. and Barrett J.E. (eds) *Childhood Psychopathology and Development*, Raven Press, New York, pp. 279-286.
115. Gershon E.S., Nurnberger J.I. Jr., Nadi N.S., Berrettini W.H. and Goldin L.R. (1983) Current status of genetic research in affective disorders. In: Angst J. (ed) *The Origins of Depression: Current Concepts and Approaches*, Springer-Verlag, Berlin, pp. 187-204.
116. Angst J., Clayton P.J., Gershon E.S., Hautzinger M., Heimchen H., Henderson A.S., Klerman G.L., Möller H-J, Paykel E.S., Roth M. and Weissman M.M. (1983) Risk factors (group report) In: Angst J. (ed) *The Origins of Depression: Current Concepts and Approaches*, Springer-Verlag, Berlin, pp. 385-403.
117. Goldin L.R. and Gershon E.S. (1983) Association and linkage studies of genetic marker loci in major psychiatric disorders. *Psychiatr. Dev.* 4: 387-418.
118. Goldin L.R., Gershon E.S. and Belmaker R.H. (1983) HLA and affective disorders (editorial, Hebrew). *Harefuah* 105: 234.
119. Goldstein D.S., Nurnberger J.I. Jr., Simmons S., Gershon E.S., Polinsky R. and Keiser H.R. (1983) Effects of injected sympathomimetic amines on plasma catecholamines and circulatory variables in man. *Life Sci.* 32: 1057-1063.
120. Nurnberger J.I. Jr., Jimerson D.C., Simmons-Alling S., Tamminga C., Nadi N.S., Lawrence D., Sitaram N., Gillin J.C. and Gershon E.S. (1983) Behavioral, physiological, and neuroendocrine responses to arecoline in normal twins and "well state" bipolar patients. *Psychiatry Res.* 9: 191-200.

121. Nurnberger J.I. Jr., Pandey G., Gershon E.S. and Davis J.M. (1983) Lithium ratio in psychiatric patients: A caveat. *Psychiatry Res.* 9: 201-206.
122. Berrettini W.H., Goldin L.R., Nurnberger J.I. Jr. and Gershon E.S. (1984) Genetic factors in affective illness. *J. Psychiatr. Res.* 18: 329-350.
123. Cytryn L., Gershon E.S. and McKnew D.H. (1984) Childhood depression: Genetic or environmental influences? *Integr. Psychiatr.* 2: 17-27.
124. Gershon E.S. (1984) Biological approaches in neuropsychiatric genetics. In: Racagni G., Paoletti R. and Kielholz P. (eds) *Clinical Neuropharmacology*, Volume 7/Suppl 1, Raven Press, New York, pp. S-100.
125. Nadi N.S., Nurnberger J.I. Jr. and Gershon E.S. (1984) Investigations of muscarinic receptors in skin fibroblasts from manic-depressive patients. In: Racagni G., Paoletti R. and Kielholz P. (eds) *Clinical Neuropharmacology*, Volume 7/Suppl 1, Raven Press, New York, pp. S-101.
126. Gershon E.S. (1984) Genetic markers. In: Racagni G., Paoletti R. and Kielholz P. (eds) *Clinical Neuropharmacology*, Volume 7/Suppl 1, Raven Press, New York, pp. S-143.
127. Nurnberger J.I. Jr., Nadi N.S., Lewy A. and Gershon E.S. (1984) Genetic aspects of cholinergic supersensitivity in affective illness. In: Racagni G., Paoletti R. and Kielholz P. (eds) *Clinical Neuropharmacology*, Volume 7/Suppl 1, Raven Press, New York, pp. S-522.
128. Weissman M.M., Gershon E.S., Kidd K.K., Prusoff B.A., Leckman J.F., Dibble E., Hamovit J., Thompson W.D., Pauls D.L. and Guroff J.J. (1984) Psychiatric disorders in the relatives of probands with affective disorders: The Yale University-National Institute of Mental Health collaborative study. *Arch. Gen. Psychiatry* 41: 13-21.
129. Gershon E.S. (1984) Risk rates for depression (in reply). *Arch. Gen. Psychiatry* 41: 103-105.

130. Gershon E.S. and Guroff J.J. (1984) Information from relatives: Diagnosis of affective disorders. *Arch. Gen. Psychiatry* 41: 173-180.
131. Gershon E.S., Goldin L.R. and Nurnberger J.I. Jr. (1984) Genetic research and biological vulnerability to affective disorders and schizophrenia. In: Hamilton M. (ed) *Psychiatry in the 80's: Ideas!Research!Practice*, Volume 2, Elsevier Science Publishers, Amsterdam, pp. 1-8.
132. Gershon E.S., Schreiber J.L., Hamovit J.R., Dibble E.D., Kaye W., Nurnberger J.I. Jr., Andersen A.E. and Ebert M. (1984) Clinical findings in patients with anorexia nervosa and affective illness in their relatives. *Am. J. Psychiatry* 141: 1419-1422.
133. Goldin L.R., Cox N.J., Pauls D.L., Gershon E.S. and Kidd K.K. (1984) The detection of major loci by segregation and linkage analysis: A simulation study. *Genet. Epidemiol.* 1: 285-296.
134. Nadi N.S., Nurnberger J.I. Jr. and Gershon E.S. (1984) Muscarinic cholinergic receptors on skin fibroblasts in familial affective disorder. *N. Engl. J. Med.* 311: 225-230.
135. Nurnberger J.I. Jr., Simmons-Alling S., Kessler L., Jimerson S., Schreiber J., Hollander E., Tamminga C.A., Nadi N.S., Goldstein D.S. and Gershon E.S. (1984) Separate mechanisms for behavioral, cardiovascular, and hormonal responses to dextroamphetamine in man. *Psychopharmacology* 84: 200-204.
136. Rice J., McGuffin P., Goldin L.R., Shaskan E.G. and Gershon E.S. (1984) Platelet monoamine oxidase (MAO) activity: Evidence for a single major locus. *Am. J. Hum. Genet.* 36: 36-43.
137. Nurnberger J.I. Jr. and Gershon E.S. (1984) Genetics of affective disorders. In: Post R.M. and Ballenger J.C. (eds) *Frontiers of Clinical Neuroscience - Neurobiology of Mood Disorders*, Volume 1, Williams and Wilkins, Baltimore, pp. 76-101.
138. Gershon E.S., Nadi N.S., Nurnberger J.I. Jr. and Berrettini W.H. (1985) Failure to confirm muscarinic receptors on skin fibroblasts (letter to the editor). *N. Engl. J. Med.* 312: 861-862.

139. Berrettini W.H., Nurnberger J.I. Jr, Chan J.S.D., Chrouzos G.P., Gaspar L., Gold P.W., Seidah N.G., Simmons-Alling S., Goldin L.R., Chrétien M. and Gershon E.S. (1985) Pro-opiomelanocortin-related peptides in cerebrospinal fluid: A study of manic-depressive disorder. *Psychiatry Res.* 16: 287-302.
140. Berrettini W.H., Nurnberger J.I. Jr., Gold P.W., Chrétien M., Chrouzos G.P., Chan J.S.D., Goldin L.R. and Gershon E.S. (1985) Neuropeptides in human cerebrospinal fluid. *Life Sci.* 37: 1265-1270.
141. Berrettini W.H., Nurnberger J.I. Jr., Hotvedt P., Simmons-Alling S. and Gershon E.S. (1985) Vasoactive intestinal peptide and bipolar affective illness: Evidence for an effect of lithium. *J. Affect. Disord.* 8: 55-59.
142. Gershon E.S., McKnew D., Cytryn L., Hamovit J., Schreiber J., Hibbs E. and Pellegrini D. (1985) Diagnoses in school-age children of bipolar affective disorder patients and normal controls. *J. Affect. Disord.* 8: 283-291.
143. Berrettini W.H., Nurnberger J.I. Jr., Scheinin M., Seppala T., Linnoila M., Narrow W., Simmons-Alling S. and Gershon E.S. (1985) Cerebrospinal fluid and plasma monoamines and their metabolites in euthymic bipolar patients. *Biol. Psychiatry* 20: 257-269.
144. Berrettini W.H., Rubinow D.R., Nurnberger J.I. Jr., Simmons-Alling S., Post R.M. and Gershon E.S. (1985) CSF substance P immunoreactivity in affective disorders. *Biol. Psychiatry* 20: 965-970.
145. DeLisi L.E., Goldin L.R. and Gershon E.S. (1985) Subgroups in schizophrenia (letter to the editor). *Lancet* 1502.
146. DeLisi L.E., Goldin L.R., Hamovit J.R., Maxwell M.E., Kurtz D., Nurnberger J.I. Jr. and Gershon E.S. (1985) Cerebral ventricular enlargement as a possible genetic marker for schizophrenia. *Psychopharmacol. Bull.* 21: 365-367.
147. Gershon E.S. and Nurnberger J.I. Jr. (1985) An acetylcholine hypothesis of stress modulation (commentary). *Integr. Psychiatry* 3: 13-16.

148. Gershon E.S., Nurnberger J.I. Jr., Berrettini W.H. and Goldin L.R. (1985) Affective disorders: Genetics. In: Kaplan H.I. and Sadock B.J. (eds) Comprehensive Textbook of Psychiatry/IVth Edition, Volume 1, Williams and Wilkins, Baltimore, pp. 778-786.
149. Nurnberger J.I. Jr., Goldin L.R., DeLisi L.E. and Gershon E.S. (1985) The genetics of schizophrenia. In: Cazzullo C.L. and Invernizzi G. (eds) Schizophrenia: An Integrative View, John Libbey and Company, London, pp. 188-208.
150. Price R.A., Kidd K.K., Pauls D.L., Gershon E.S., Prusoff B.A., Weissman M.M. and Goldin L.R. (1985) Multiple threshold models for the affective disorders: The Yale-NIMH collaborative family study. *J. Psychiatr. Res.* 19: 533-546.
151. Gershon E.S. (1986) New biologic opportunities for clinical genetic investigation. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) Biological Psychiatry 1985, Elsevier Science Publishing Company, New York, pp. 43-45.
152. DeLisi L.E., White B., Reiss A. and Gershon E.S. (1986) Cytogenetic studies of schizophrenic patients. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) Biological Psychiatry 1985, Elsevier Science Publishing Company, New York, pp. 64-66.
153. Detera-Wadleigh S.D., DeLisi L.E., Berrettini W.H., Nurnberger J.I. Jr., Boorman D.G., Gershon E.S., Minth C.D. and Dixon J.E. (1986) DNA polymorphisms in schizophrenia and affective disorders. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) Biological Psychiatry 1985, Elsevier Science Publishing Company, New York, pp. 67-69.
154. Gershon E.S. and Goldin L.R. (1986) Biological risk factor strategies. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) Biological Psychiatry 1985, Elsevier Science Publishing Company, New York, pp. 76-78.
155. Nurnberger J.I. Jr., Berrettini W.H. and Gershon E.S. (1986) The inheritance of mania. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) Biological Psychiatry 1985, Elsevier Science Publishing Company, New York, pp. 829-831.

156. Berrettini W.H., Nurnberger J.I. Jr., Hare T.A. and Gershon E.S. (1986) CSF GABA in bipolar affective illness. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) *Biological Psychiatry* 1985, Elsevier Science Publishing Company, New York, pp. 926-928.
157. DeLisi L.E., Goldin L.R. Nurnberger J.I. Jr., Simmons-Alling S. and Gershon E.S. (1986) Epstein-Barr virus (EBV) and major psychiatric disorders. In: Shagass C., Josiassen R.C., Bridger W.H., Weiss K.J., Stoff D. and Simpson G.M. (eds) *Biological Psychiatry* 1985, Elsevier Science Publishing Company, New York, pp. 1095-1097.
158. Berrettini W.H., Bardakjian J., Barnett A.L., Nurnberger J.I. Jr. and Gershon E.S. (1986)  $\beta$ -adrenoceptor function in human adult skin fibroblasts: A study of manic-depressive illness. In: Porter R. et al. (eds) *Antidepressants and Receptor Function*, John Wiley and Sons, New York, pp. 30-41.
159. Cytryn L., McKnew D.H., Zahn-Waxler C. and Gershon E.S. (1986) Developmental issues in risk research: The offspring of affectively ill parents. In: Rutter M., Izard C.E. and Read P.B. (eds) *Depression in Young People: Development and Clinical Perspectives*, Gilford Press, New York, pp. 163-188.
160. Nurnberger J.I. Jr., Kessler L., Simmons-Alling S. and Gershon E.S. (1986) Pirbuterol trial as antidepressant (letter to the editor). *Biol. Psychiatry* 21: 565-579.
161. Berrettini W.H., Nurnberger J.I. Jr., Hare T.A., Simmons-Alling S. and Gershon E.S. (1986) CSF GABA in euthymic manic-depressive patients and controls. *Biol. Psychiatry* 21: 844-846.
162. Berrettini W.H., Nurnberger J.I. Jr., Narrow W., Simmons-Alling S. and Gershon E.S. (1986) Cerebrospinal fluid studies of bipolar patients with and without a history of suicide attempts. *Ann. N.Y. Acad. Sci.* 487: 197-201.
163. Gershon E.S. and Goldin L.R. (1986) Clinical methods in psychiatric genetics. I - Robustness of genetic marker investigative strategies. *Acta Psychiatr. Scand.* 74: 113-118.

164. Goldin L.R., Nurnberger J.I. Jr. and Gershon E.S. (1986) Clinical methods in psychiatric genetics. II - The high risk approach. *Acta Psychiatr. Scand.* 74: 119-128.
165. Clerget-Darpoux F., Goldin L.R. and Gershon E.S. (1986) Clinical methods in psychiatric genetics. III - Environmental stratification may simulate a genetic effect in adoption studies. *Acta Psychiatr. Scand.* 74: 305-311.
166. DeLisi L.E., Goldin L.R., Hamovit J.R., Maxwell M.E., Kurtz D. and Gershon E.S. (1986) A family study of the association of increased ventricular size with schizophrenia. *Arch. Gen. Psychiatry* 43: 148-153.
167. DeLisi L.E., Nurnberger J.I. Jr., Goldin L.R., Simmons-Alling S. and Gershon E.S. (1986) Epstein-Barr virus and depression (letter to the editor). *Arch. Gen. Psychiatry* 43: 815-816.
168. DeLisi L.E., Smith S.B., Hamovit J.R., Maxwell M.E., Goldin L.R., Dingman C.W. and Gershon E.S. (1986) Herpes simplex virus, cytomegalovirus and Epstein-Barr virus antibody titres in sera from schizophrenic patients. *Psycholog. Med.* 16: 757-763.
169. Gershon E.S. (1986) Foreward. In: Vandenberg S.G., Singer S.M. and Pauls D.L. (eds) *The Heredity of Behavior Disorders in Adults and Children*, Plenum Publishing Corporation, New York, pp. vii-x.
170. Gershon E.S., Nurnberger J.I. Jr. and Sitaram N. (1986) Recent genetic findings in mood disorders. In: Hippius H., Klerman G.L. and Matussek N. (eds) *New Results in Depression Research*, Springer-Verlag Publishers, Berlin Heidelberg, pp. 79-89.
171. Kafka M.S., Nurnberger J.I. Jr., Siever L., Targum S., Uhde T.W. and Gershon E.S. (1986) Alpha<sub>2</sub>-adrenergic receptor function in patients with unipolar and bipolar affective disorders. *J. Affect. Disord.* 10: 163-169.
172. Gershon E.S., Weissman M.M., Guroff J.J., Prusoff B.A. and Leckman J.F. (1986) Validation of criteria for major depression through controlled family study. *J. Affect. Disord.* 11: 125-131.

173. Nurnberger J.I. Jr., Berrettini W.H., Simmons-Alling S., Guroff J.J. and Gershon E.S. (1986) Intravenous GABA administration is anxiogenic in man. *Psychiatry Res.* 19: 113-117.
174. Nurnberger J.I. Jr., Goldin L.R. and Gershon E.S. (1986) Genetics of psychiatric disorders. In: Winokur G. and Clayton P. (eds) *The Medical Basis of Psychiatry*, W.B. Saunders Company, Philadelphia, pp. 486-521.
175. Pellegrini D., Kosisky S., Nackman D., Cytryn L., McKnew D.H., Gershon E.S., Hamovit J. and Cammuso K. (1986) Personal and social resources in children of patients with bipolar affective disorder and children of normal control subjects. *Am. J. Psychiatry* 143: 856-861.
176. Gershon E.S. (1986) Quality of intramural research (letter to the editor). *Science* 232: 919.
177. Baumgold J., Merril C. and Gershon E.S. (1987) Loss of pirenzepine regional selectivity following solubilization and partial purification of the putative M1 and M2 muscarinic receptor subtypes. *Mol. Brain Res.* 2: 7-14.
178. Detera-Wadleigh S.D., Berrettini W.H., Goldin L.R., Boorman D., Anderson S. and Gershon E.S. (1987) Close linkage of c-Harvey-ras-1 and the insulin gene to affective disorder is ruled out in three North American pedigrees. *Nature* 325: 806-808.
179. Gershon E.S., Hamovit J.R., Guroff J.J. and Nurnberger J.I. Jr. (1987) Birth-cohort changes in manic and depressive disorders in relatives of bipolar and schizoaffective patients. *Arch. Gen. Psychiatry* 44: 314-319.
180. DeLisi L.E., Nurnberger J.I. Jr., Goldin L.R., Simmons-Alling S. and Gershon E.S. (1987) Affective disorder and viral infections (in reply). *Arch. Gen. Psychiatry* 44: 760.
181. DeLisi L.E., Goldin L.R., Maxwell M.E., Kazuba D.M. and Gershon E.S. (1987) Clinical features of illness in siblings with schizophrenia or schizoaffective disorder. *Arch. Gen. Psychiatry* 44: 891-896.

182. Goldin L.R., DeLisi L.E. and Gershon E.S. (1987) Relationship of HLA to schizophrenia in 10 nuclear families. *Psychiatry Res.* 20: 69-77.
183. DeLisi L.E., Goldin L.R. and Gershon E.S. (1987) Studies of biological factors associated with the inheritance of schizophrenia: A selective review. *J. Psychiatr. Res.* 21: 507-513.
184. Gershon E.S. and Goldin L.R. (1987) The outlook for linkage research in psychiatric disorders. *J. Psychiatr. Res.* 21: 541-550.
185. Detera-Wadleigh S.D., de Miguel C., Berrettini W.H., DeLisi L.E., Goldin L.R. and Gershon E.S. (1987) Neuropeptide gene polymorphisms in affective disorder and schizophrenia. *J. Psychiatr. Res.* 21: 581-587.
186. Gershon E.S., Merril C.R., Goldin L.R., DeLisi L.E., Berrettini W.H. and Nurnberger J.I. Jr. (1987) The role of molecular genetics in psychiatry. *Biol. Psychiatry* 22: 1388-1405.
187. Berrettini W.H., Bardakjian J., Cappellari C.B., Barnett A.L. Jr., Albright A., Nurnberger J.I. Jr. and Gershon E.S. (1987) Skin fibroblast beta-adrenergic receptor function in manic-depressive illness. *Biol. Psychiatry* 22: 1439-1443.
188. Gershon E.S., Berrettini W.H., Nurnberger J.I. Jr. and Goldin L.R. (1987) Genetics of affective illness. In: Meltzer H.Y. (ed) *Psychopharmacology: The Third Generation of Progress*, Raven Press, New York, pp. 481-491.
189. Goldin L.R., DeLisi L.E. and Gershon E.S. (1987) Unravelling the relationship between genetic and environmental risk factors in psychiatric disorders. *Br. J. Psychiatry* 151: 302-305.
190. Goldin L.R., DeLisi L.E. and Gershon E.S. (1987) Genetic aspects to the biology of schizophrenia. In: Henn F.A. and DeLisi L.E. (eds) *Handbook of Schizophrenia: Neurochemistry and Neuropharmacology of Schizophrenia*, Volume 2, Elsevier Science Publishers, Amsterdam, pp. 467-487.

191. Nurnberger J.I. Jr., Berrettini W.H., Goldin L.R. and Gershon E.S. (1987) Genetic methods in neuropsychiatric disorders. In: Hingtgen J.N., Hellhammer D. and Huppmann G. (eds) *Advanced Methods in Psychobiology*, C.J. Hogrefe, Inc., Toronto, pp. 221-235.
192. Berrettini W.H., Cappellari C.B., Nurnberger J.I. Jr. and Gershon E.S. (1987) Beta-adrenergic receptors on lymphoblasts: A study of manic-depressive illness. *Neuropsychobiology* 17: 15-18.
193. Gershon E.S. (1988) Discovering biologically specific risk factors and genetic linkage markers in affective disorders. In: Dunner D.L., Gershon E.S. and Barrett J.E. (eds) *Relatives at Risk for Mental Disorder*, Raven Press, New York, pp. 127-141.
194. Nurnberger J.I. Jr., Hamovit J., Hibbs E.D., Pellegrini D., Guroff J.J., Maxwell M.E., Smith A. and Gershon E.S. (1988) A high-risk study of primary affective disorder: Selection of subjects, initial assessment, and 1- to 2-year follow-up. In: Dunner D.L., Gershon E.S. and Barrett J.E. (eds) *Relatives at Risk for Mental Disorder*, Raven Press, New York, pp. 161-177.
195. DeLisi L.E., Dauphinais I.D., Goldin L.R. and Gershon E.S. (1988) Perinatal risk factors in familial schizophrenia. In: Dunner D.L., Gershon E.S. and Barrett J.E. (eds) *Relatives at Risk for Mental Disorder*, Raven Press, New York, pp. 267-277.
196. Goldin L.R. and Gershon E.S. (1988) Power of the affected-sib-pair method for heterogeneous disorders. *Genet. Epidemiol.* 5: 35-42.
197. Blehar M.C., Weissman M.M., Gershon E.S. and Hirschfeld R.M.A. (1988) Family and genetic studies of affective disorders. *Arch. Gen. Psychiatry* 45: 289-292.
198. Gershon E.S., DeLisi L.E., Hamovit J., Nurnberger J.I. Jr., Maxwell M.E., Schreiber J., Dauphinais D., Dingman C.W. II and Guroff J.J. (1988) A controlled family study of chronic psychoses: Schizophrenia and schizoaffective disorder. *Arch. Gen. Psychiatry* 45: 328-336.

199. Gershon E.S. and Hoehe M.R. (1988) Comment: On the deaths of Ernst and Klaus H (letter to the editor). Arch. Gen. Psychiatry 45: 774-776.
200. Goldin L.R. and Gershon E.S. (1988) The genetic epidemiology of major depressive illness. In: Frances A.J. and Hales R.E. (eds) American Psychiatric Review of Psychiatry, Volume 7, American Psychiatric Press, Washington, D.C., pp. 149-168.
201. Nurnberger J.I. Jr., Guroff J.J., Hamovit J., Berrettini W.H. and Gershon E.S. (1988) A family study of-rapid-cycling bipolar illness. J. Affect. Disord. 15: 87-91.
202. Nurnberger J.I. Jr., Berrettini W.H., Tamarkin L., Hamovit J., Norton J. and Gershon E.S. (1988) Supersensitivity to melatonin suppression by light in young people at high risk for affective disorder: A preliminary report. Neuropsychopharmacology 1: 217-223.
203. Sitaram N., Gershon S. and Gershon E.S. (1988) Use of animals in research (letter to the editor). Am. J. Psychiatry 145: 653.
204. Lentes K-U, Berrettini W.H., Hoehe M.R., Chung F-Z and Gershon E.S. (1988) A biallelic DNA polymorphism of the human beta-2-adrenergic receptor detected by BanI-ADRBR-2. Nucleic Acids Res. 16: 2359.
205. DeLisi L.E., Reiss A.L., White B.J. and Gershon E.S. (1988) Cytogenetic studies of males with schizophrenia: Screening for the fragile X chromosome and other chromosomal abnormalities. Schizophr. Res. 1: 277-281.
206. DeLisi L.E., Dauphinais I.D. and Gershon E.S. (1988) Perinatal complications and reduced size of brain limbic structures in familial schizophrenia. Schizophr. Bull. 14: 185-191.
207. Gejman P.V., Sitaram N., Hsieh W-T, Gelerner J. and Gershon E.S. (1988) The effects of field inversion electrophoresis on small DNA fragment mobility and its relevance to DNA polymorphism research. Appl. Theor. Electrophor. 1: 29-34.

208. Goldin L.R. and Gershon E.S. (1989) Power of genetic linkage studies for heterogeneous disorders. In: Lerer B. and Gershon S. (eds) New Directions in Affective Disorders, Springer-Verlag, New York, pp. 177-180.
209. Gershon E.S. (1989) Single locus markers in affective disorders. In: Lerer B. and Gershon S. (eds) New Directions in Affective Disorders, Springer-Verlag, New York, pp. 181-183.
210. Gershon E.S., Berrettini W.H., Nurnberger J.I. Jr. and Goldin L.R. (1989) Genetic studies of affective illness. In: Mann J.J. (ed) Models of Depressive Disorders Psychological, Biological and Genetic Perspective, Plenum Publishing Corporation, New York, pp. 109-142.
211. Gershon E.S. (1989) Murderous science: Elimination by scientific selection of Jews, Gypsies, and others, Germany 1933-1945 (book review). [B. Müller-Hill, translated by Fraser G.R., Oxford University Press, Müller-Hill, New York, pp. 208 (1988)]; Am. J. Psychiatry 146: 265-267.
212. Gershon E.S., Berrettini W.H. and Goldin L.R. (1989) Mood disorders: Genetic aspects. In: Kaplan H.I. and Sadock B.J. (eds) Comprehensive Textbook of Psychiatry/5th Edition, Volume 1, Williams and Wilkins, Baltimore, pp. 879-888.
213. Gershon E.S., Goldin L.R., Guroff J.J. and Hamovit J.R. (1989) Description of the National Institute of Mental Health family study of affective disorders. Genet. Epidemiol. 6: 183-185.
214. Gershon E.S. and Goldin L.R. (1989) Linkage data on affective disorders in an epidemiologic context. Genet. Epidemiol. 6: 201-209.
215. Gershon E.S. (1989) Genetics of manic-depressive illness. Curr. Opin. Psychiatry 2: 41-44.
216. Gershon E.S. (1989) Recent developments in genetics of manic-depressive illness. J. Clin. Psychiatry 50: 4-7.

217. Gelernter J. and Gershon E.S. (1989) Psychiatric diagnosis in the age of molecular genetics. In: Robins L.N. and Barrett J.E. (eds) *The Validity of Psychiatric Diagnosis*, Raven Press, New York, pp. 143-161.
218. Lentes K-U, Hoehe M.R., Berrettini W.H., Goldin L.R. and Gershon E.S. (1989) Eine Kopplungsanalyse beta-adrenerger Rezeptoren bei manisch-depressiver Krankheit mit molekulargenetischen Methoden. *Biologische Psychiatrie (Analyses of beta-adrenergic receptors for linkage to manic-depressive illness using molecular genetic methods, Biol. Psychiatry)*, Thieme, Stuttgart, New York, pp. 515-519.
219. Kassett J.A., Gershon E.S., Maxwell M.E., Guroff J.J., Kazuba D.M., Smith A.L., Brandt H.A. and Jimerson D.C. (1989) Psychiatric disorders in the first-degree relatives of probands with bulimia nervosa. *Am. J. Psychiatry* 146: 1468-1471.
220. Detera-Wadleigh S.D., Goldin L.R., Sherrington R., Encio I., de Miguel C., Berrettini W.H., Gurling H. and Gershon E.S. (1989) Exclusion of linkage to 5q11-13 in families with schizophrenia and other psychiatric disorders. *Nature* 340: 391-393.
221. Gershon E.S., Martinez M., Goldin L.R., Gelernter J. and Silver J. (1989) Detection of marker associations with a dominant disease gene in genetically complex and heterogeneous diseases. *Am. J. Hum. Genet.* 45: 578-585.
222. Nurnberger J.I. Jr., Berrettini W.H., Mendelson W., Sack D. and Gershon E.S. (1989) Measuring cholinergic sensitivity: I. Arecoline effects in bipolar patients. *Biol. Psychiatry* 25: 610-617.
223. Gershon E.S. (1989) New linkage findings in affective disorders. *Eur. Arch. Psychiatr. Neurol. Sci.* 238: 247-250.
224. Gejman P.V., Martinez M. and Gershon E.S. (1989) New strategies in linkage research in psychiatry. *Int. Rev. Psychiatry* 1: 307-314.
225. Gershon E.S. (1990) Genetics. In: Goodwin F.K. and Jamison K.R. (eds) *Manic- Depressive Illness*, Oxford University Press, New York, pp. 373-401.

226. Berrettini W.H., Goldin L.R., Gelernter J., Gejman P.V., Gershon E.S. and Detera-Wadleigh S. (1990) X-chromosome markers and manic-depressive illness: Rejection of linkage of Xq28 in nine bipolar pedigrees. *Arch. Gen. Psychiatry* 47: 366-373.
227. Gershon E.S. (1990) Genetic linkage of complex diseases (a comment). *Genet. Epidemiol.* 7: 21-23.
228. Gejman P.V., Detera-Wadleigh S., Martinez M.M., Berrettini W.H., Goldin L.R., Gelernter J., Hsieh W-T and Gershon E.S. (1990) Manic depressive illness not linked to factor IX region in an independent series of pedigrees. *Genomics* 8: 648-655.
229. Gershon E.S., Martinez M., Goldin L.R. and Gejman P.V. (1990) Genetic mapping of common diseases: The challenges of manic-depressive illness and schizophrenia. *Trends Genet.* 6: 282-287.
230. Weinstein L.S., Gejman P.V., Friedman E., Kadowaki T., Collins R.M., Gershon E.S. and Spiegel A.M. (1990) Mutations of the G<sub>α</sub>-subunit gene in Albright hereditary osteodystrophy detected by denaturing gradient gel electrophoresis. *Proc. Natl. Acad. Sci. USA* 87: 8287-8290.
231. Dauphinais I.D., DeLisi L.E., Crow T.J., Alexandropoulos K., Colter N., Tuma I. and Gershon E.S. (1990) Reduction in temporal lobe size in siblings with schizophrenia: A magnetic resonance imaging study. *Psychiatry Res.: Neuroimaging* 35: 137-147.
232. Hsieh W.T., Barrick J.L., Hoehe M.R. and Gershon E.S. (1991) A Not1 RFLP in the human alpha2-C4 adrenergic receptor locus (ADRA2RL2) detected by PFGE. *Nucleic Acids Res.* 19: 198.
233. Caenazzo L., Hoehe M.R., Hsieh W-T, Berrettini W.H., Bonner T.I. and Gershon E.S. (1991) HindIII identifies a two allele DNA polymorphism of the human cannabinoid receptor gene (CNR). *Nucleic Acids Res.* 19: 4798.
234. Goldin L.R., Martinez M.M. and Gershon E.S. (1991) Sampling strategies for linkage studies. *Eur. Arch. Psychiatry Clin. Neurosci.* 240: 182-187.

235. Gershon E.S. (1991) Single gene findings in manic-depressive illness. *Curr. Opin. Psychiatry* 4: 51-55.
236. Gejman P.V., Weinstein L.S., Martinez M., Spiegel A.M., Cao Q., Hsieh W-T, Hoehe M.R. and Gershon E.S. (1991) Genetic mapping of the Gs- $\alpha$  subunit gene (GNAS1) to the distal long arm of chromosome 20 using a polymorphism detected by denaturing gradient gel electrophoresis. *Genomics* 9: 782-783.
237. Gershon E.S. (1991) Marker genotyping errors in old data on X-linkage in bipolar illness. *Biol. Psychiatry* 29: 721-729.
238. Hoehe M.R., Caenazzo L., Martinez M.M., Hsieh W-T, Modi W.S., Gershon E.S. and Bonner T.I. (1991) Genetic and physical mapping of the human cannabinoid receptor gene to chromosome 6q14-q15. *New Biol.* 3: 880-885.
239. Berrettini W.H., Detera-Wadleigh S.D., Goldin L.R., Martinez M., Hsieh W-T, Hoehe M., Choi H., Muniec D., Coffman D., Rollins D.Y., Wiesch D., Guroff J. and Gershon E.S. (1991) Genomic screening for genes predisposing to bipolar disease: Results for one third of the genome. *Biol. Psychiatry* 2: 449-451.
240. Gershon E.S., Berrettini W.H., Robb A., Martinez M. and Goldin L.R. (1991) A non-Kraepelinian continuity of affective disorders and schizophrenia is suggested by twin and family studies. In: Racagni G., Brunello N. and Fukuda T. (eds) *Biological Psychiatry*, Elsevier Science Publishing Company, New York, pp. 510-512.
241. Berrettini W.H., Goldin L.R., Martinez M.M., Maxwell M.E., Smith A.L., Guroff J.J., Kazuba D.M., Nurnberger J.I. Jr., Hamovit J., Simmons-Alling S., Muniec D., Choi H., York C., Robb A.S. and Gershon E.S. (1991) A bipolar pedigree series for genomic mapping of disease genes: Diagnostic and analytic considerations. *Psychiatr. Genet.* 2: 125-160.
242. Berrettini W.H., Detera-Wadleigh S.D., Goldin L.R., Martinez M., Hsieh W-T, Hoehe M., Choi H., Muniec D., Ferraro T.N., Guroff J.J., Kazuba D., Harris N., Kron E., Nurnberger J.I. Jr., Alexander R.C. and Gershon E.S. (1991) Genomic screening for genes predisposing to bipolar disease. *Psychiatr. Genet.* 2: 191-208.

243. Berrettini W.H., Gershon E.S., Goldin L.R., Gejman P.V., Detera-Wadleigh S. and Gelernter J. (1991) Bipolar pedigress (letter to the editor). *Arch. Gen. Psychiatry* 48: 671-675.
244. Detera-Wadleigh S.D., Berrettini W.H., Goldin L.R., Martinez M., Hsieh W-T, Hoehe M.R., Encio I.J., Coffman D., Rollins D.Y., Muniec D., Choi H., Guroff J.J., Wiesch D., Thai N. and Gershon E.S. (1992) A systematic search for a bipolar predisposing locus on chromosome 5. *Neuropsychopharmacology* 6: 219-229.
245. Gershon E.S. and Gillin J.C. (1992) What the intramural and extramural systems of federally funded biomedical research can learn from each other. *J. NIH Res.* 4: 20-28.
246. Grewal R.P., Martinez M., Hoehe M., Bonner T.I., Gershon E.S. and Detera-Wadleigh S.D. (1992) Genetic linkage mapping of the m4 human muscarinic receptor (CHRM 4). *Genomics* 13: 239-240.
247. Gershon E.S. and Reider R.O. (1992) Major disorders of mind and brain. *Sci. Am.* 267: 127-132.
248. Leonard H.L., Lenane M.C., Swedo S.E., Rettew D.C., Gershon E.S. and Rapoport J.L. (1992) Tics and Tourette's disorder: A 2- to 7-year follow-up of 54 obsessive-compulsive children. *Am. J. Psychiatry* 149: 1244-1251.
249. Nurnberger J.I. Jr. and Gershon E.S. (1992) Genetics. In: Paykel E.S. (ed) *Handbook of Affective Disorders*, Second Edition, Churchill Livingstone, United Kingdom, pp 131-148.
250. Hoehe M.R., Plaetke R., Otterud B., Stauffer D., Holik J., Byerley W.F., Baetge E.E., Gershon E.S., Lalouel J-M and Leppert M. (1992) Genetic linkage of the human gene for phenylethanolamine N-methyltransferase (PNMT), the adrenaline-synthesizing enzyme, to DNA markers on chromosome 17q21-q22. *Hum. Mol. Genet.* 1: 175-178.
251. Goldin L.R., Gershon E.S., Nurnberger J.I. Jr. and Berrettini W.H. (1992) The major affective disorders: Bipolar, unipolar, and schizoaffective. In: King R.A., Rotter J.I. and Motulsky A.G. (eds) *The Genetic Basis of Common Diseases*, Oxford University Press, New York, pp. 801-815.

252. Coon H., Hoff M., Holik J., Delisi L.E., Crowe T., Freedman R., Shields G., Boccio A.M., Lerman M., Gershon E.S., Gejman P.V., Leppert M. and Byerley W. (1993) C to T nucleotide substitution in codon 713 of amyloid precursor protein gene not found in 86 unrelated schizophrenics from multiplex families. *Am. J. Med. Genet. (Neuropsychiatr. Genet.)* 48: 36-39.
253. Gejman P.V., Martinez M., Cao Q., Friedman E., Berrettini W.H., Goldin L.R., Koroulakis P., Ames C., Lerman M.A. and Gershon E.S. (1993) Linkage analysis of fifty-seven microsatellite loci to bipolar disorder. *Neuropsychopharmacology* 9: 31-40.
254. Goldin L.R. and Gershon E.S. (1993) Linkage of Alzheimer's disease to chromosome 21 and chromosome 19 markers: Effect of age of onset assumptions. *Genet. Epidemiol.* 10: 449-454.
255. Hoehe M.R., Martinez M., Otterud B., Caenazzo L., Modi W.S., Ehrenreich H., Gershon E.S. and Leppert M. (1993): Genetic mapping of two brain-expressed genes to human chromosome 6. *Cytogenet. Cell Genet.* 62: 65-67.
256. Gershon E.S., Goldin L.R., Martinez M.M. and Hoehe M. (1994) Detecting discrete genes for susceptibility to bipolar disorder or schizophrenia. In: Gershon E.S. and Cloninger C.R. (eds) *Genetic Approaches to Mental Disorders (Proceedings of the 82nd Annual Meeting of the American Psychopathological Association, Inc., New York, March 5-7, 1992)*, American Psychiatric Press, Washington, D.C., pp. 205-230.
257. Berrettini W.H., Detera-Wadleigh S.D., Goldin L.R., Martinez M.M., Hsieh W-T, Hoehe M.R., Choi H., Muniec D., Ferraro T.N., Guroff J.J., Kazuba D., Harris N., Kron E., Nurnberger J.I. Jr., Alexander R.C. and Gershon E.S. (1994) A systematic search for vulnerability genes in bipolar disorders. In: Gershon E.S. and Cloninger C.R. (eds), *Genetic Approaches to Mental Disorders (Proceedings of the 82nd Annual Meeting of the American Psychopathological Association, Inc., New York, March 5-7, 1992)*, American Psychiatric Press, Washington, D.C., pp. 273-289.
258. Gejman P.V., Ram A., Gelernter J., Friedman E., Cao Q., Pickar D., Blum K., Noble E.P., Kranzler H.R., O'Malley S., Hamer D.H., Whitsitt F., Rao P., DeLisi L.E., Virkkunen M., Linnoila M., Goldman D. and Gershon E.S. (1994) No structural mutation in the dopamine D2 receptor gene in alcoholism or schizophrenia. Analysis using denaturing gradient gel electrophoresis. *JAMA* 271: 204-208.

259. Gershon E.S. and Goldin L.R. (1994) Replication of genetic linkage by follow-up of previously studied pedigrees. *Am. J. Hum. Genet.* 54: 715-718.
260. Berrettini W.H., Ferraro T.N., Goldin L.R., Weeks D.E., Detera-Wadleigh S.D., Nurnberger J.I. Jr. and Gershon E.S. (1994) Chromosome 18 DNA markers and manic-depressive illness: Evidence for a susceptibility gene. *Proc. Natl. Acad. Sci. USA.* 91: 5918-5921.
261. Polymeropoulos M.H., Coon H., Byerley W., Gershon E.S., Goldin L.R., Crow T.J., Rubenstein J., Hoff M., Holik J., Smith A.M., Shields G., Bass N.J., Poulter M., Lofthouse R., Vita A., Morganti C., Merril C.R. and DeLisi L.E. (1994) Search for a schizophrenia susceptibility locus on human chromosome 22. *Am. J. Med. Genet. (Neuropsychiatr. Genet.)* 54: 93-99.
262. Detera-Wadleigh S.D., Yoon S.W., Berrettini W.H., Goldin L.R., Turner G., Yoshikawa T., Rollins D.Y., Muniec D., Nurnberger Jr. J.I., Gershon E.S. (1995) Adrenocorticotropin receptor/melanocortin receptor-2 maps within a reported susceptibility region for bipolar illness on chromosome 18. *Am. J. Med. Genet.* 60:317-321.
263. Detera-Wadleigh S.D., Hsieh W-T, Berrettini W.H., Goldin L.R., Rollins D.Y., Muniec D., Grewal R., Guroff J.J., Turner G., Coffman D., Barrick J., Mills K., Murray J., Donohue S.J., Klein D.C., Sanders J., Nurnberger J.I. Jr. and Gershon E.S. (1994) Genetic linkage mapping for a susceptibility locus to bipolar illness: Chromosome 2, 3, 4, 7, 9, 10p, 11p, 22, and Xpter. *Am. J. Med. Genet. (Neuropsychiatr. Genet.)* 54: 206-218.
264. Gershon E.S. and Goldin L.R. (1994) Bipolar disorder and linkage to Xq28 (correspondence). *Nature Genet.* 7: 461-462.
265. Rao P.A., Pickar D., Gejman P.V., Ram A., Gershon E.S. and Gelernter J. (1994) Allelic variation in the D4 dopamine receptor (DRD4) gene does not predict response to clozapine. *Arch. Gen. Psychiatry* 51: 912-917.
266. Gershon E.S. (1994) Holding on to Humanity--The Message of Holocaust Survivors; papers of Shamai Davidson, edited by Israel W. Charney (book review). *Am. J. Psychiatry* 151: 1389.

267. Coon H., Sobell J., Heston L., Sommer S., Hoff M., Holik J., Umar F., Robertson M., Reimherr F., Wender P., Vest K., Myles-Worsley M., Gershon E.S., DeLisi L.E., Shields G., Dale P.W., Polloi A., Waldo M., Leonard S., Sikela J., Freedman R. and Byerley W. (1994) A search for mutations in the  $\beta 1$  GABAA receptor subunit gene in patients with schizophrenia. *Neuropsychiatr. Genet.* 54:12-20.
268. Gershon E.S. and Nurnberger J.I. Jr. (1995) Bipolar illness. Invited Paper: American Psychiatric Press Review of Psychiatry, Volume 14, Section on Psychiatric Genetics edited by Oldham J.M., Riba M.B. (volume ed), American Psychiatric Press, Washington, D.C. pp. 405-424.
269. Gershon E.S. (1995) Editorial: Antisocial Behavior. *Arch Gen Psychiatry* 52:900-901
270. Gershon E.S. (1995) Recent developments in genetics of bipolar illness. In: Gessa L., Fratta W., Pani L. and Serra G. (eds) Depression: Neurobiology, Pharmacology and Clinic, Advances in Biochemical Psychopharmacology 49:459-460.
271. Ram, A., Cao, Q., Keck, P.E., Pope, H.G., Otani, K., Addonizio, G., McElroy, S.L., Kaneko, S., Redlichova, M., Gershon, E., Gejman, P.V. (1995) Structural change in dopamine D2 receptor gene in a patient with neuroleptic malignant syndrome. *Am. J. Med. Gen. (Neuropsychiatric Genetics)* 60: 228-230.
272. Hoehe, M.R., Otterud, B., Hsieh, W-T., Stauffer, D., Holik, J., Berrettini, W.H., Byerley, W.F., Gershon, E.S., Lalouel, J.M., Leppert, M. (1995) Genetic mapping of adrenergic receptor genes in humans. *J. Mol. Med.* 73: 299-306.
273. Goldin L.R., Chase G.A., King T.M., Badner J.A., Gershon E.S. (1995) Use of exact and Adjusted liability scores to detect genes affecting common traits. *Genetic Epidemiology* 12: 765-769.
274. Gershon E.S. (1996) Chapter: New findings in the genetics of bipolar illness. In: Implications of Psychopharmacology to Psychiatry. M Ackenheil, B Bondy, R Engel, M Ermann, N. Nedopil (eds). pp 23-33.
275. Faraone S.V., Blehar M., Pepple J., Moldin S.O., Norton J., Nurnberger Jr. J.I., Malaspina D., Kaufmann C.A., Reich T., Cloninger C.R., DePaulo J.R., Berg K., Gershon

- E.S., Kirch D.G., Tsuang M.T. (1996) Diagnostic accuracy and confusability analyses: An application to the diagnostic interview for genetic studies. *Psychol. Med.* 26: 401-410.
276. Gershon E.S., Badner J.A., Detera-Wadleigh, S., Ferraro, T.N., Berrettini W.H. (1996) Maternal Inheritance and Chromosome 18 Allele Sharing in Unilineal Bipolar Illness Pedigrees. *Neuropsych. Genet.* 67: 202-207.
277. Berrettini W.H., Ferraro T.N., Goldin L.R., Detera-Wadleigh S.D., Choi H., Muniec D., Guroff J.J., Kazuba D.M., Nurnberger J.I., Hsieh W-T., Hoehe M.R., Gershon E.S. (1997) A linkage study of bipolar illness. *Arch. Gen. Psychiatry* 54: 27-36.
278. Rothschild L.G., Badner J., Cravchik A., Gershon E.S., Gejman P.V. (1996) No association detected between ad D3 receptor gene-expressed variant and schizophrenia. *Neuropsych. Genet.* 67: 232-234.
279. Guedj F., Cao Q., Cravchik A., Ram A., Badner J., Gershon E.S., Gejman P.V. (1996) Analysis of DRPLA trinucleotide repeats in schizophrenia. *Psychiatric Genetics* 6: 33-34.
280. Blacker D., Farone S.V., Rosen A.E., Guroff J.J., Adams P., Weissman M.M., Gershon E.S. (1996) Unipolar relatives in bipolar pedigrees: A search for elusive indicators of underlying bipolarity. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 67: 445-454.
281. Detera-Wadleigh, S.D., Badner, J.A., Goldin, L.R., Berrettini, W.H., Sanders, A.R., Rollins, D.Y., Turner, G., Moses, T., Haerian, H., Muneic, D., Nurnberger, J., Jr., and Gershon, E.S. (1996) Affected-sib-pair analyses reveal support of prior evidence for a susceptibility locus for bipolar disorder, on 21q. *Am. J. Hum. Genetics* 58: 1279-1285.
282. Gershon, E.S., Goldin, L.R., Badner, J.A., and Berrettini W.H. (1996) Detection of linkage to affective disorders in the catalogued Amish pedigrees: a reply to Pauls et al [letter]. *Am. J. Hum. Genetics* 58: 1381-1385.
284. Wang, S., Detera-Wadleigh, S.D., Coon, H., Sun, C., Goldin, L.R., Duffy, D.L., Byerley, W.F., Gershon, E.S., Diehl, S.R. (1996) Evidence of linkage disequilibrium between schizophrenia and the SCA1 CAG repeat on chromosome 6p23. *Am. J. Hum. Genet.* 59: 731-736.
285. Benjamin J, Gershon E.S. (1996) Genetic discoveries in human behavior: small effect genes loom large. *Biological Psychiatry* 40: 313-316.

286. Schizophrenia Linkage Collaborative Group for Chromosomes 3, 6, and 8. (1996) Additional support for schizophrenia linkage on chromosomes 6 and 8: a multicenter study. *Am. J. Med. Gen. (Neuropsychiatric Genetics)* 67: 580-594.
287. Ram, A., Guedj, F., Cravchik, A., Weinstein, L., Cao, Q., Badner, J.A., Goldin, L.R., Grisaru, N., Manji, H. K., Belmaker, R.H., Gershon, E.S., Gejman, P.V. (1997) No abnormality in the gene for the G protein stimulatory  $\alpha$  subunit in patients with bipolar disorder. *Arch. General Psychiatry* 54: 44-48.
288. Rice, J.P., Goate, A., Williams, J.T., Bierut, L., Dorr, D., Wu, W., Shears, S., Gopalakrishnan, G., Edenberg, H.J., Foroud, T., Nurnberger, J., Gershon, E.S., Detera-Wadleigh, S., Goldin, L.R., Guroff, J.J., McMahon, F.J., Simpson, S., MacKinnon, D., McInnis, M., Stine, O.C., DePaulo, J.P., Blehar, M. C., Reich, T. (1997) Initial genome scan of the NIMH initiative bipolar pedigrees: Chromosomes 1, 6, 8, 10, and 12. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 74: 247-253.
289. Cao, Q., Martinez, M., Zhang, J., Sanders, A.R., Badner, J.A., Cravchik, A., Markey, C., Beshah, E., Guroff, J.J., Maxwell, M.E., Kazuba, D., Whiten, R., Goldin, L.R., Gershon, E.S., Gejman, P.V. (1997) Suggestive evidence for a schizophrenia susceptibility locus on chromosome 6q and a confirmation in an independent series of pedigrees. *Genomics* 43: 1-8.
290. Stine, O. C., McMahon, F.J., Chen, L., Xu, J., Meyers, D.A., MacKinnon, D.F., Simpson, S., McInnis, M.G., Rice, J.P., Goate, A., Reich, T., Edenberg H.J., Foroud, T., Nurnberger, J.I. Jr., Deter-Wadleigh, S.D., Goldin, L.R., Guroff, J., Gershon, E.S., Blehar, M.C., and DePaulo, J. R. (1997) Initial genome screen for bipolar disorder in the NIMH genetics initiative pedigrees: Chromosomes 2, 11, 13, 14, and X. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 74: 263-269.
291. Detera-Wadleigh, S.D., Badner, J.A., Yoshikawa, T., Sanders, A.R., Goldin, L.R., Turner, G., Rollins, D.Y., Moses, T., Guroff, J.J., Kazuba, D., Maxwell, M.E., Edenberg, H.J., Foroud, T., Lahiri, D., Nurnberger, J.I., Jr., Stine, O.C., McMahon, F., Meyers, D.A., MacKinnon, D., Simpson, S., McInnis, M., DePaulo, J.R., Rice, J., Goate, A., Reich, T., Blehar, M.C., and Gershon, E.S. (1997) Initial genome scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 4, 7, 9, 18, 19, 20, and 21q. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 74: 254-262.

292. NIMH Genetics Initiative Bipolar Group (1997) Genomic Survey of bipolar illness in the NIMH genetics initiative pedigrees: A Preliminary Report. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 74: 227-237.
293. Edenberg, H.J., Foroud, T., Conneally, P.M., Sorbel, J. J., Carr, K., Crose, C., Wilig, C., Zhao, J., Miller M., Bowman, E., Mayeda, A., Rau, M., N.L., Smiley, C., Rice, J.P., Goate, A., Reich, T., Stine, O.C., McMahon, F., DePaulo, J.R., Myers, D., Detera-Wadleigh, Goldin, L.R., Gershon, E. S., Blehar, M.C., and Nurnberger, J.I., Jr. (1997) Initial genomic scan of the NIMH genetics initiative bipolar pedigrees: Chromosomes 3, 5, 15, 16, 17, and 22. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 74: 238-246.
294. Gershon, E.S. (1997) Letter to the Editor: Ernst Rüdin, a Nazi psychiatrist and geneticist. *Am. J. Med. Genetics (Neuropsychiatric Genetics)* 74: 457-458.
295. Strakis, C.A., Detera-Wadleigh, S.D., Gershon, E.S., Chrousos, G.P., Badner, J.A., Berrettini, W.H., Sarlis, N.J. (1997) Lack of linkage between the corticotropin-releasing hormone (CRH) gene and bipolar affective disorder. *Mol. Psychiatry* 2 (6): 483-5.
296. Sanders, A.R., and Gershon, E.S. (1997) Linkage and association in complex genetic diseases. *Am. J. Psychiatry* 154 (12): 1640.
297. Sanders, A.R., and Gershon, E.S. (1998) Images in neuroscience. Clinical genetics, VII. From genetics to pathophysiology: positional cloning. *Am. J. Psychiatry* 155 (1): 3.
298. Gershon, E.S., Badner, J.A., Goldin, L.R., Sanders, A. R., Cravchik, A., Detera-Wadleigh, S.D. (1998) Closing in on genes for manic-depressive illness and schizophrenia. *Neuropsychopharmacology*. 18(4): 233-242.
299. Esterling, L.E., Matise, T.C., Sanders, A.R., Yoshikawa, T., Overhauser, J., Gershon, E.S., Moskowitz, M.T., and Detera-Wadleigh, S.D. (1997) An integrated physical map of 18p11.2: a susceptibility region for bipolar disorder. *Molecular Psychiatry* 2: 501-504.
300. Sanders, A.R., Gershon, E.S., Detera-Wadleigh, S.C. (Chapter) 1998. Genetics of Bipolar Disorder. In: McGraw-Hill Yearbook of Science & Technology 1998. In

Parker S.P., Biderman, A., Weil, J., Richman, B., Butler, G.C., Albers, P.W., Torres, S. (Eds). Pp 2--21.

301. Esterling L.E., Detera-Wadleigh, S.D., Berrettini, W.H., Gershon, E.S., Bengel, D., Badner, J.A., Turner, G., and Yoshikawa, T. (1998) Serotonin transporter (5-HTT) gene and bipolar affective disorder. *Am. J. Med. Genetics* 81 (1): 37-40.
302. Sanders, A.R., and Gershon, E.S. (1998) Images in neuroscience. Clinical Genetics, VIII. From genetics to pathophysiology--candidate genes. *Am. J. Psychiatry* 155 (2): 162.
303. Goldin, L.R., Kelsoe, J., Smyth, C., Curtis, D., Gurling, H., Endicott, J., Gilliam, C., Knowles, J., Baron, M., Rietschel, M., Maier, W., Kreiner, R., Franzek, E., Albus, M., Baur, M., Fimmers, R., Cichon, S., Propping, P., Nothen, M., Meyers, D., McMahon, F., DePaulo, R., Stine, O.C., Berrettini, W.H., and Gershon, E.S. (1998) Description of the Genetic Analysis Workshop 10 bipolar disorder linkage data sets. *Genet. Epidemiology* 14 (6): 563-8.
304. Sanders, A.R., and Gershon, E.S. (1998) Images in neuroscience. Clinical genetics, VII. From genetics to pathophysiology: positional cloning. *Am. J. Psychiatry* 155 (1): 3.
305. Gershon, E.S. (1998) Making Progress: Does Clinical Research Lead to Breakthroughs in Basic Biomedical Sciences? *Perspectives in Biology and Medicine* 42 (1): 95-102.
307. Martinez M, Goldin LR, Cao Q, Zhang J, Sanders AR, Nancarrow DJ, Taylor JM, Levinson DF, Kirby A, Crowe RR, Andreasen NC, Black DW, Silverman JM, Lennon DP, Nertney DA, Brown DM, Mowry BJ, Gershon ES, Gejman PV (1999) Follow-up study on a susceptibility locus for schizophrenia on chromosome 6q. *Am.J.Med.Genet.* 88:337-343
308. Badner J.A., Gershon E.S., Goldin L.R. (1998) Optimal ascertainment strategies to detect linkage to common disease alleles. *Am. J. Hum. Genet.* 1998 Sep; 63 (3): 880-8. Detera-Wadleigh, S.D., Badner, J., Berrettini, W., Yoshikawa, T., Goldin, L.R., Turner, G., Rollins, D., Moses, T., Sanders, A., Karkera, J.D., Esterling, L.E., Zeng, J., Ferraro, T.N., Guroff, J., Kazuba, D., Maxwell, M.E., Nurnberger, J.I., Jr., Gershon, E.S., (1999) A high density genome scan detects evidence for a bipolar disorder susceptibility locus on 13q32, and other potential loci on 1q32 and 18p11.2. *Proc. Natl. Acad. Sci. USA* 96:5604-5609.
309. Badner, J.A., Detera-Wadleigh, S.D., Gershon, E.S., (2000) Genetics of early-onset manic-depressive illness and schizophrenia. In Rapoport, J.L., (Editor),

Childhood Onset of Adult Psychopathology: Clinical and Research Advances, American Psychiatric Press, Washington, DC, pp. 3-26.

310. Badner JA, Gershon ES, Goldin LR: (1999) Reply to Baron. Am.J.Hum.Genet. 64:1246-1248 (letter)

311. Blehar MC, DePaulo JR, Jr., Gershon ES, Reich T, Simpson SG, Nurnberger JI, Jr.: (1998) Women with bipolar disorder: findings from the NIMH Genetics Initiative sample. Psychopharmacol.Bull. 34:239-243

312. Sanders, A.R., Detera Wadleigh, S.D. and Gershon, E.S. (1999) Molecular genetics of mood disorders. In: Charney, D.S., Nestler, E.J. and Bunney, B.S. (eds.) Neurobiology of Mental Illness. Oxford University Press, New York, pp. 299 316.

313. Gershon ES, Bipolar illness and schizophrenia as oligogenic diseases: implications for the future (2000) Biol. Psychiatry 47:240-244

314. Foroud T., Castelluccio, P.F., Koller D.I., Edenberg H.J., Miller M., Bowman E., Rau N.L., Smiley C., Rice J.P., Goate A., Armstrong C., Bierut L.J., Reich T., Detera-Wadleigh, S.D., Goldin L.R., Badner J.A., Guroff J.J., Gershon, E.S., McMahon F.J., Simpson S., MacKinnon D., McInnis M., Stine, O.C., DePaulo J.R., Blehar M.C., and Nurnberger J.I. Suggestive Evidence of a Locus on Chromosome 10p Using the NIMH Genetics Initiative Bipolar Affective Disorder Pedigrees, (2000) Am Journal of Medical Genetics (Neuropsychiatric Genetics) 96:18-23

315. Gershon E.S. , (2000) Genetics of Mental Disorders: A Guide for Students, Clinicians, and Researchers, by Faraone S.V., Tsuang M.T. and Tsuang D.W. New York, Guilford Publications, 1999, 275 pp. [Book Review] Am J Psychiatry 157:3-4

316. Liu C., Badner JA, Christian SL, Guroff JJ, Detera-Wadleigh SD, Gershon ES. (2001) Fine mapping supports previous linkage evidence for a bipolar disorder susceptibility locus on 13q32. American Journal of Medical Genetics (Neuropsychiatric Genetics) 105:375-380.

317. Gershon, E.S. and Badner, J.A., (2001) "Incorporation of molecular data and definition of phenotype: new approaches to genetic epidemiology of bipolar manic

depressive illness and schizophrenia," Dialogues in Clinical Neuroscience, Vol. 3 No.1; 63-71

318. Gershon, E.S., Kelsoe, J.R., Kendler, K.S. and Watson, J.D., (2001) "A Scientific Opportunity," Science, 294; 957 (Editorial)

319. McInnis MG, Swift-Scanlan T, Mahoney AT, Vincent J, Verheyen G, Lan TH, Oruc L, Riess O, Broeckhoven CV, Chen H, Kennedy JL, MacKinnon DF, Margolis RL, Simpson SG, McMahon FJ, Gershon E, Jr JN, Reich T, DePaulo JR, Ross CA. (2000) Allelic distribution of CTG18.1 in Caucasian populations: association studies in bipolar disorder, schizophrenia, and ataxia. Mol Psychiatry. Jul;5(4):439-42.

320. • Badner J.A., Gershon E.S. (2002) Regional meta-analysis of published data supports linkage of autism with markers on chromosome 7. Molecular Psychiat.; 7: 56-66.

321. • Badner J.A., Gershon E.S. (2002) Meta-analysis of whole-genome linkage scans of bipolar disorder and schizophrenia. Molecular Psychiat. 7:405-11.

322. Susan L. Christian, Jennifer McDonough, Chun-yu Liu, Sanober Shaikh, Vivian Vlamakis, Judith A. Badner, Aravinda Chakravarti and Elliot S. Gershon (2002) An Evaluation of the Assembly of an Approximately 15-Mb Region on Human Chromosome 13q32-q33 Linked to Bipolar Disorder and Schizophrenia. Genomics 79: 635-658.

323. Danielle M. Dick, Tatiana Foroud, Howard J. Edenberg, Marvin Miller, Elizabeth Bowman, N. Leela Rau, J. Raymond DePaulo, Melvin McInnis, Elliot Gershon, Francis McMahon, John P. Rice, Laura J. Bierut, Theodore Reich, and John Nurnberger, Jr. (2002). Apparent Replication of Suggestive Linkage on Chromosome 16 in the NIMH Genetics Initiative Bipolar Pedigrees. American Journal of Medical Genetics (Neuropsychiatric Genetics) 114:407-412.

324. Willour VL, Zandi PP, Huo Y, Diggs TL, Chellis JL, MacKinnon DF, Simpson SG, McMahon FJ, Potash JB, Gershon ES, Reich T, Foroud T, Nurnberger JI, Jr., DePaulo JR, Jr., McInnis MG: Genome scan of the fifty-six bipolar pedigrees from the NIMH genetics initiative replication sample: chromosomes 4, 7, 9, 18, 19, 20, and 21. Am.J.Med.Genet.B Neuropsychiatr.Genet. 2003; 121:21-27

325. MacKinnon DF, Zandi PP, Cooper J, Potash JB, Simpson SG, Gershon E, Nurnberger J, Reich T, DePaulo JR. (2002) Comorbid bipolar disorder and panic disorder in families with a high prevalence of bipolar disorder. *Am J Psychiatry*. 159:30-35.
326. Gershon E.S. (January 2003) Shorter Oxford Textbook of Psychiatry, 4th ed. by Michael Gelder, Richard Mayou, and Philip Cowen, Oxford University Press, London, England, 2001, 1056 pp. [Book Review] *J Clin Psychiatry* 64(1):100-101
327. • Hattori, E., Liu, C, Badner, J. A., Bonner, T. I., Christian, S. L., Maheshwari, M., Detera-Wadleigh, S. D., Gibbs, R. A., and Gershon, E. S. (2003) Polymorphisms at the G72/G30 gene locus on 13q33 are associated with Bipolar disorder in two independent pedigree series. *Am.J.Hum.Genet.* 72:1131-1140.
328. Gershon, E.S., The challenges of genetic tests for human behavior. (2003) Israel J. Psychiatry 39:206-216.
329. Gershon, E.S., and Segman, R.H. Editorial: Genes for human behavior. (2003) Israel J. Psychiatry 39:203.
330. Dick DM, Foroud T, Flury L, Bowman ES, Miller MJ, Rau NL, Moe PR, Samavedy N, El-Mallakh R, Manji H, Glitz DA, Meyer ET, Smiley C, Hahn R, Widmark C, McKinney R, Sutton L, Ballas C, Grice D, Berrettini W, Byerley W, Coryell W, DePaulo R, MacKinnon DF, Gershon ES, Kelsoe JR, McMahon FJ, McInnis M, Murphy DL, Reich T, Scheftner W, Nurnberger JI Jr. (2003) Genomewide Linkage Analyses of Bipolar Disorder: A New Sample of 250 Pedigrees from the National Institute of Mental Health Genetics Initiative. *Am J Hum Genet* May 27;73(1) [epub ahead of print]
331. Liu C, Bonner TI, Nguyen T, Lyons JL, Christian SL, Gershon ES. DNAnnotator: annotation software tool kit for regional genomic sequences. *Nucleic Acids Res.* 2003;31:3729-3735.
332. MacKinnon DF, Zandi PP, Gershon ES, Nurnberger JI, Jr., DePaulo JR, Jr. Association of rapid mood switching with panic disorder and familial panic risk in familial bipolar disorder. *Am J Psychiatry*. 2003;160:1696-1698.

333. MacKinnon DF, Zandi PP, Gershon E, Nurnberger JI, Jr., Reich T, DePaulo JR. Rapid switching of mood in families with multiple cases of bipolar disorder. *Arch Gen Psychiatry*. 2003;60:921-928.
334. Tang, Y-P and Gershon, ES, Genetic studies in Alzheimer's disease, *Dialogues in Clinical Neuroscience*, 2003; 4:17-28.
335. Thomas G. Schulze, Silvia Buervenich, Judith A. Badner, C.J.M. Steele, Sevilla D. Detera-Wadleigh, Danielle Dick, Tatiana Foroud, Nancy J. Cox, Dean F. MacKinnon, James B. Potash, Wade H. Berrettini, William Byerley, William Coryell, J. Raymond DePaulo, Jr., Elliot S. Gershon, John R. Kelsoe, Melvin G. McInnis, Dennis L. Murphy, Theodore Reich†, William Scheftner, John I. Nurnberger, Jr., and Francis J. McMahon. Loci on Chromosomes 6q and 6p Interact to Increase Susceptibility to Bipolar Affective Disorder in the National Institute of Mental Health Genetics Initiative Pedigrees, *BIOL PSYCHIATRY* 2004;56:18-23.
336. Zandi PP, Willour VL, Huo Y, Chellis J, Potash JB, MacKinnon DF, Simpson SG, McMahon FJ, Gershon E, Reich T, Foroud T, Nurnberger J, Jr., DePaulo JR, Jr., McInnis MG: Genome scan of a second wave of NIMH genetics initiative bipolar pedigrees: chromosomes 2, 11, 13, 14, and X. *Am.J.Med.Genet.B Neuropsychiatr.Genet.* 2003; 119:69-76.
337. Ferraren DO, Liu C, Badner JA, Corona W, Rezvani A, Monje VD, Gershon ES, Bonner TI, Detera-Wadleigh SD: Linkage disequilibrium analysis in the LOC93081-KDELC1-BIVM region on 13q in bipolar disorder. *Am.J.Med.Genet.B Neuropsychiatr.Genet.* 2005; 133:12-17
338. Cichon S, Buervenich S, Kirov G, Akula N, Dimitrova A, Green E, Schumacher J, Klopp N, Becker T, Ohlraun S, Schulze TG, Tullius M, Gross MM, Jones L, Krastev S, Nikolov I, Hamshere M, Jones I, Czerski PM, Leszczynska-Rodziewicz A, Kapelski P, Bogaert AV, Illig T, Hauser J, Maier W, Berrettini W, Byerley W, Coryell W, Gershon ES, Kelsoe JR, McInnis MG, Murphy DL, Nurnberger JI, Reich T, Scheftner W, O'Donovan MC, Propping P, Owen MJ, Rietschel M, Nothen MM, McMahon FJ, Craddock N: Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. *Nat.Genet.* 2004; 36:783-784
339. Nguyen TH, Liu C, Gershon ES, McMahon FJ: Frequency Finder: a multi-source web application for collection of public allele frequencies of SNP markers. *Bioinformatics*. 2004; 20:439-443

340. McInnis MG, Dick DM, Willour VL, Avramopoulos D, MacKinnon DF, Simpson SG, Potash JB, Edenberg HJ, Bowman ES, McMahon FJ, Smiley C, Chellis JL, Huo Y, Diggs T, Meyer ET, Miller M, Matteini AT, Rau NL, DePaulo JR, Gershon ES, Badner JA, Rice JP, Goate AM, Detera-Wadleigh SD, Nurnberger JI, Reich T, Zandi PP, Foroud TM: Genome-wide scan and conditional analysis in bipolar disorder: evidence for genomic interaction in the National Institute of Mental Health genetics initiative bipolar pedigrees. *Biol.Psychiatry* 2003; 54:1265-1273
341. Hattori E, Liu C, Zhu H, Gershon ES. Genetic tests of biologic systems in affective disorders. *Mol Psychiatry*. 2005; 10: 719-740
342. Lyons-Warren A, Chang JJ, Balkissoon R, Kamiya A, Garant M, Nurnberger J, Scheftner W, Reich T, McMahon F, Kelsoe J, Gershon E, Coryell W, Byerley W, Berrettini W, Depaulo R, McInnis M, Sawa A. Evidence of association between bipolar disorder and Citron on chromosome 12q24. *Mol Psychiatry*. 2005 Sep;10(9):807-9.
343. Gershon, ES, New genes for human behavior in historical perspective, in *Psychopathology in the Genome and Neuroscience Era*, 2005. Zorumski CF and Rubin EH (Eds.), APPI, Washington, DC, and London, pages 17-32.
344. Dinwiddie SH, Hoop J, Gershon ES: Ethical issues in the use of genetic information. *Int.Rev.Psychiatry*. 2004; 16:320-328
345. Goes FS, Zandi PP, Miao K, McMahon FJ, Steele J, Willour VL, MacKinnon DF, Mondimore FM, Schweizer B, Nurnberger JI, Jr., Rice JP, Scheftner W, Coryell W, Berrettini WH, Kelsoe JR, Byerley W, Murphy DL, Gershon ES, Bipolar Disorder Phenome Group, Depaulo JR, Jr., McInnis MG, Potash JB. Mood-incongruent psychotic features in bipolar disorder: familial aggregation and suggestive linkage to 2p11-q14 and 13q21-33. *Am J Psychiatry* 2007 February;164(2):236-247.
346. Potash JB, Buervenich S, Cox NJ, Zandi PP, Akula N, Steele J, Rathe JA, Avramopoulos D, tera-Wadleigh SD, Gershon ES, Depaulo JR, Jr., Feinberg AP, McMahon FJ. Gene-based SNP mapping of a psychotic bipolar affective disorder linkage region on 22q12.3: Association with HMG2L1 and TOM1. *Am J Med Genet B Neuropsychiatr Genet* 2007.

347. Shi J, Hattori E, Zou H, Badner JA, Christian SL, Gershon ES, Liu C. No evidence for association between 19 cholinergic genes and bipolar disorder. *Am J Med Genet B Neuropsychiatr Genet* 2007 March;144B(6):715-723.
348. Detera-Wadleigh SD, Liu CY, Maheshwari M, Cardona I, Corona W, Akula N, Steele CJ, Badner JA, Kundu M, Kassem L, Potash JB, Gibbs R, Gershon ES, McMahon FJ. Sequence variation in DOCK9 and heterogeneity in bipolar disorder. *Psychiatr Genet* 2007;274-286.
349. Willour VL, Zandi PP, Badner JA, Steele J, Miao K, Lopez V, MacKinnon DF, Mondimore FM, Schweizer B, McInnis MG, Miller EB, Depaulo JR, Jr., Gershon ES, McMahon FJ, Potash JB. Attempted suicide in bipolar disorder pedigrees: evidence for linkage to 2p12. *Biol Psychiatry* 2007 March 1;61(5):725-727.
350. Zandi PP, Badner JA, Steele J, Willour VL, Miao K, MacKinnon DF, Mondimore FM, Schweizer B, McInnis MG, Depaulo JR, Jr., Gershon E, McMahon FJ, Potash JB. Genome-wide linkage scan of 98 bipolar pedigrees and analysis of clinical covariates. *Mol Psychiatry* 2007 July;12(7):630-639.
351. Gershon, ES, Pregnancy Chromosomes, and Receptors. *The Scientist*, December 2007 Schizophrenia Supplement, 45-47.
352. Willour VL, Chen H, Toolan J, Belmonte P, Cutler DJ, Goes FS, Zandi PP, Lee RS, MacKinnon DF, Mondimore FM, Schweizer B, Bipolar Disorder Phenome Group, NIMH Genetics Initiative Bipolar Disorder Consortium, DePaulo Jr. JR, Gershon ES, McMahon FJ, and Potash JB. Family-based association of FKBP5 in bipolar disorder. *Mol Psychiatry* (in press)
353. Jiajun Shi, Judith A. Badner, Elliot S. Gershon, Chunyu Liu, Allelic association of G72/G30 with schizophrenia and bipolar disorder: a comprehensive meta-analysis. *Schizophrenia Research*, 98 (2008) 89–97.
354. Shi J, Wittke-Thompson JK, Badner JA, Hattori E, Potash JB, Willour VL, McMahon FJ, Gershon ES, Liu C. Clock genes may influence bipolar disorder susceptibility and dysfunctional circadian rhythm. *Am J Med Genet B Neuropsychiatr Genet* 2008 Oct 5;147B(7):1047-55. PMCID:PMC2574897

355. Liu C, Shi J, Badner JA, Zou H, Qian Y, Gershon ES (2007) No association of trace amine receptor genes with bipolar disorder. *Mol Psychiatry*. 12 (11):979-981.
356. Gershon ES (2007) Genes and environment in suicidality. *Am J Psychiatry*. 164 (10):1460-1461. (Editorial).
358. Gershon ES, Liu C, and Badner JA (2008) Genome-wide association in bipolar. *Mol Psychiatry*. 13 (1):1-2. (Editorial).
359. McMahon FJ, Nurnberger JI Jr, Rice JP, Scheftner W, Coryell W, Berrettini WH, Kelsoe JR, Byerley W, Gershon ES, Raymond Depaulo J Jr, Potash JB. Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. *Bipolar Disord*. 2008 Feb;10(1):38-44.
360. Payne JL, MacKinnon DF, Mondimore FM, McInnis MG, Schweizer B, Zamoiski RB, McMahon FJ, Nurnberger JI Jr, Rice JP, Scheftner W, Coryell W, Berrettini WH, Kelsoe JR, Byerley W, Gershon ES, DePaulo JR Jr, Potash JB. Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. *Bipolar Disord*. 2008 Feb;10(1):38-44.
361. Shi J, Gershon ES, Liu C. Genetic associations with schizophrenia: Meta-analyses of 12 candidate genes. *Schizophr Res* 2008 Sep;104(1-3):96-107. PMCID:PMC2562556
362. Ross J, Berrettini W, Coryell W, Gershon ES, Badner JA, Kelsoe JR et al. Genome-wide parametric linkage analyses of 644 bipolar pedigrees suggest susceptibility loci at chromosomes 16 and 20. *Psychiatr Genet* 2008; 18(4):191-198.
363. Zandi PP, Belmonte PL, Willour VL, Goes FS, Badner JA, Simpson SG et al. Association study of Wnt signaling pathway genes in bipolar disorder. *Arch Gen Psychiatry* 2008; 65(7):785-793.
364. Shi J, Badner JA, Hattori E, Potash JB, Willour VL, McMahon FJ et al. Neurotransmission and bipolar disorder: A systematic family-based association study. *Am J Med Genet B Neuropsychiatr Genet*. 2008 Oct 5;147B(7):1270-7 PMID: 18444252 PMCID: PMC2574701

365. Christian SL, Brune CW, Sudi J, Kumar RA, Liu S, Karamohamed S, Badner JA, Matsui S, Conroy J, McQuaid D, et al. Novel submicroscopic chromosomal abnormalities detected in autism spectrum disorder. *Biol Psychiatry* 2008 Jun 15;63(12):1111-7. PMCID:PMC2440346
366. Goes FS, Willour VL, Zandi PP, Belmonte PL, Mackinnon DF, Mondimore FM, Schweizer B, Gershon ES, McMahon FJ, Potash JB, et al. Family-based association study of Neuregulin 1 with psychotic bipolar disorder. *Am J Med Genet B Neuropsychiatr.Genet* 2009 Jan 6;
367. Grover D, Verma R, Goes FS, Mahon PL, Gershon ES, McMahon FJ, Potash JB, NIMH Genetics Initiative Bipolar Disorder Collaborative BDP. Family-based association of YWHAH in psychotic bipolar disorder. *Am J Med Genet B Neuropsychiatr.Genet* 2009 Jan 21;
368. Liu L, Foroud T, Xuei X, Berrettini W, Byerley W, Coryell W, El-Mallakh R, Gershon ES, Kelsoe JR, Lawson WB, et al. Evidence of association between brain-derived neurotrophic factor gene and bipolar disorder. *Psychiatr.Genet* 2008 Dec;18(6):267-74. PMCID:PMC2653694
369. Maheshwari M, Shi J, Badner JA, Skol A, Willour VL, Muzny DM, Wheeler DA, Gerald FR, tera-Wadleigh S, McMahon FJ, et al. Common and rare variants of DAOA in bipolar disorder. *Am J Med Genet B Neuropsychiatr.Genet* 2009 Feb 4
370. Payne JL, Klein SR, Zamoiski RB, Zandi PP, Bienvenu OJ, Mackinnon DF, Mondimore FM, Schweizer B, Swartz KL, NIMH Genetics Initiative Bipolar Disorder Consortium, et al. Premenstrual mood symptoms: study of familiality and personality correlates in mood disorder pedigrees. *Arch.Womens Ment.Health* 2009 Feb;12(1):27-34
371. Ross J, Berrettini W, Coryell W, Gershon ES, Badner JA, Kelsoe JR, McInnis MG, McMahon FJ, Murphy DL, Nurnberger JI, Jr., et al. Genome-wide parametric linkage analyses of 644 bipolar pedigrees suggest susceptibility loci at chromosomes 16 and 20. *Psychiatr.Genet* 2008 Aug;18(4):191-8
372. Schulze TG, Detera-Wadleigh SD, Akula N, Gupta A, Kassem L, Steele J, Pearl J, Strohmaier J, Breuer R, Schwarz M, et al. Two variants in Ankyrin 3 (ANK3) are

independent genetic risk factors for bipolar disorder. Mol Psychiatry 2009 May;14(5):487-91

373. Shi J, Badner JA, Gershon ES, Chunyu L, Willour VL, Potash JB. Further evidence for an association of G72/G30 with schizophrenia in Chinese. Schizophr.Res 2009 Feb;107(2-3):324-6. PMCID:PMC2630372

374. Zhang D, Cheng L, Qian Y, Alliey-Rodriguez N, Kelsoe JR, Greenwood T, Nievergelt C, Barrett TB, McKinney R, Schork N, et al. Singleton deletions throughout the genome increase risk of bipolar disorder. Mol Psychiatry 2009 Apr;14(4):376-80

375. Shi J., Cheng L., Gershon E. S., Liu C. G72/G30 in Neuropsychiatric Disorders, in Handbook of Neurochemistry and Molecular Neurobiology, Vol. 27 (Schizophrenia), Chapter 2.1, Springer, 2009 (Book Chapter) p. 93-106.

376. Mahon PB, Stutz AM, Seifuddin F, Huo Y, Goes FS, Jancic D, Judy JT, Depaulo JR, Jr., Gershon ES, McMahon FJ, et al. Case-control association study of TGOLN2 in attempted suicide. Am.J.Med.Genet.B Neuropsychiatr.Genet. 2010 Jul;153B(5):1016-23

377. Liu C, Cheng L, Badner JA, Zhang D, Craig DW, Redman M, Gershon ES. Whole-genome association mapping of gene expression in the human prefrontal cortex. Mol.Psychiatry 2010 Aug;15(8):779-84

378. Zhang D, Cheng L, Badner JA, Chen C, Chen Q, Luo W, Craig DW, Redman M, Gershon ES, Liu C. Genetic control of individual differences in gene-specific methylation in human brain. Am.J.Hum.Genet. 2010 Mar 12;86(3):411-9. PMCID:PMC2833385

379. Im HI, Nakajima A, Gong B, Xiong X, Mamiya T, Gershon ES, Zhuo M, Tang YP. Post-training dephosphorylation of eEF-2 promotes protein synthesis for memory consolidation. PLoS.One. 2009;4(10):e7424. PMCID:PMC2757674

380. Goes FS, Willour VL, Zandi PP, Belmonte PL, MacKinnon DF, Mondimore FM, Schweizer B, National Institute of Mental Health Genetics Initiative Bipolar Disorder, Depaulo JR, Jr., Gershon ES, et al. Sex-specific association of the Reelin

gene with bipolar disorder. Am.J.Med.Genet.B Neuropsychiatr.Genet. 2010 Mar 5;153B(2):549-53. PMCID:PMC3032172

381. Gershon ES, Alliey-Rodriguez N, Liu C. After GWAS: Searching for Genetic Risk for Schizophrenia and Bipolar Disorder. Am.J.Psychiatry 2011 Feb 1; epub

382. Zhang D, Qian Y, Akula N, liey-Rodriguez N, Tang J, Bipolar GS, Gershon ES, Liu C. Accuracy of CNV Detection from GWAS Data. PLoS.One. 2011;6(1):e14511. PMCID:PMC3020939

383. Vacic V, McCarthy S, Malhotra1 D, Murray F, Chou H, Peoples A, Makarov V, Yoon S, Bhandari A, Corominas R, Iakoucheva LM, Krastoshevsky O, Krause V, Larach-Walters V, Welsh DK, Craig D, Kelsoe JR, Gershon ES, Leal SM, Aquila MD, Morris DW, Gill M, Corvin A., Insel PA, McClellan J, King M-C, Karayiorgou M, Levy DL, DeLisi LE, Sebat J. Duplications of the neuropeptide receptor gene VIPR2 confer significant risk for schizophrenia. Nature. 2011 Mar 24;471(7339):499-503, doi:10.1038/nature09884, 2011. PMID: 21346763

384. Psychiatric GWAS Consortium Bipolar Disorder Working Group, Sklar P, Ripke S, Scott LJ, Andreassen OA, Cichon S, Craddock N, Edenberg HJ, Nurnberger JI, Jr., Rietschel M, . . . Gershon ES, et al. Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nat.Genet 2011 Sep 18;

385. Badner JA, Koller D, Foroud T, Edenberg H, Nurnberger JI, Jr., Zandi PP, Willour VL, McMahon FJ, Potash JB, Hamshere M, et al. Genome-wide linkage analysis of 972 bipolar pedigrees using single-nucleotide polymorphisms. Mol.Psychiatry 2011 Jul 19;

386. Cichon S, Muhleisen TW, Degenhardt FA, Mattheisen M, Miro X, Strohmaier J, Steffens M, Meesters C, Herms S, Weingarten M, et al. Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. Am J Hum Genet 2011 Mar 11; 88 (3): 372-81. PMCID:PMC3059436

387. Gamazon ER, Badner JA, Cheng L, Zhang C, Zhang D, Cox NJ, Gershon ES, Kelsoe JR, Greenwood TA, Nievergelt CM, et al. Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. Mol.Psychiatry 2012 Jan 3;

388. Judy JT, Seifuddin F, Mahon PB, Huo Y, Goes FS, Jancic D, Schweizer B, Mondimore FM, Mackinnon DF, Depaulo JR, Jr., et al. Association study of serotonin pathway genes in attempted suicide. Am J Med.Genet B Neuropsychiatr.Genet 2012 Jan; 159B (1): 112-9.

389. Alliey-Rodriguez N, Zhang D, Badner JA, Lahey BB, Zhang X, Dinwiddie S, Romanos B, Plenys N, Liu C, Gershon ES. Genome-wide association study of personality traits in bipolar patients. *Psychiatr.Genet* 2011 Aug; 21 (4): 190-4. PMCID:PMC3125400
390. Malhotra D, McCarthy S, Michaelson JJ, Vacic V, Burdick KE, Yoon S, Cichon S, Corvin A, Gary S, Gershon ES, et al. High Frequencies of De Novo CNVs in Bipolar Disorder and Schizophrenia. *Neuron* 2011 Dec 22; 72 (6): 951-63.
391. Nurnberger JI, Jr., McInnis M, Reich W, Kastelic E, Wilcox HC, Glowinski A, Mitchell P, Fisher C, Erpe M, Gershon ES, et al. A high-risk study of bipolar disorder. Childhood clinical phenotypes as precursors of major mood disorders. *Arch.Gen.Psychiatry* 2011 Oct; 68 (10): 1012-20.
392. Smith EN, Koller DL, Panganiban C, Szelinger S, Zhang P, Badner JA, Barrett TB, Berrettini WH, Bloss CS, Byerley W, et al. Genome-wide association of bipolar disorder suggests an enrichment of replicable associations in regions near genes. *PLoS.Genet* 2011 Jun; 7 (6): e1002134. PMCID:PMC3128104
393. Chen C, Grennan K, Badner J et al. Removing batch effects in analysis of expression microarray data: an evaluation of six batch adjustment methods. *PLoS One* 2011;6(2):e17238.
394. Chen C, Cheng L, Grennan K et al. Two gene co-expression modules differentiate psychotics and controls. *Mol Psychiatry* 2012 November 13.
395. Chen DT, Jiang X, Akula N et al. Genome-wide association study meta-analysis of European and Asian-ancestry samples identifies three novel loci associated with bipolar disorder. *Mol Psychiatry* 2013 February;18(2):195-205.
396. Cheng L, Hattori E, Nakajima A et al. Expression of the G72/G30 gene in transgenic mice induces behavioral changes. *Mol Psychiatry* 2013 January 22.
397. Cross-Disorder Group of the Psychiatric Genomics Consortium, Lee SH, Ripke S et al. Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. *Nat Genet* 2013 August 28;45(9):984-94.
398. Ford JM, Mathalon DH, Roach BJ et al. Neurophysiological Evidence of Corollary Discharge Function During Vocalization in Psychotic Patients and Their Nonpsychotic First-Degree Relatives. *Schizophr Bull* 2012 November 15.
399. Gamazon ER, Badner JA, Cheng L et al. Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. *Mol Psychiatry* 2013 March;18(3):340-6.
400. Gershon ES, Grennan K, Busnello J et al. A rare mutation of CACNA1C in a patient with bipolar disorder, and decreased gene expression associated with a bipolar-associated common SNP of CACNA1C in brain. *Mol Psychiatry* 2013 August 27.
401. Gershon ES, Alliey-Rodriguez N. New Ethical Issues for Genetic Counseling in Common Mental Disorders. *Am J Psychiatry* 2013 July 30.

402. Gershon ES. Risk counselling for family members in bipolar disorder and schizophrenia. *Int J Neuropsychopharmacol* 2013 April;16(3):713-4.
403. Hill SK, Reilly JL, Keefe RS et al. Neuropsychological Impairments in Schizophrenia and Psychotic Bipolar Disorder: Findings from the Bipolar and Schizophrenia Network on Intermediate Phenotypes (B-SNIP) Study. *Am J Psychiatry* 2013 June 17.
404. Judy JT, Seifuddin F, Mahon PB et al. Association study of serotonin pathway genes in attempted suicide. *Am J Med Genet B Neuropsychiatr Genet* 2012 January;159B(1):112-9.
405. Malhotra D, McCarthy S, Michaelson JJ et al. High frequencies of de novo CNVs in bipolar disorder and schizophrenia. *Neuron* 2011 December 22;72(6):951-63.
406. Meier S, Mattheisen M, Vassos E et al. Genome-wide significant association between a 'negative mood delusions' dimension in bipolar disorder and genetic variation on chromosome 3q26.1. *Transl Psychiatry* 2012;2:e165.
407. Nissen S, Liang S, Shekhtman T et al. Evidence for association of bipolar disorder to haplotypes in the 22q12.3 region near the genes stargazin, IFT27 and parvalbumin. *Am J Med Genet B Neuropsychiatr Genet* 2012 December;159B(8):941-50.
408. Andreassen OA, Harbo HF, Wang Y, Thompson WK, Schork AJ, Mattingdal M, Zuber V, Bettella F, Ripke S, Kelsoe JR, et al. Genetic pleiotropy between multiple sclerosis and schizophrenia but not bipolar disorder: differential involvement of immune-related gene loci. *Mol.Psychiatry* 2014 Jan 28;
409. Chen C, Cheng L, Grennan K, Pibiri F, Zhang C, Badner JA, Members of the Bipolar Disorder Genome Study (BiGS) Consortium, Gershon ES, Liu C. Two gene co-expression modules differentiate psychotics and controls. *Mol.Psychiatry* 2013 Dec; 18 (12): 1308-14.
410. Chen DT, Jiang X, Akula N, Shugart YY, Wendland JR, Steele CJ, Kassem L, Park JH, Chatterjee N, Jamain S, et al. Genome-wide association study meta-analysis of European and Asian-ancestry samples identifies three novel loci associated with bipolar disorder. *Mol.Psychiatry* 2013 Feb; 18 (2): 195-205.
411. Cheng L, Hattori E, Nakajima A, Woehrle NS, Opal MD, Zhang C, Grennan K, Dulawa SC, Tang YP, Gershon ES, et al. Expression of the G72/G30 gene in transgenic mice induces behavioral changes. *Mol.Psychiatry* 2014 Feb; 19 (2): 175-83. PMCID:PMC3636154
412. Cross-Disorder Group of the Psychiatric Genomics Consortium, Lee SH, Ripke S, Neale BM, Faraone SV, Purcell SM, Perlis RH, Mowry BJ, Thapar A, Goddard ME, et al. Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. *Nat.Genet* 2013 Sep; 45 (9): 984-94. PMCID:PMC3800159
413. Cross-Disorder Group of the Psychiatric Genomics Consortium, Genetic Risk Outcome of Psychosis (GROUP) Consortium. Identification of risk loci with shared

- effects on five major psychiatric disorders: a genome-wide analysis. *Lancet* 2013 Apr 20; 381 (9875): 1371-9. PMCID:PMC3714010
414. Ford JM, Mathalon DH, Roach BJ, Keedy SK, Reilly JL, Gershon ES, Sweeney JA. Neurophysiological evidence of corollary discharge function during vocalization in psychotic patients and their nonpsychotic first-degree relatives. *Schizophr.Bull.* 2013 Nov; 39 (6): 1272-80. PMCID:PMC3796076
415. Gamazon ER, Badner JA, Cheng L, Zhang C, Zhang D, Cox NJ, Gershon ES, Kelsoe JR, Greenwood TA, Nievergelt CM, et al. Enrichment of cis-regulatory gene expression SNPs and methylation quantitative trait loci among bipolar disorder susceptibility variants. *Mol.Psychiatry* 2013 Mar; 18 (3): 340-6. PMCID:PMC3601550
416. Gershon ES, Grennan K, Busnello J, Badner JA, Ovsiew F, Memon S, liey-Rodriguez N, Cooper J, Romanos B, Liu C. A rare mutation of CACNA1C in a patient with bipolar disorder, and decreased gene expression associated with a bipolar-associated common SNP of CACNA1C in brain. *Mol.Psychiatry* 2013 Aug 27;
417. Gershon ES, Alliey-Rodriguez N. New ethical issues for genetic counseling in common mental disorders. *Am J Psychiatry* 2013 Sep 1; 170 (9): 968-76.
418. Greenwood TA, Bipolar Genome Study (BiGS) Consortium, Kelsoe JR. Genome-wide association study of irritable vs. elated mania suggests genetic differences between clinical subtypes of bipolar disorder. *PLoS.One.* 2013; 8 (1): e53804. PMCID:PMC3542199
419. Hill SK, Reilly JL, Keefe RS, Gold JM, Bishop JR, Gershon ES, Tamminga CA, Pearlson GD, Keshavan MS, Sweeney JA. Neuropsychological impairments in schizophrenia and psychotic bipolar disorder: findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. *Am J Psychiatry* 2013 Nov 1; 170 (11): 1275-84.
420. Reilly JL, Frankovich K, Hill S, Gershon ES, Keefe RS, Keshavan MS, Pearlson GD, Tamminga CA, Sweeney JA. Elevated Antisaccade Error Rate as an Intermediate Phenotype for Psychosis Across Diagnostic Categories. *Schizophr.Bull.* 2013 Sep 30;
421. Schork AJ, Thompson WK, Pham P, Torkamani A, Roddey JC, Sullivan PF, Kelsoe JR, O'Donovan MC, Furberg H, Tobacco and Genetics Consortium, et al. All SNPs are not created equal: genome-wide association studies reveal a consistent pattern of enrichment among functionally annotated SNPs. *PLoS.Genet* 2013 Apr; 9 (4): e1003449. PMCID:PMC3636284
422. Gershon ES, Alliey-Rodriguez N, Grennan K. Ethical and public policy challenges for pharmacogenomics. *Dialogues Clin Neurosci* 2014 Dec;16(4):567-74.
423. Ament SA, Szelinger S, Glusman G, Ashworth J, Hou L, Akula N, et al. Rare variants in neuronal excitability genes influence risk for bipolar disorder. *Proc Natl Acad Sci U S A* 2015 Feb 17;201424958.

424. Maier R, Moser G, Chen GB, Ripke S, Coryell W, Potash JB, et al. Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. *Am J Hum Genet* 2015 Feb 5;96(2):283-94.
425. Jacobsen KK, Nievergelt CM, Zayats T, Greenwood TA, Anttila V, Akiskal HS, et al. Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. *J Affect Disord* 2014 Oct 12;172C:453-461. doi: 10.1016/j.jad.2014.10.004.:453-61.
426. Duan J, Shi J, Fiorentino A, Leites C, Chen X, Moy W, et al. A rare functional noncoding variant at the GWAS-implicated MIR137/MIR2682 locus might confer risk to schizophrenia and bipolar disorder. *Am J Hum Genet* 2014 Dec 4;95(6):744-53.
427. Sanders AR, Martin ER, Beecham GW, Guo S, Dawood K, Rieger G, et al. Genome-wide scan demonstrates significant linkage for male sexual orientation. *Psychol Med* 2014 Nov 17;1-10.
428. Ethridge LE, Soilleux M, Nakonezny PA, Reilly JL, Hill SK, Keefe RS, et al. Behavioral response inhibition in psychotic disorders: diagnostic specificity, familiality and relation to generalized cognitive deficit. *Schizophr Res* 2014 Nov;159(2-3):491-8.
429. Chen C, Zhang C, Cheng L, Reilly JL, Bishop JR, Sweeney JA, et al. Correlation between DNA methylation and gene expression in the brains of patients with bipolar disorder and schizophrenia. *Bipolar Disord* 2014 Dec;16(8):790-9.
430. Hill SK, Reilly JL, Ragozzino ME, Rubin LH, Bishop JR, Gur RC, et al. Regressing to Prior Response Preference After Set Switching Implicates Striatal Dysfunction Across Psychotic Disorders: Findings From the B-SNIP Study. *Schizophr Bull* 2014 Sep 5; sbu130.
431. Ruocco AC, Reilly JL, Rubin LH, Daros AR, Gershon ES, Tamminga CA, et al. Emotion recognition deficits in schizophrenia-spectrum disorders and psychotic bipolar disorder: Findings from the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP) study. *Schizophr Res* 2014 Sep;158(1-3):105-12.
432. Grennan KS, Chen C, Gershon ES, Liu C. Molecular network analysis enhances understanding of the biology of mental disorders. *Bioessays* 2014 Jun;36(6):606-16.
433. Nurnberger JI, Jr., Koller DL, Jung J, Edenberg HJ, Foroud T, Guella I, et al. Identification of pathways for bipolar disorder: a meta-analysis. *JAMA Psychiatry* 2014 Jun;71(6):657-64.
434. Rubin LH, Carter CS, Bishop JR, Pournajafi-Nazarloo H, Drogos LL, Hill SK, et al. Reduced levels of vasopressin and reduced behavioral modulation of oxytocin in psychotic disorders. *Schizophr Bull* 2014 Nov;40(6):1374-84.

435. Reilly JL, Frankovich K, Hill S, Gershon ES, Keefe RS, Keshavan MS, et al. Elevated antisaccade error rate as an intermediate phenotype for psychosis across diagnostic categories. *Schizophr Bull* 2014 Sep;40(5):1011-21.

436.

## **Books, Edited**

1. Gershon E.S., Belmaker R.H., Kety S.S. and Rosenbaum M. (1976) The Impact of Biology on Modern Psychiatry, Plenum Publishing Corporation, New York.

2. Gershon E.S., Matthysse S., Breakefield X.O. and Ciaranello R.D. (1981) Psychobiology and Psychopathology: Volume 1 - Genetic Research Strategies for Psychobiology and Psychiatry, The Boxwood Press, Pacific Grove.

3. Dunner D.L., Gershon E.S. and Barrett J.E. (1988) Relatives at Risk for Mental Disorder, Raven Press, New York.

4. Gershon E.S. and Cloninger C.R. (1994) Genetic Approaches to Mental Disorders, Proceedings of the 82nd Annual Meeting of the American Psychopathological Association, Inc., American Psychiatric Press, Washington, D.C.

Elliot S. Gershon

January 28, 2016