

Fabiana L. Lopes

List Of Publications

1. Freire RC, Nascimento I, Valen  a AM, Lopes FL, Mezzasalma MA, de Melo Neto VL, Zin WA, Nardi AE.
The panic disorder respiratory ratio: a dimensional approach to the respiratory subtype.
Rev Bras Psiquiatr. 2013 Mar;35(1):57-62.

2. Cortesi PA, Mencacci C, Luigi F, Pirfo E, Berto P, Sturkenboom MC, Lopes FL, Giustra MG, Mantovani LG, Scalzone L.
Compliance, persistence, costs and quality of life in young patients treated with antipsychotic drugs: results from the COMETA study.
BMC Psychiatry. 2013 Mar 22;13:98.

3. Caldirola D, Teggi R, Bondi S, Lopes FL, Grassi M, Bussi M, Perna G.
Is there a hypersensitive visual alarm system in panic disorder?
Psychiatry Res. 2011 May 30;187(3):387-91.

4. Nardi AE, Lopes FL, Valen  a AM, Freire RC, Nascimento I, Veras AB, Mezzasalma MA, de-Melo-Neto VL, Soares-Filho GL, King AL, Grivet LO, Rassi A, Versiani M.
Double-blind comparison of 30 and 60 mg tranylcypromine daily in patients with panic disorder comorbid with social anxiety disorder.
J Clin Psychopharmacol. 2010; 30(3):290-293.

5. Lopes FL, Oliveira MM, Freire RC, Caldirola D, Perna G, Bellodi L, Valen  a AM, Nascimento I, Piedade RA, Ribeiro P, Zin WA, Nardi AE.
Carbon dioxide-induced panic attacks and quantitative electroencephalogram in panic disorder patients.
World J Biol Psychiatry. 2010 Mar;11(2 Pt 2):357-63.

6. de-Melo-Neto VL, Lopes FL, Magalhaes FV, Domingues RC, Hallak JE, Crippa JA, Nardi AE.
Anterior cingulated cortex activation as a trait of panic disorder in a patient with a temporal arachnoid cyst.

Prog Neuropsychopharmacol Biol Psychiatry 2009; 33(8): 1565-1567.

7. Nardi AE, Lopes FL, Freire RC, Veras AB, Nascimento I, Valen a AM, de-Melo-Neto VL, Soares-Filho GL, King AL, Araujo DM, Mezzasalma MA, Rassi A, Zin WA.
Panic disorder and social anxiety disorder subtypes in a caffeine challenge test.
 Psychiatry Res. 2009; 169(2): 149-153.
8. Lopes FL, Azevedo TM, Imbiriba LA, Freire RC, Valen a AM, Caldriola D, Perna G, Volchan E, Nardi AE.
Freezing reaction in panic disorder patients associated with anticipatory anxiety.
 Depress Anxiety 2009; 26(10): 917-921.
9. Freire RC, Lopes FL, Valen a AM, Nascimento I, Veras AB, Mezzasalma MA, de-Melo-Neto VL, Zin WA, Nardi AE.
Panic disorder respiratory subtype : a comparison between responses to hyperventilation and CO2 challenge test.
 Psychiatry Res. 2008; 157: 307-310.
10. Nardi AE, Valen a AM, Nascimento I, Freire RC, Veras AB, de-Melo-Neto VL, Lopes FL, King AL, Soares-Filho GL, Mezzasalma MA, Rassi A, Zin WA.
 A caffeine challenge test in panic disorder patients, their healthy first-degree relatives, and healthy controls.
 Depress Anxiety. 2008; 25: 847-853.
11. Nardi AE, Nascimento I, Freire RC, Veras AB, de-Melo-Neto VL, Valen a AM, Lopes FL, Soares-Filho GL, Levitan MN, de Carvalho MR, da Costa RT, King AL, Mezzasalma MA, Grivet LO, Rassi A, Versiani M.
Demographic and clinical features of panic disorder comorbid with bipolar I disorder: a 3-year retrospective study.
 J Affect Disord. 2008; 106: 185-189.
12. Freire RC, Valen a AM, Nascimento I, Lopes FL, Mezzasalma MA, Zin WA, Nardi AE.
Clinical features of respiratory and nocturnal panic disorder subtypes.
 Psychiatry Res. 2007; 152: 287-291.
13. Nardi AE, Lopes FL, Valen a AM, Freire RC, Veras AB, de-Melo-Neto VL, Nascimento I, King AL, Mezzasalma MA, Soares-Filho GL, Zin WA.

Caffeine challenge test in panic disorder and depression with panic attacks.

Compr Psychiatry. 2007;48(3):257-63.

14. Freire RC, Lopes FL, Veras AB, Valen  a AM, Mezzasalma MA, Nascimento I, Nardi AE.
Personality traits spectrum in panic disorder and major depression.
Rev Bras Psiquiatr. 2007;29(1):31-4.
15. Nardi AE, Valen  a AM, Lopes FL, de-Melo-Neto VL, Freire RC, Veras AB, Nascimento I, King AL, Soares-Filho GL, Mezzasalma MA, Zin WA.
Caffeine and 35% carbon dioxide challenge tests in panic disorder.
Hum Psychopharmacol. 2007 Apr 4; [Epub ahead of print].
16. Nardi AE, Valen  a AM, Lopes FL, Nascimento I, Veras AB, Freire RC, Mezzasalma MA, de-Melo-Neto VL, Zin WA.
Psychopathological profile of 35% CO₂ challenge test-induced panic attacks: a comparison with spontaneous panic attacks.
Compr Psychiatry. 2006;47(3):209-14.
17. Nardi AE, Valen  a AM, Mezzasalma MA, Levy SP, Lopes FL, Nascimento I, Freire RC, Veras AB, Zin WA.
Comparison between hyperventilation and breath-holding in panic disorder: patients responsive and non-responsive to both tests.
Psychiatry Res. 2006;142(2-3):201-8.
18. Nardi AE, Valen  a AM, Mezzasalma MA, Lopes FL, Nascimento I, Veras AB, Freire RC, de-Melo-Neto VL, Zin WA.
35% carbon dioxide and breath-holding challenge tests in panic disorder: a comparison with spontaneous panic attacks.
Depress Anxiety. 2006;23(4):236-44.
19. Nardi AE, Valen  a AM, Nascimento I, Lopes FL, Mezzasalma MA, Freire RC, Veras AB, Zin WA, Versiani M.
A three-year follow-up study of patients with the respiratory subtype of panic disorder after treatment with clonazepam.
Psychiatry Res. 2005 Nov 15;137(1-2):61-70.
20. Lopes FL, Nardi AE, Nascimento I, Valen  a AM, Mezzasalma MA, Freire RC, Zin WA.

Diurnal panic attacks with and without nocturnal panic attacks: are there some phenomenological differences?

Rev Bras Psiquiatr. 2005 Sep;27(3):216-21.

21. Nardi AE, Nascimento I, Freire RC, de-Melo-Neto VL, Valenca AM, Dib M, Soares-Filho GL, Veras AB, Mezzasalma MA, Lopes FL, de Menezes GB, Grivet LO, Versiani M.
Demographic and clinical features of schizoaffective (schizobipolar) disorder-A 5-year retrospective study. Support for a bipolar spectrum disorder.
J Affect Disord. 2005 Sep 29.

22. Valenca AM, Nardi AE, Nascimento I, Lopes FL, Freire RC, Mezzasalma MA, Veras AB, Versiani M.
Do social anxiety disorder patients belong to a bipolar spectrum subgroup?
J Affect Disord. 2005 May;86(1):11-8.

23. Nardi AE, Lopes FL, Valenca AM.
Body dysmorphic disorder treated with bupropion: cases report.
Aust N Z J Psychiatry. 2005 Jan-Feb;39(1-2):112.

24. Nascimento I, Lopes FL, Valenca AM, Mezzasalma MA, Nardi AE.
Panic disorder and pregnancy.
Rev Bras Psiquiatr. 2004 Sep;26(3):211-2.

25. Valenca AM, Nardi AE, Mezzasalma MA, Nascimento I, Lopes FL, Zin WA, Versiani M.
Clonidine in respiratory panic disorder subtype.
Arq Neuropsiquiatr. 2004 Jun;62(2B):396-8.

26. Valenca AM, Mezzasalma MA, Nascimento I, Lopes FL, Zin WA, Nardi AE.
Respiratory panic disorder treatment with clonidine.
Can J Psychiatry. 2004 Feb;49(2):154.

27. Nardi AE, Lopes FL, Valenca AM, Nascimento I, Mezzasalma MA, Zin WA.
Psychopathological description of hyperventilation-induced panic attacks: a comparison with spontaneous panic attacks.
Psychopathology. 2004 Jan-Feb;37(1):29-35.

28. Nardi AE, Valenca AM, Lopes FL, Nascimento I, Mezzasalma MA, Zin WA.

Clinical features of panic patients sensitive to hyperventilation or breath-holding methods for inducing panic attacks.

Braz J Med Biol Res. 2004 Feb;37(2):251-7.

29. Nardi AE, Nascimento I, Valenca AM, Lopes FL, Mezzasalma MA, Zin WA.
Panic disorder in a breath-holding challenge test: a simple tool for a better diagnosis.
Arq Neuropsiquiatr. 2003 Sep;61(3B):718-22.
30. Nardi AE, Lopes FL, Valenca AM, Nascimento I, Perna G.
Pregnancy and respiratory nocturnal panic attacks.
Can J Psychiatry. 2003 Sep;48(8):573-4.
31. Nardi AE, Nascimento I, Valenca AM, Lopes FL, Mezzasalma MA, Zin WA, Versiani M.
Respiratory panic disorder subtype: acute and long-term response to nortriptyline, a noradrenergic tricyclic antidepressant.
Psychiatry Res. 2003 Oct 15;120(3):283-93.
32. Nardi AE, Valenca AM, Lopes FL, Nascimento I, Mezzasalma MA, Zin WA.
Breath-holding in anxiety disorders.
Can J Psychiatry. 2003 Aug;48(7):498-9.
33. Valenca AM, Nardi AE, Mezzasalma MA, Nascimento I, Zin WA, Lopes FL, Versiani M.
Therapeutic response to benzodiazepine in panic disorder subtypes.
Sao Paulo Med J. 2003 Mar 5;121(2):77-80.
34. Valenca AM, Nardi AE, Nascimento I, Zin WA, Lopes FL, Mezzasalma MA, Versiani M.
Early carbon dioxide challenge test may predict clinical response in panic disorder.
Psychiatry Res. 2002 Nov 15;112(3):269-72.
35. Nardi AE, Nascimento I, Valenca AM, Lopes FL, Zin WA, Mezzasalma MA, Versiani M.
A breath-holding challenge in panic disorder patients, their healthy first-degree relatives, and normal controls.
Respir Physiol Neurobiol. 2002 Oct 23;133(1-2):43-7.
36. Lopes FL, Nardi AE, Nascimento I, Valenca AM, Zin WA.
Nocturnal panic attacks.
Arq Neuropsiquiatr. 2002 Sep;60(3-B):717-20.

37. Lopes FL, Nascimento I, Valenca AM, Versiani M, Nardi AE.
Respiratory symptoms in nocturnal panic attacks.
Can J Psychiatry. 2002 Sep;47(7):684-5.
38. Lopes FL, Nascimento I, Zin WA, Valenca AM, Mezzasalma MA, Figueira I, Nardi AE.
Smoking and psychiatric disorders: a comorbidity survey.
Braz J Med Biol Res. 2002 Aug;35(8):961-7.
39. Nascimento I, Nardi AE, Valenca AM, Lopes FL, Mezzasalma MA, Nascentes R, Zin WA.
Psychiatric disorders in asthmatic outpatients.
Psychiatry Res. 2002 May 15;110(1):73-80.
40. Valenca AM, Nardi AE, Nascimento I, Mezzasalma MA, Lopes FL, Zin W.
Double-blind clonazepam vs placebo in panic disorder treatment.
Arq Neuropsiquiatr. 2000 Dec;58(4):1025-9.
41. Nardi AE, Valenca AM, Nascimento I, Mezzasalma MA, Lopes FL, Zin WA.
Hyperventilation in panic disorder patients and healthy first-degree relatives.
Braz J Med Biol Res. 2000 Nov;33(11):1317-23.

Fabiana L. Lopes

March 31, 2016