

Profiles
November 5, 2015

Ildiko Miklya
LIST OF PUBLICATIONS

1978-2015

1. Szentiványi M, Faragó I, **Miklya I**, Takács K: Experimental-model and therapeutic responsiveness of diabetic angiopathy.
Acta Physiol Acad Sci Hung 51:195-196, 1978
2. **Miklya I**, Gecső É, Gyires K, Knoll J: Homopirimidazol strukturák gátló hatása indometacin okozta gyomorfekélyre.
MÉT Budapest, XLVI. Vándorgyűlés (1981)
3. Gyires K, **Miklya I**, Gecső É: Az indometacin okozta gyomornyálkahártya erozió gátlása probonnal.
Kísérletes Orvostudomány 34:540-544 (1982)
4. Gyires K, Fürst S, **Miklya I**, Knoll J: 1,5-diazanaphthaline derivatives inhibit the indomethacin-induced gastric damage.
International Meeting on Side-Effects of Anti-Inflammatory Analgesic Drugs, Italy, Verona (1982)
5. **Miklya I**: Homopirimidazol strukturák gátló hatása indometacin okozta gyomornyálkahártya károsodásra.
Pharmacist-doctor dissertation (1983)
6. Gyires K, **Miklya I**, Knoll J: 1-5-diazanaphthaline derivatives with analgesic and anti-inflammatory activity-inhibit the gastrointestinal side effects of indometacin.
International Symposium on Recent Advances in Gastrointestinal Cytoprotection Pécs (1983)
7. Gyires K, Fürst S, **Miklya I**, Knoll J: Analysis of the analgesic and anti-inflammatory effect of Chinoin-127 compared with that of PG synthesis inhibitors and morphine.
1st World Conference on Inflammation, Venice, Italy (1984) Abstracts 2, p401,
8. Gyires K, Fürst S, **Miklya I**, Budavári I, Knoll J: Analysis of the analgesic and anti-inflammatory effect of rimazolium- a pyrido-primidine derivative - compared with that of prostaglandin synthesis inhibitors and morphine
Drugs Exp. Clin. Res. XI, 8:493-500 (1985)
9. **Miklya I**, Knoll J: Új érzékeny módszer anxiolitikus hatás kimutatására patkányon.

MÉT LII. Vándorgyűlés, Pécs (1987)

10. **Miklya I**, Knoll J: A sensitive method for testing anxiolytic drugs in the rat.
 2nd World Congress of Neuroscience, Budapest (1987)
 Neuroscience 22. Suppl.1087. (1987)
11. **Miklya I**, Knoll J: A new sensitive method which unlike the Vogel test detects the anxiolytic effect of Tofisopam.
 Polish Journal of Pharmacology and Pharmacy 40.6. (1988)
12. **Miklya I**, Knoll J: EGIS-5278, egy új hatásspektrumú anxiolitikum.
 MFT, Experimentális Farmakológiai Szekció Tavaszi Szimpozium, Budapest (1988)
13. **Miklya I**, Rácz D, Knoll J: Pharmacological evidence that the anxiolytic effect of Tofisopam is related to a subgroup of benzodiazepine receptors.
 1st Joint Meeting of Hungarian and Italian Pharmacological Societies, Italy, Verona (1988)
 Pharm. Res. Comm. 20 Suppl:113-114 (1988)
14. **Miklya I**, Berényi D, Knoll J: A new spectrum anxiolytic: 3-amino-4-ethylthio-7-Cl-quinoline HCl (EGIS-5278).
 2nd Joint Meeting of Italian and Hungarian Pharmacological Societies Budapest (1990)
 Acta Phys. Hung. 75 Suppl:211-212 (1990)
15. Rácz D, **Miklya I**, Knoll J: Elaboration of highly purified angiohypotensin preparations from mammalian liver.
 2nd Joint Meeting of Italian and Hungarian Pharmacological Societies Budapest (1990)
 Acta Phys. Hung. 75 Suppl:241-242 (1990)
16. Faragó I, **Miklya I**, Knoll J: The dose-related hypotensive effect of highly purified bovine liver angiohypotensin in narcotized normotensive rats.
 2nd Joint Meeting of Italian and Hungarian Pharmacological Societies Budapest (1990)
 Acta Phys.Hung. 75 Suppl:115-116 (1990)
17. Kovács I, **Miklya I**, Knoll J: The selectivity of highly purified liver angiohypotensin towards resistance vessels.
 2nd Joint Meeting of Italian and Hungarian Pharmacological Societies Budapest (1990)
 Acta. Phys. Hung. 75 Suppl:179-180 (1990)
18. **Miklya I**, Rácz D, Zsilla G, Berényi D, Knoll J: 3-amino-4-ethylthio-7-Cl-quinoline HCl (EGIS-5278) a benzodiazepine receptor related new spectrum anxiolytic.
 11th International Congress of Pharmacology, Amsterdam (1990)
 Eur. J. Pharmacol. 183. 1464-1465, 4, July (1990)

19. Rácz D, **Miklya I**, Knoll J: Analysis of bovine liver angiohypotensin (AH) with HPLC purity on smooth muscle preparations.
 3rd Joint Meeting of Hungarian, Italian and Polish Pharmacological Societies, Italy, Modena (1992)
Pharmacological Research 25. Suppl. 2. 162-163(1992)
20. **Miklya I**, Rácz D, Knoll J: Preparation of highly purified bovine liver angiohypotensin by HPLC.
 3rd Joint Meeting of Hungarian, Italian and Polish Pharmacological Societies, Italy, Modena (1992)
Pharmacological Research 25. Suppl. 2. 162-163 (1992)
21. **Miklya I**, Knoll J: Small-dose administration of (-)deprenyl, (-)PPAP and (-)metamphetamine enhances catecholaminergic and diminishes serotonergic tone in the brain.
 4th Joint Meeting of Hungarian, Italian and Polish Pharmacological Societies, Poland, Poznan (1994. oct.).
Polish Journal of Pharmacology 46:313 (1994)
22. **Miklya I**, Rácz D, Knoll J: CNS effect of (-)deprenyl unrelated to MAO-B inhibition.
 12th International Congress of Pharmacology Canada, Montreal (1994. July)
Canadian Journal of Physiology and Pharmacology Suppl. 1, 72:360 (1994)
23. Knoll J, Yen TT, **Miklya I**: Sexually low performing male rats die earlier than their high performing peers and (-)deprenyl treatment eliminates this difference.
Life Sciences 54:1047-1057 (1994)
24. Knoll J, **Miklya I**: Multiple, small dose administration of (-)deprenyl enhances catecholaminergic activity and diminishes serotonergic activity in the brain and these effects are unrelated to MAO-B inhibition.
Arch. Int. Pharmacodyn Ther. 328:1-15. (1994)
25. Knoll J, **Miklya I**: Enhanced catecholaminergic and serotonergic activity in rat brain from weaning to sexual maturity: rationale for preventive (-)deprenyl medication.
Life Sciences 56:611-620 (1995)
26. **Miklya I**, Knoll J: Single, small dose administration of (-)metamphetamine (MA) and (-) deprenyl (D), in contrast to (+)MA enhances catecholaminergic activity and diminishes serotonergic activity in the brain stem of rats.
 1st European Congress of Pharmacology (EPHAR) Milan, Italy, (1995. June 16-19.)
Pharmacological Reserach Suppl. 31:351 (1995)
27. Knoll J, **Miklya I**, Knoll B, Markó R, Kelemen K: (-)Deprenyl and (-) PPAP act primarily as potent stimulants of action potential - transmitter release coupling in the catecholaminergic neurons.
Life Sciences 58:817-827 (1996)

28. Knoll J, Knoll B, **Miklya I**: High performing rats posses significantly higher brain noradrenergic and serotoninergic activity and are more sensitive toward (-)PPAP, a catecholaminergic activity enhancer compound, than their low performing peers. *Life Sciences* 58:945-952 (1996)
29. Knoll J, **Miklya I**, Knoll B, Markó R, Rácz D: PEA and Tyramine are mixed-acting sympathomimetic amines in the brain. *Life Sciences* 58:2101-2114 (1996)
30. Szegedi Zs, Racz G, **Miklya I**, Szende B, Knoll J: In vivo antiapoptotic effect of (-)-deprenyl and PPAP in rat mesencephalon. *Cell proliferation* 30 (10-12):443, 1997
31. **Miklya I**, Knoll B, Knoll J: An anomalous effect of bretylium. *6th Joint Meeting of the Italian, Hungarian and Polish Pharmacological Societies.* Pisa, Italy (1998. May 14-16.)
32. Rácz D, **Miklya I**, Knoll J: Comparison of the catecholaminergic and serotoninergiactivity of (-)methamphetamine, (+)methamphetamine and (-)deprenyl in the brain stem of rats. *6th Joint Meeting of the Italian, Hungarian and Polish Pharmacological Societies.* Pisa, Italy (1998. May 14-16.)
33. **Miklya I**, Knoll B, Knoll J: Bretylium enhances vasoconstrictor responses of the rabbit ear artery to field stimulation of intramural sympathetic nerves. *13th International Congress of Pharmacology (IUPHAR), München, Germany* (1998. June) *Archives of Pharmacology Suppl. 2*, 358:591 (1998)
34. **Miklya I**, Knoll B, Knoll J: Catecholaminergic and serotoninergic activity enhancer (CAE/SAE) substances. *2nd European Congress of Pharmacology (EPHAR), Budapest, Hungary* (1999. July 3-7.) *Fundamental & Clinical Pharmacology Suppl.1*, 13:49S (1999)
35. Knoll J, Yoneda F, Knoll B, Ohde H, **Miklya I**: (-)-1-(Benzofuran-2-yl)-2-propylaminopentane, (-)BPAP, a selective enhancer of the impulse propagation mediated release of catecholamines and serotonin in the brain. *British Journal of Pharmacology* 128:1723-1732 (1999)
36. Knoll J, **Miklya I**, Knoll B, Dalló J: Sexual hormones terminate in the rat the significantly enhanced catecholaminergic/serotoninergic tone in the brain characteristic to the post-weaning period. *Life Sciences* 67:765-773 (2000)
37. Yoneda F, Moto T, Sakae M, Ohde H, Knoll B, **Miklya I**, Knoll J: Structure-Activity Studies Leading to (-)-1-(Benzofuran-2-yl)-2-propylaminopentane, (-)BPAP, a Highly Potent, Selective Enhancer of the Impulse Propagation Mediated Release of Catecholamines and Serotonin in the Brain.

Bioorganic & Medicinal Chemistry 9:1197-1212 (2001)

38. **Miklya I**, Knoll B: Analysis of the catecholaminergic/serotonergic activity enhancer effect of (-)BPAP.
Collegium Internationale Neuro-Psychopharmacologicum (CINP), Hungarian Regional Congress jointly with the 4th Hungarian Neuropsychopharmacologic Congress, Symposium on Rationale of anti-aging medication , Budapest, 2001. Sept. 20-23.
Neuropsychopharmacologia Hungarica Suppl. 3:40 (2001)
39. **Miklya I**: A (-)deprenilnél hatékonyabb új enhancer vegyület, a (-)BPAP szelektív hatásának bizonyítása.
Neuropsychopharmacologia Hungarica 4:84-90 (2002)
40. **Miklya I**: A (-)deprenyl és a (-)BPAP enhancer hatásáról és e hatás jellegzetes dózis-függéséről.
Neuropsychopharmacologia Hungarica 4:91-98 (2002)
41. **Miklya I**, Knoll B, Knoll J: Miért volt a (-)-deprenil (Selegilin, Jumex) hatékony és az α-tokoferol hatástalan a DATATOP vizsgálatban?
Neuropsychopharmacologia Hungarica 4:168-172 (2002)
42. Magyar K, Lengyel J, Bolehovszky A, Knoll B, **Miklya I**, Knoll J: The fate of (-)-1-(benzofuran-2-yl)-2-propylaminopentane HCl, (-)-BPAP, in rats, a potent enhancer of the impulse-evoked release of catecholamines and serotonin in the brain.
European Journal of Drug Metabolism and Pharmacokinetics 27: 157-161 (2002)
43. Knoll J, **Miklya I**, Knoll B: Stimulation of the catecholaminergic and serotonergic neurons in the rat brain by *R*-(-)-1-(benzofuran-2-yl)-2-propylaminopentane, (-)-BPAP.
Life Sciences 71:2137-2144 (2002)
44. Knoll J, **Miklya I**, Knoll B, Yasusa T, Shimazu S, Yoneda F: 1-(Benzofuran-2-yl)-2-(3,3,3-trifluoropropyl)aminopentane HCl, 3-F-BPAP, antagonizes the enhancer effect of (-)-BPAP in the shuttle box and leaves the effect of (-)-deprenyl unchanged.
Life Sciences 71:1975-1984 (2002)
45. **Miklya I**: Enhancer anyagok: (-)-deprenil, (-)-BPAP, az agyi neuronok különleges stimulátorai. [Enhancer substances: (-)-deprenyl, (-)-BPAP, specific stimulators in the mammalian brain]
Ph.D. Dissertation. 2003, 1-107.
46. **Miklya I**, Knoll J: Analysis of the effect of (-)-BPAP, a selective enhancer of the impulse propagation mediated release of catecholamines and serotonin in the brain.
Life Sciences 72:2915-2921 (2003)

47. **Miklya I**, Knoll B, Knoll J: A pharmacological analysis elucidating why, in contrast to (-)-deprenyl (Selegiline), α -tocopherol was ineffective in the DATATOP study. Life Sciences 72:2641-2648 (2003)
48. **Miklya I**, Knoll B, Knoll J: An HPLC tracing of the enhancer regulation in selected discrete brain areas of food deprived rats. Life Sciences 72:2923-2930 (2003)
49. **Miklya I**: Enhancer reguláció. Endogén és szintetikus enhancer vegyületek. MÉT LXVII. Vándorgyűlése, Pécs 2003. jún. 2-4. Előadás. Absztrakt 122.
50. Shimazu S, **Miklya I**: The pharmacological studies with endogenous enhancer substances: β -phenylethylamine, tryptamine and their synthetic derivatives. Prog Neuro-Psychopharmacol Biol Psych 28:421-427, 2004
51. Knoll B, Miklya I, Knoll J: An HPLC tracing of the enhancer regulation in selected discrete brain areas of food-deprived rats
XXIV CINP Congress, Paris, June 20-24, 2004
The International Journal of Neuropsychopharmacology Suppl 1, 7:S306, 2004
52. Miklya I, Knoll J: Further studies with R-(-)-1-(benzofuran-2-yl)-2-propylaminopentane HCl, (-)-BPAP, the tryptamine-derived highly potent and selective synthetic mesencephalic enhancer substance.
XXIV CINP Congress, Paris, June 20-24, 2004
The International Journal of Neuropsychopharmacology Suppl 1, 7:S469, 2004
53. Miklya I, Knoll J: R-(-)-1-(benzofuran-2-yl)-2-propylaminopentane, (-)-BPAP, the tryptamine-derived, highly potent, selective synthetic mesencephalic enhancer substance.
4th Congress of the Federation of the European Pharmacological Societies (EPHAR), Porto, July 14-17, 2004
Fundamental & Clinical Pharmacology Suppl 1, 18:36-36, 2004
54. Gaszner P, Miklya I: The use of the synthetic enhancer substances (-)-deprenyl and (-)-BPAP in major depression.
Neuropsychopharmacologica Hungarica VI/4:210-220, 2004
55. Miklya I, Gaszner P: Treatment possibilities of Alzheimer's disease
Neuropsychopharmacologica Hungarica VI/4:200-209, 2004
56. Miklya I: Enhancer regulation/Enhancer substances. Neuropsychopharmacologia VIII. Magyar Neuropszichofarmakológiai Kongresszus, A neuropszichofarmakológia jelene és jövője (Szimpózium Knoll József akadémikus 80. születésnapja tiszteletére) Tihany, Magyarország, 2005. október 6-8
Neuropsychopharmacologica Hungarica VII. Suppl. 1:40, 2005 (abstract)
57. Miklya I: Enhancer regulation/Enhancer substances.
Neuropsychopharmacologica Hungarica VIII/1. Suppl. 94-101, 2006

58. Gaszner P, Miklya I: Major depression and the synthetic enhancer substances, (-)-deprenyl and *R*-(-)-1-(benzofuran-2-yl)-2-propylaminopentane. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 30:5-14, 2006
59. Dénes L, Gál A, Szilágyi G, Bori Z, Miklya I, Nagy Z: Pharmacological attenuation of apoptosis of human brain capillary endothelial cell by (-)BPAP in a model of hypoxia/reoxygenation. *15th European Stroke Conference (ESC)*, Brussels, Belgium, May 16-20, 2006 *Cerebrovascular Diseases Suppl.4*, 21:80, 2006
60. Dénes L, Miklya I, Erdö F, Szilágyi G, Wappler E, Bori Z, Nagy Z: (-)-BPAP before and after focal photothrombotic ischemic cortical injury. *15th European Stroke Conference (ESC)*, Brussels, Belgium, May 16-20, 2006 *Cerebrovascular Diseases Suppl. 4*, 21:82, 2006
61. Miklya I, Knoll B, Knoll J: Experimental proof of the concept that an already fixed information can easily be ephorized even from a profoundly disturbed cortex. *25th CINP Congress*, Chicago, USA July 9-13, 2006 *The International Journal of Neuropsychopharmacology Suppl.1*, 9:S197-S197, 2006
62. Miklya I: Further evidence that *R*-(-)-1-(benzofuran-2-yl)-2-propylaminopentane [(-)-BPAP] is a highly potent and selective catecholaminergic and serotonergic activity enhancer substance. *25th CINP Congress*, Chicago, USA July 9-13, 2006 *The International Journal of Neuropsychopharmacology Suppl.1*, 9:S197-S197, 2006
63. Miklya I: Enhancer regulation/Enhancer substances. *IX. Magyar Neuropszichofarmakológiai Kongresszus*, Tihany, Magyarország, 2006. október 5-7 *Neuropsychopharmacologia Hungarica Suppl. 1*, 7:40, 2006
64. Miklya I: A (-)-deprenil szerepe az agytörzsi enhancer reguláció felfedezésében. *Neuropsychopharmacologia Hungarica IX/1 Suppl.* 37-42, 2007
65. Miklya I: Az amfetaminok és a deprenil: A 'releasing' és az 'enhancer' hatás megkülönböztetése. *Magyar Kísérletes és Klinikai Farmakológiai Társaság, A Magyar Experimentális Farmakológia III. Szimpóziuma*, Budapest, 2007, Június 1-2. (Absztraktok 47.). Hungarian Society for Experimental and Clinical Pharmacology, The 3rd Symposium of the Hungarian Experimental Pharmacology, Budapest, Hungary, June 1-2, 2007, Abstracts 47.
66. Dénes L, Miklya I: A (-)-BPAP hatása agyi ischemiás kísérleti modellen. *Magyar Kísérletes és Klinikai Farmakológiai Társaság, A Magyar Experimentális Farmakológia III. Szimpóziuma*, Budapest, 2007, Június 1-2. (Absztraktok 14). Hungarian Society for Experimental and Clinical Pharmacology, The 3rd Symposium of the Hungarian Experimental Pharmacology, Budapest, Hungary, June 1-2, 2007, Abstracts 14.

67. Miklya I: The basic differences in the pharmacological spectrum between methamphetamine and its derivative the enhancer substances, (-)-deprenyl.
 13th Scientific Symposium of the Austrian Pharmacological Society (APHAR). Joint Meeting with the Austrian Society of Toxicology (ASTOX), and the Hungarian Society for Experimental and Clinical Pharmacology (MFT), Vienna, Austria, November 22-24, 2007.
 BioMed Central Pharmacology Suppl 2, 7:2007.
68. Dénes L., Miklya I: Selective enhancer substance, (-)-BPAP, counteracts the histological and functional consequences of an experimental stroke in rats.
 13th Scientific Symposium of the Austrian Pharmacological Society (APHAR). Joint Meeting with the Austrian Society of Toxicology (ASTOX), and the Hungarian Society for Experimental and Clinical Pharmacology (MFT), Vienna, Austria, November 22-24, 2007.
 BioMed Central Pharmacology Suppl 2, 7:2007.
69. Miklya I: A (-)-deprenil, az N-metilprogargilamin-1-aminoindan (J-508) és a J-508 dezmetil analógjának (rasagilin) összehasonlító farmakológiai analízise.
 Neuropsychopharmacologia Hungarica 10:15-22, 2008
70. Miklya I: A comparison of the pharmacology of (-)-deprenyl to methylpropargylamine-1-aminoindane (J-508) and rasagiline, the desmethyl-analogue of J-508.
 50th Anniversary of the CINP, XXVI CINP Congress, Munich, Germany, 13-17 July, 2008.
 The International Journal of Neuropsychopharmacology Suppl.1, 11:220-221, 2008
71. Miklya I: Szelektív MAO-B bénítók: (-)-deprenil, rasagilin és lazabemid eltérő hatásspektruma.
 XI. Magyar Neuropszichofarmakológiai Kongresszus, 2008, október 2-4, Tihany, Magyarország.
 Neuropsychopharmacologia Hungarica Suppl. 2, 10: 43, 2008
72. Miklya I: Evidence that (-)-deprenyl (selegiline) slows the deterioration of the nigrostriatal dopaminergic neurons in de novo parkinsonians because of its peculiar catecholaminergic activity enhancer (CAE) effect.
 Influence of Degeneration and Repair in the CNS and Periphery, International Workshop, Budapest, Hungary, September 24-25, 2009
 Inflammopharmacology
73. Miklya I.: Slowing the age –induced decline of brain function with prophylactic use of (-)-deprenyl (Selegiline, Jumex). Current international view and conclusions 25 years after the Knoll's proposal.
 Neuropsychopharmacol Hung 11:217-225, 2009
74. Miklya I: Lego in therapy in the 21st century. [Lego a 21. század terápiájában: az ember ismét lemásolja a természetet]. Szerkesztőségi levél.
 Neuropsychopharmacol Hungarica 12(3):392, 2010

75. Miklya I.: The feasibility of synthetic enhancer substances for preventive nantotherapy. [Preventív nanoterápiás lehetőségek szintetikus enhancer anyagokkal.] Review. Magyar nyelvű.
Neuropsychopharmacol Hungarica 12(3):395-403, 2010
76. Miklya I: Book Review.
Neuropsychopharmacol Hung 12(3):403, 2010
77. Miklya I: Az egyetem szerepe a neuropszichofarmakológiai kutatói és vezetői készség fejlesztésében. XIV. Magyar Neuropszichofarmakológiai Kongresszus, Tihany, 2011. október 6-8. WPA és CINP leadership szimpózium, Vezetési megoldások a neuropszichiátriában.
Neuropsychopharmacologia Hungarica Suppl.2, 13:35-36, 2011
78. I. Miklya: The Knoll-concept to decrease the prevalence of Parkinson's disease. In: David I. Finkelstein (Ed.), Towards new therapies for Parkinson's Disease, InTech Open Acces Publisher (www.intechopen.com), pp. 77-100, 2011
79. Komlós György, Körömczi Kinga, Miklya Ildikó, Joób-Fancsaly Árpád: A várandós nők gyógyszeres kezelésének irányelvei a fogorvosi gyakorlatban. [Guidelines on the pharmacotherapy of the dental patient during pregnancy]. Fogorvosi Szemle [Stomatologia Hungarica] 106(1):39-44, 2013.
80. Miklya I: Primer prevenció enhancer anyagokkal a hosszabb és egészségesebb életért (Szerkesztősségi levél)
Neuropsychopharmacologia Hungarica 15:58-59, 2013
81. Miklya I: Book Review.
 Joseph Knoll: How Selegiline((-)-Deprenyl) Slows Brain Aging?
 Bentham Science e-Book, 2012, pp. 1-163
Neuropsychopharmacologia Hungarica 15:, 2013
82. Miklya I: comment to Knoll J: How Selegiline/(-)-Deprenyl Slows Brain Aging.
 Bentham Science E-book, 2012 (inhn. Books, October 17, 2013)
83. Miklya I: Essential difference between the pharmacological spectrum of (-)-deprenyl and rasagiline. *Pharmacological Reports* 66(3):453-458, 2014
84. Miklya I: The history of selegiline/(-)-deprenyl the first selective inhibitor of B-type monoamine oxidase (MAO) and the first catecholaminergic activity enhancer (CAE) substance. (inhn.org.Archives, Miklya Collection, March 13, 2014)
85. Miklya I., Görtl Patrícia, Hafenscher Florencia, Pencz Noémi: Parkin szerepe a Parkinson kórban.
Neuropsychopharmacologia Hungarica 16(2):67-76, 2014
86. Miklya I., Pencz Noémi, Hafenscher Florencia, Görtl Patrícia: Az α-szinuklein szerepe a Parkinson kórban.
Neuropsychopharmacologia Hungarica 16(2):77-84, 2014

87. Miklya I. Megalakult a Neuropszichofarmakológia Történetébvel Foglalkozó Nemzetközi Hálózat – Szerkesztőségi levél [International Network for the History of Neuropsychopharmacology (INHN) - Editorial] Neuropsychopharmacologia Hungarica 17(1):2-3, 2015

Ildiko Miklya
November 5, 2015